This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATSON International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:
 C12N 15/82, 15/10, 9/12, 5/10, C12Q 1/68, A01H 5/00

A2

(11) International Publication Number:

WO 00/08187

(43) International Publication Date:

17 February 2000 (17.02.00)

(21) International Application Number:

PCT/EP99/05652

(22) International Filing Date:

4 August 1999 (04.08.99)

(30) Priority Data:

98202634.6

4 August 1998 (04.08.98)

EP

(71) Applicant (for all designated States except US): VLAAMS INTERUNIVERSITAIR INSTITUUT VOOR BIOTECH-NOLOGIE [BE/BE]; Rijvisschestraat 120, B-9052 Zwijnaarde (BE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): LEE, Jeong, Hee [KR/BE]; Spinmolenplein 274 (22K), B-9000 Gent (BE). VERBRUGGEN, Nathalie [BE/BE]; Avenue des Saisons, 53, B-1050 Ixelles (BE).

(74) Agent: DE CLERCQ, Ann; Ann De Clercq & Co. B.V.B.A. Brandstraat 100, B-9830 Sint-Martens-Latem (BE). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: GENES INVOLVED IN TOLERANCE TO ENVIRONMENTAL STRESS

(57) Abstract

The present invention relates to a method for obtaining polynucleic acids comprising coding sequences and/or genes involved in environmental stress resistance in plants, comprising the preparation of a cDNA library comprising coding sequences from siliques, introducing said coding sequences in yeast cells in a functional format and screening for polynucleic acids leading to an enhanced tolerance or resistance to environmental stress conditions in said transformed yeast cells. The present invention further relates to an isolated polynucleic acid obtainable by such a method as listed in Table 1 as well as recombinant polynucleic acid comprising the same. The present invention further relates to an isolated polypeptide encoded by a polynucleic acid of the invention. The present invention also relates to a method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into a plant cell a recombinant DNA comprising a polynucleic acid as defined which when expressed in a plant cell enhances the tolerances or induces resistance to environmental stress conditions of said plant. The present invention particularly relates to plant cells, plants or harvestable parts or propagation material thereof transformed with a recombinant polynucleic acid as defined above.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AĽ	Albania	ES.	Spain	LS	Lesotho	SI .	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
٩Z	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GR	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE .	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
3G	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
31	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
3R	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
3Y .	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
F	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	_,,	
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC .	Saint Lucia	RU	Russian Federation		•
E	Germany	u.	Liechtenstein	SD	Sudan		
K	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

20

25

30

35

Genes involved in tolerance to environmental stress

The present invention relates to molecular biology, in particular plant molecular biology. In particular, the invention relates to improvements of crop productivity of useful plants. One of the major limitations of crop productivity is the effect of environmental stress conditions on plant growth and development. An important goal of molecular biology is the identification and isolation of genes that can provide resistance or tolerance to such stresses. For agriculture, the creation of transgenic plants containing such genes provides the potential for improving the stress resistance or tolerance of plants.

Drought, salt loading, and freezing are stresses that cause adverse effects on the growth of plants and the productivity of crops. The physiological response to these stresses arises out of changes in cellular gene expression. Expression of a number of genes has been demonstrated to be induced by these stresses (Zhu et al., 1997; Shinozaki et al., 1996; Thomashow, 1994). The products of these genes can be classified into two groups: those that directly protect against environmental stresses and those that regulate gene expression and signal transduction in the stress response. The first group includes proteins that likely function by protecting cells from dehydration, such as the enzymes required for biosynthesis of various osmoprotectants, late-embryogenesis-abundant (LEA) proteins, antifreeze proteins, chaperones, and detoxification enzymes (Shinozaki et al., 1997, Ingram et al., 1996, Bray et al., 1997). The second group of gene products includes transcription factors, protein kinases, and enzymes involved in phosphoinositide metabolism (Shinozaki et al., 1997). An overview of the methods known to improve stress tolerance in plants is also given in Holmberg & Būlow, (1998).

Further studies are definitely needed to give an insight into the mechanisms involved in the plant response to environmental stress conditions.

The study of plants naturally adapted to extreme desiccation has led to the hypothesis that the genetic information for tolerance to environmental stress conditions exists in all higher plants. In glycophytes, this information would only be expressed in seeds and pollen grains which undergo a desiccation process.

The induction of osmotolerance in plants is very important to crop productivity: 30 to 50 % of the land under irrigation is presently affected by salinity. Several lines of evidence also demonstrate that even mild environmental stress conditions throughout the growth season have a negative impact on plant growth and crop productivity. It is

· 15

20

25

for instance known that even minor limitations in water availability cause a reduced photosynthetic rate. Unpredictable rainfall, increase in soil salinity at the beginning and the end of the growing season often result in decreased plant growth and crop productivity. These environmental factors share at least one element of stress and that is water deficit or dehydration. Drought is a significant problem in agriculture today. Over the last 40 years, for example, drought accounted for 74% of the total US crop losses of corn. To sustain productivity under adverse environmental conditions, it is important to provide crops with a genetic basis for coping with water deficit, for example by breeding water retention and tolerance mechanisms into crops so that they can grow and yield under these adverse conditions.

It is an aim of the present invention to provide a new method for screening for plant genes involved in tolerance or resistance to environmental stress.

It is an aim of the present invention to provide new plant genes, more particularly plant genes providing the potential of improving the tolerance to environmental stress conditions in plants.

It is also an aim of the present invention to provide polypeptides encoded by said new plant genes.

It is further an aim of the present invention to provide methods for producing plants with enhanced tolerance or resistance to environmental stress conditions based on said new genes.

It is also an aim of the present invention to provide recombinant polynucleic acids comprising said new genes.

It is further an aim of the present invention to provide plant cells and plants transformed with said new genes.

It is further an aim of the present invention to provide plant cells and plants with enhanced tolerance or resistance to environmental stress conditions.

The present invention relates more particularly to a method for obtaining polynucleic acids comprising coding sequences and/or genes involved in environmental stress in plants, comprising the preparation of a cDNA library comprising coding sequences from siliques, introducing said coding sequences in yeast cells in a functional format and screening for polynucleic acids leading to an enhanced tolerance or resistance to environmental stress conditions in said transformed yeast cells.

It has been found that the transfer of genes from plants which are often difficult to assay for certain characteristics, to lower eukaryotes, such as yeasts and fungi, but

15

25

30

35

in particular yeast, especially Saccharomyces, is relatively-easy to achieve, whereby it has now been shown that the results of testing for tolerance or resistance to environmental conditions in the resulting yeast cells gives a relatively reliable measure of the capability of the inserted coding sequence or gene to induce tolerance or resistance to environmental stress in plants. Thus the expression of polynucleic acid sequences comprising the gene or coding sequence which are responsible for inducing tolerance or resistance to environmental stress conditions can be enhanced in the plant species from which it originates or in any other plant species.

In the present context the term "enhancing" must be understood to mean that the levels of molecules correlated with stress protection in a transformed plant cell, plant tissue or plant part will be "substantially increased" or "elevated" meaning that this level will be greater than the levels in an untransformed plant.

This may be achieved by inducing overexpression of suitable genetic information which is already present, or by any other suitable means of introducing into the plant cell heterologous information resulting in a capability to tolerate or resist environmental stress.

The term "environmental stress" has been defined in different ways in the prior art and largely overlaps with the term "osmotic stress". Holmberg et al., 1998 for instance define different environmental stress factors which result in abiotic stress. Salinity, drought, heat, chilling and freezing are all described as examples of conditions which induce osmotic stress. The term "environmental stress" as used in the present invention refers to any adverse effect on metabolism, growth or viability of the cell, tissue, seed, organ or whole plant which is produced by an non-living or non-biological environmental stressor. More particularly, it also encompasses environmental factors such as water stress (flooding, drought, dehydration), anaerobic (low level of oxygen, CO₂ etc.), aerobic stress, osmotic stress, salt stress, temperature stress (hot/heat, cold, freezing, frost) or nutrients/pollutants stress.

The term "anaerobic stress" means any reduction in oxygen levels sufficient to produce a stress as hereinbefore defined, including hypoxia and anoxia.

The term "flooding stress" refers to any stress which is associated with or induced by prolonged or transient immersion of a plant, plant part, tissue or isolated cell in a liquid medium such as occurs during monsoon, wet season, flash flooding or excessive irrigation of plants, etc.

"Cold stress" and "heat stress" are stresses induced by temperatures which are respectively, below or above, the optimum range of growth temperatures for a

35

particular plant species. Such optimum growth temperature ranges are readily determined or known to those skilled in the art.

"Dehydration stress" is any stress which is associated with or induced by the loss of water, reduced turgor or reduced water content of a cell, tissue, organ or whole plant.

"Drought stress" refers to any stress which is induced by or associated with the deprivation of water or reduced supply of water to a cell, tissue, organ or organism.

"Oxidative stress" refers to any stress which increases the intracellular level of reactive oxygen species.

The terms "salinity-induced stress", "salt-stress" or similar term refer to any stress which is associated with or induced by elevated concentrations of salt and which result in a perturbation in the osmotic potential of the intracellular or extracellular environment of a cell.

Said salt can be for example, water soluble inorganic salts such as sodium sulfate, magnesium sulfate, calcium sulfate, sodium chloride, magnesium chloride, calcium chloride, potassium chloride etc., salts of agricultural fertilizers and salts associated with alkaline or acid soil conditions.

The transgenic plants obtained in accordance with the method of the present invention, upon the presence of the polynucleic acid and/or regulatory sequence introduced into said plant, attain resistance, tolerance or improved tolerance or resistance against environmental stress which the corresponding wild-type plant was susceptible to.

The terms "tolerance" and "resistance" cover the range of protection from a delay to complete inhibition of alteration in cellular metabolism, reduced cell growth and/or cell death caused by the environmental stress conditions defined herein before. Preferably, the transgenic plant obtained in accordance with the method of the present invention is tolerant or resistant to environmental stress conditions in the sense that said plant is capable of growing substantially normal under environmental conditions where the corresponding wild-type plant shows reduced growth, metabolism, viability, productivity and/or male or female sterility. Methodologies to determine plant growth or response to stress include, but are not limited to height measurements, leaf area, plant water relations, ability to flower, ability to generate progeny and yield or any other methodology known to those skilled in the art.

The terms "tolerance" and "resistance" may be used interchangeably in the present invention.

The methods according to the invention as set out below can be applied to any, higher plant, preferably important crops, preferably to all cells of a plant leading to an enhanced osmotic or any other form of environmental stress tolerance. By means of the embodiments as set out below, it now becomes possible to grow crops with improved yield, growth, development and productivity under environmental stress conditions, it may even become possible for instance to grow crops in areas where they cannot grow without the induced osmotolerance according to the invention.

In order to do a thorough screening for relevant plant genes and/or coding sequences, it is preferred to apply a method according to the invention whereby said cDNA library comprises copies of essentially all mRNA of said plant cell. Probably only coding sequences are sufficient. For the screening of genes involved in environmental stress, it is preferred to use a cDNA library from siliques (fruits, containing the maturing seeds), such as the siliques from *Arabidopsis*, because genes involved in for instance osmotolerance are preferentially expressed in these organs.

Although the genetic information may be introduced into yeast for screening by any suitable method, as long as it is in a functional format long enough tor testing of tolerance or resistance to environmental stress conditions, it is preferred for ease of operation to use a well known vector such as a 2µ plasmid. It is to be preferred to have the coding sequence or the gene under control of a strong constitutive yeast promoter, to enhance good expression of the gene or coding sequence of interest. Strong constitutive yeast promoters are well known in the art and include, but are not limited to the yeast TPI promoter.

The term "gene" as used herein refers to any DNA sequence comprising several operably linked DNA fragments such as a promoter and a 5' untranslated region (the 5'UTR), a coding region (which may or may not code for a protein), and an untranslated 3' region (3'UTR) comprising a polyadenylation site. Typically in plant cells, the 5'UTR, the coding region and the 3'UTR (together referred to as the transcribed DNA region) are transcribed into an RNA which, in the case of a protein encoding gene, is translated into a protein. A gene may include additional DNA fragments such as, for example, introns. As used herein, a genetic locus is the position of a given gene in the genome of a plant.

The present invention more particularly relates to an isolated polynucleic acid obtainable by a method comprising the preparation of a cDNA as set out above comprising coding sequences from siliques, introducing said coding sequences in yeast cells in a functional format and screening for polynucleic acids leading to an

25

enhanced tolerance or resistance to environmental stress conditions in said transformed yeast cells.

The term "polynucleic acid" refers to DNA or RNA, or amplified versions thereof, or the complement thereof.

The present invention more particularly provides an isolated polynucleic acid obtainable by a method as defined above which encodes a polypeptide as listed in Table 1.

The capacity of an isolated polynucleic acid to confer tolerance or resistance to environmental stress conditions can be tested according to methods well-known in the art, see for example, Grillo et al. (1996), Peassarakli et al. (Editor), Nilsen et al. (1996), Shinozaki et al. (1999), Jones et al. (1989), Fowden et al. (1993) or as described in the appended examples.

The present invention more particularly relates to an isolated polynucleic acid which encodes a homolog of any of the polypeptides as listed in Table 1, which is chosen from:

- (a) any of SEQ ID NO 1, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, or 121, or the complementary strands thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b), or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).

Preferably said sequences according to part (b) hybridize under stringent conditions to the sequences of part (a).

Said fragment as defined above are preferably unique fragments of said sequences.

The term "hybridizing" refers to hybridization conditions as described in Sambrook (1989), preferably specific or stringent hybridization conditions are aimed at.

15

25

30

35

Stringent conditions are sequence dependent and will be different in different circumstances. Generally, stringent conditions are selected to be about 5°C lower than the thermal melting point (Tm) for the specific sequence at a defined ionic strength and pH. The Tm is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Typically, stringent conditions will be those in which the salt concentration is about 0.02 molar at pH 7 and the temperature is at least about 60°C.

In the present invention, genomic DNA or cDNA comprising the polynucleic acids of the invention can be identified in standard Southern blots under stringent conditions using the cDNA sequence shown. The preparation of both genomic and cDNA libraries is within the skill of the art. Examples of hybridization conditions are also given in the Examples section.

The present invention also relates to the isolated polynucleic acids which encode polypeptides which are a homolog of the polypeptides as set out in Table 1 useful for the production of plants which are resistant or tolerant to environmental stress conditions.

The present invention also relates to a polynucleic acid comprising at least part of any of SEQ ID NO 1, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or 121, or at least part of a gene that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to any of SEQ ID NO 1, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or 121. Preferably, said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 2, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76 or 78. Said part of said gene is preferably a unique part.

The present invention preferably relates to the use of a polynucleic acid comprising at least part of any of SEQ ID NO 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121, or at least part of a gene that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to any of

20

30

SEQ ID NO 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121 for the production of transgenic plants having enhanced tolerance or resistance to environmental stress conditions.

Preferably, said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120. Said part of said gene is preferably a unique part.

The present invention particularly relates to an isolated polynucleic acid as defined above, which encodes a plant homolog of yeast DBF2 kinase, more particularly a DBF2 kinase homolog from Arabidopsis thaliana termed At-DBF2, which can at least be used to confer enhanced environmental stress tolerance or resistance in plants and yeast.

More preferably, the present invention relates to an isolated polynucleic acid encoding a plant DFB2 kinase, which is chosen from:

- (a) SEQ ID NO 1, or the complementary strand thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
- (e) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b), or,
- (c) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).

Preferably said sequences according to part (b) hybridize under stringent conditions to the sequences of part (a).

Alternatively, the present invention relates to a polynucleic acid derived from a plant comprising at least part of SEQ ID NO 1, or at least part of a gene having a sequence that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to SEQ ID NO 1. Preferably said gene encodes a protein

15

20

.25

30

35

having substantially the same biological activity as the protein having the sequence of SEQ ID NO 2.

The present invention also relates to the use of an isolated polynucleic acid as defined above which encodes a plant HSP 17.6A protein for the production of transgenic plants, more particularly a homolog from Arabidopsis thaliana, which at least can be used to confer enhanced environmental stress tolerance in plants and yeast.

More preferably, the present invention relates to the use of an isolated polynucleic acid as defined above which is chosen from:

- (a) SEQ ID NO 3, or the complementary strand thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b) or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c),

for the production of transgenic plants having an enhanced tolerance or resistance to environmental stress conditions.

Preferably said sequences according to part (b) hybridize under stringent conditions to the sequences of part (a).

The present invention also relates to the use of a polynucleic acid comprising at least part of SEQ ID NO 3, or at least part of a gene having a sequence that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to SEQ ID NO 3. Preferably said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 4, for the production of transgenic plants having enhanced tolerance or resistance to environmental stress conditions.

More preferably, the present invention relates to the use of an isolated polynucleic acid as defined above which is chosen from:

(a) any of SEQ ID NO 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, or 119, or the complementary strand thereof;

25

30

- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b) or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c),

for the production of transgenic plants having an enhanced tolerance or resistance to environmental stress conditions.

The present invention preferably relates to the use of a polynucleic acid comprising at least part of any of SEQ ID NO 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, or 119, or at least part of a gene that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to any of SEQ ID NO 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, or 119, for the production of transgenic plants having enhanced tolerance or resistance to environmental stress conditions.

Preferably, said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120. Said part of said gene is preferably a unique part.

According to another preferred embodiment, the present invention relates to an isolated polynucleic acid as defined above, which encodes a protein termed c74, more particularly a plant homolog of c74, even more preferably a c74 from Arabidopsis thaliana, which at least can be used to confer enhanced environmental stress tolerance in plants and yeast.

More particularly, the present invention relates to an isolated polynucleic acid as defined above, which is chosen from:

- (a) SEQ ID NO 5, or the complementary strand thereof;
- (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;

: 1

- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b) or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).

Preferably said sequences according to part (b) hybridize under stringent conditions to the sequences of part (a).

The present invention also relates to a polynucleic acid comprising at least part of SEQ ID NO 5, or at least part of a gene having a sequence that is at least 50% identical, preferentially at least 55%, 60%, 65% or 70% identical, more preferably at least 75%, 80% or 85% identical, and most preferably at least 90% or 95% identical to SEQ ID NO 5. Preferably said gene encodes a protein having substantially the same biological activity as the protein having the sequence of SEQ ID NO 6.

Two nucleic acid sequences or polypeptides are said to be "identical" according to the present invention if the sequence of nucleotides or amino acid residues, respectively, in the two sequences is the same when aligned for maximum correspondence as described below. The term "complementary to" is used herein to mean that the complementary sequence hybridizes to all or a portion of a given polynucleotide sequence.

Sequence comparisons between two (or more) polynucleic acid or polypeptide sequences are typically performed by comparing sequences of the two sequences over a "comparison window" to identify and compare local regions of sequence similarity. A "comparison window", as used herein, refers to a segment of at least about 20 contiguous positions, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted by the local homology algorithm of Smith and Waterman (1981), by the homology alignment algorithm of Needleman and Wunsch (1970), by the search for similarity method of Pearson and Lipman (1988), by computerized implementations of these algorithms (GAP, BESTFIT, BLAST, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group (GCG), 575 Science Dr., Madison, WI), or by visual inspection.

15

25

30

"Percentage of sequence identity" is determined by comparing two optimally aligned sequences over a comparison window, wherein the portion of the polynucleic acid or polypeptide sequences in the comparison window may comprise additions or deletions (i.e., gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid base or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity.

The term "substantial identity" of polynucleic acid or polypeptide sequences means that a polynucleotide sequence comprises a sequence that has at least 60%. 65%, 70% or 75% sequence identity, preferably at least 80% or 85%, more preferably at least 90% and most preferably at least 95 %, compared to a reference sequence using the programs described above (preferably BLAST) using standard parameters. One of skill will recognize that these values can be appropriately adjusted to determine corresponding identity of proteins encoded by two nucleotide sequences by taking into account codon degeneracy, amino acid similarity, reading frame positioning and the like. Substantial identity of amino acid sequences for these purposes normally means sequence identity of at least 40%, 45%, 50% or 55% preferably at least 60%, 65%, 70%, 75%, 80% or 85% more preferably at least 90%, and most preferably at least 95%. Polypeptides which are "substantially similar" share sequences as noted above except that residue positions which are not identical may differ by conservative amino acid changes. Conservative amino acid substitutions refer to the interchangeability of residues having similar side chains. For example, a group of amino acids having aliphatic side chains is glycine, alanine, valine, leucine, and isoleucine; a group of amino acids having aliphatic-hydroxyl side chains is serine and threonine; a group of amino acids having amide-containing side chains is asparagine and glutamine; a group of amino acids having aromatic side chains is phenylalanine, tyrosine, and tryptophan; a group of amino acids having basic side chains is lysine, arginine, and histidine; and a group of amino acids having sulfur-containing side chains is cysteine and methionine. Preferred conservative amino acids substitution groups are: valineleucine-isoleucine, phenylalanine-tyrosine, lysine-arginine, alanine-valine, asparagine-glutamine.

15

20

25

35

Another indication that nucleotide sequences are substantially identical is if two molecules hybridize to each other, or a third nucleic acid, under stringent conditions.

More particularly, the polynucleic acids as used herein will comprise at least part of a DNA sequence which is essentially similar, or, preferentially, essentially identical or identical to one or both of the nucleotide or amino acid sequences corresponding to SEQ ID NO 1 to 121 disclosed herein, more specifically in the nucleotide sequence encoding, or the amino-acid sequence corresponding to the "active domain" of the respective protein or polypeptide.

The polynucleic acid sequences according to the present invention can be produced by means of any nucleic acid amplification technique known in the art such as PCR or conventional chemical synthesis.

For a general overview of PCR see PCR Protocols (Innis et al. (1990)).

Polynucleotides may also be synthesized by well-known techniques as described in the technical literature. See, e.g., Carruthers et al. (1982) and Adams et al. (1983). Double stranded DNA fragments may then be obtained either by synthesizing the complementary strand and annealing the strands together under appropriate conditions, or by adding the complementary strand using DNA polymerase with an appropriate primer sequence.

The present invention more particularly relates to an isolated polypeptide encoded by a polynucleic acid according to any of the polynucleic acids as defined above, or a functional fragment thereof.

The present invention preferably relates to an isolated polypeptide as listed in Table 1 or to an isolated polypeptide encoded by a polynucleic acid isolated as defined above. Preferably, the present invention relates to polypeptides or peptides having at least part of the sequence of any of SEQ ID NO NO 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120. Preferably, said part is a unique part and preferably includes the active domain of said polypeptide. Preferably said polypeptide is a recombinant polypeptide.

The term "isolated" distinguishes the protein or polynucleic acid according to the invention from the naturally occurring one.

The present invention also relates to a polypeptide comprising at least part of a polypeptide which is at least 50%, 55%, 60%, 65% identical, preferentially at least 70%, 75% identical, more preferably at least 80% or 85% identical, and most

15

25

preferably at least 90% or 95% identical to any of SEQ ID NO NO 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120.

The terms "polypeptide" and "protein" are used interchangeably throughout the present description.

Said polypeptide preferably has the ability to confer tolerance or resistance to environmental stress conditions in at least plants, plant parts, plant tissues, plant cells, plant calli or yeast.

The term "functional fragment" refers to a fragment having substantially the biological activity of the protein from which it is derived.

The polypeptides of the present invention may be produced by recombinant expression in prokaryotic and eukaryotic engineered cells such as bacteria, yeast or fungi. It is expected that those of skill in the art are knowledgeable in the numerous expression systems available for expression in these systems.

The present invention more particularly relates to a method for producing a plant with enhanced environmental stress resistance or tolerance, said method comprising transiently introducing into a plant cell a recombinant DNA comprising any of the polynucleic acids as defined above which when (over)expressed in a plant cell enhances tolerance or resistance to environmental stress of said plant.

The term "plant cell" as defined above also comprises plant tissue or a plant as a whole. The present invention more particularly relates to a method for producing a plant with enhanced environmental stress resistance or tolerance, said method comprising transiently introducing into a plant cell a recombinant DNA comprising any of the polynucleic acids encoding a protein as listed in Table 1 which when (over)expressed in a plant cell enhances tolerance or resistance to environmental stress in said plant.

The term "(over)expression" refers to the fact that the polypeptides of the invention encoded by said polynucleic acid are preferably expressed in an amount effective to confer tolerance or resistance to the transformed plant, to an amount of salt, heat, cold, (or other stress factors) that inhibits the growth of the corresponding untransformed plant.

Several methods to obtain transient introduction and expression of a recombinant DNA in a plant are known to the art. For example, plant virus vectors can

20

25

30

35

be used to obtain such purpose. Examples conferring to the use of plant viral vectors are described in Porta and Lomonossoff (1996), WO9320217 and US 5,589,367.

The present invention also relates to a method for producing a plant with enhanced environmental stress resistance or tolerance, said method comprising stably introducing into the genome of a plant cell a recombinant DNA comprising any of the polynucleic acids as defined above which when (over)expressed in a plant cell enhances the environmental stress tolerance or resistance of a plant.

The present invention also relates to a method for producing a plant with enhanced tolerance or resistance to environmental stress conditions, said method comprising introducing into the genome of a plant cell a recombinant DNA comprising any of the polynucleic acids encoding a protein as listed Table 1 which when (over)expressed in a plant cell enhances the environmental stress resistance of said plant.

According to a preferred embodiment, the present invention relates to a method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid as defined above encoding a DBF2 kinase, preferably a plant DBF2 kinase, most preferably an Arabidopsis DBF2 kinase.

According to another preferred embodiment, the present invention relates to a method as defined above for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid as defined above encoding an HSP 17.6A protein, preferably a plant HSP 17.6A protein, most preferably an Arabidopsis HSP 17.6A.

According to a preferred embodiment, the present invention relates to a method as defined above for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid as defined above encoding a c74 protein, preferably a plant c74 protein, most preferably a Arabidopsis c74 protein.

Preferably, the present invention relates to a method as defined above, comprising:

- (a) introducing into the genome of a plant cell one or more recombinant DNA molecules, said recombinant DNA molecules comprising:
 - a polynucleic acid as defined above, and,
 - a plant expressible promoter, whereby said polynucleic acid is in the same transcriptional unit

15

20

25

and under the control of said plant-expressible promoter, and,

(b) regenerating said plant from said plant cell.

The present invention also relates to a method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising indirectly increasing of inducing the expression of an endogenous gene in said plant comprised within a polynucleic acid as defined above or indirectly increasing of inducing te activity of a protein as defined above.

The present invention also relates to a method as defined above, comprising:

- (a) introducing into the genome of a plant cell one or more recombinant DNA molecules, said recombinant DNA molecules comprising:
 - a DNA encoding a protein which when expressed in said plant cell at an effective amount indirectly increases or induces the expression of an endogenous polynucleic acid or indirectly increases or induces the protein activity of a protein encoded by said polynucleic acid of the present invention, and,
 - a plant expressible promoter, whereby said DNA is in the same transcriptional unit and under the control of said plant-expressible promoter, and,

(b) regenerating said plant from said plant cell.

A "recombinant" DNA molecule will comprise a "heterologous sequence" meaning that said recombinant DNA molecule will comprise a sequence originating from a foreign species, or, if from the same species, may be substantially modified from its original form. For example, a promoter operably linked to a structural gene which is from a species different from which the structural gene was derived, or, if from the same species, may be substantially modified from its original form.

The present invention also relates to a method as defined above for producing a plant with enhanced tolerance or resistance to environmental stress conditions, said method comprising indirectly increasing or inducing the expression of an endogenous gene in said plant comprised within a polynucleic acid as defined above or indirectly increasing or inducing the activity of a protein of the invention as defined above. According to this embodiment, other polynucleic acids modulating the expression or the activity of a protein according to the present invention may be introduced

WO 00/08187 PCT/EP99/05652

transiently or stably into the genome of said plants. The term "modulating" means enhancing, inducing, increasing, decreasing or inhibiting.

Increase or induction of expression or induction or increase of protein activity is required when said regulator protein is a positive regulator of the expression or the activity of at least one of the polynucleic acids or protein of the present invention.

Decrease or inhibition of expression or decrease or inhibition of protein activity is required when said regulator protein is a negative regulator of the expression or activity of at least one of the polynucleic acids or proteins of the present invention.

10

15

20

30

Increase of the activity of said polypeptide according to the present invention is obtained, according to one embodiment of the invention, by influencing endogenous gene expression in the plant. This is preferably achieved by the introduction of one or more polynucleic acid sequences according to the invention into the plant genome, in a suitable conformation for gene expression (e.g. under control of a plant-expressible promoter). This will result in increased or induced expression (overexpression) or increased or induced activity of the protein in the plant cells, and, in the presence of an adequate substrate, in an increase of tolerance or resistance to environmental stress conditions in a transgenic plant or plant cell as compared to a non-transgenic plant or plant cell. This increase in tolerance can be measured by measuring mRNA levels, or where appropriate, the level or activity of the respective protein (e.g. by means of ELISA, activity of the enzyme as measured by any technique known in the art). Endogenous gene expression refers to the expression of a protein which is naturally found in the plant, plant part or plant cell concerned.

Alternatively, said enhanced tolerance or resistance to environmental stress conditions may be achieved by introducing into the genome of the plant, one or more transgenes which interact with the expression of endogenous genes (polynucleic acids) according to the present invention, by anti-sense RNA, co-suppression or ribozyme suppression of genes which normally inhibit the expression of the polynucleic acids of the present invention or by suppression of genes which normally inhibit the activity of the polypeptides of the invention as defined above.

For inhibition of expression, the nucleic acid segment to be introduced generally will be substantially identical to at least a portion of the endogenous gene or genes to be repressed. The sequence, however, need not be perfectly identical to inhibit expression. The vectors of the present invention can be designed such that the inhibitory effect applies to other genes within a family of genes exhibiting homology or substantial homology to the target gene.

20

30

35

For antisense suppression, the introduced sequence also need not be full length relative to either the primary transcription product or fully processed mRNA.

Generally, higher homology can be used to compensate for the use of a shorter sequence.

Furthermore, the introduced sequence need not have the same intron or exon pattern, and homology of non-coding segments may be equally effective. Normally, a sequence of between about 30 or 40 nucleotides up to the full length sequence should be used, though a sequence of at least about 100 nucleotides is preferred, a sequence of at least about 200 nucleotides is more preferred, and a sequence of about 500 to about 1700 nucleotides is especially preferred.

Catalytic RNA molecules or ribozymes can also be used to inhibit expression of genes as explained above. It is possible to design ribozymes that specifically pair with virtually any target RNA and cleave the phosphodiester backbone at a specific location, thereby functionally inactivating the target RNA. In carrying out this cleavage, the ribozyme is not itself altered, and is thus capable of recycling and cleaving other molecules, making it a true enzyme. The inclusion of ribozyme sequences within antisense RNAs confers RNA-cleaving activity upon them, thereby increasing the activity of the constructs.

A number of classes of ribozymes have been identified. One class of ribozymes is derived from a number of small circular RNAs which are capable of selfcleavage and replication in plants. The RNAs replicate either alone (viroid RNAs) or with a helper virus (satellite RNAs). Examples include RNAs from avocado sunblotch viroid and the satellite RNAs from tobacco ringspot virus, lucerne transient streak virus, velvet tobacco mottle virus, solanum nodiflorum mottle virus and subterranean clover mottle virus. The design and use of target RNA-specific ribozymes is described in Haseloff et al. (1988).

Another method of suppression of gene expression is sense suppression. Introduction of nucleic acid configured in the sense orientation has been shown to be an effective means by which to block the transcription of target genes. For an example of the use of this method to modulate expression of endogenous genes see, Napoli et al. (1990), and U.S. Patents Nos. 5,034,323, 5,231,020, and 5,283,184.

The suppressive effect may occur where the introduced sequence contains no coding sequence per se, but only intron or untranslated sequences homologous to sequences present in the primary transcript of the endogenous sequence. The introduced sequence generally will be substantially identical to the endogenous

20

30

sequence intended to be repressed. This minimal identity will typically be greater than about 65%, but a higher identity might exert a more effective repression of expression of the endogenous sequences. Substantially greater identity of more than about 80% is preferred, though about 95% to absolute identity would be most preferred. As with antisense regulation, the effect should apply to any other proteins within a similar family of genes exhibiting homology or substantial homology.

For sense suppression, the introduced sequence, needing less than absolute identity, also need not be full length, relative to either the primary transcription product or fully processed mRNA. This may be preferred to avoid concurrent production of some plants which are overexpressers. A higher identity in a shorter than full length sequence compensates for a longer, less identical sequence. Furthermore, the introduced sequence need not have the same intron or exon pattern, and identity of non-coding segments will be equally effective. Normally, a sequence of the size ranges noted above for antisense regulation is used.

Other methods for altering or replacing genes known in the art can also be used to inhibit expression of a gene. For instance, insertional mutants using T-DNA or transposons can be generated. See, e.g., Haring et al. (1991) and Walbot (1992). Another strategy in genetic engineering of plants and animals is targeted gene replacement. Homologous recombination has typically been used for this purpose (see, Capecchi (1989)).

Alternatively, the present invention also relates to a method as defined above wherein said DNA encodes a sense or antisense RNA or a ribozyme capable of indirectly increasing or inducing the expression of an endogenous polynucleic acid sequence according to the invention as defined above or increasing or inducing the activity of a protein of the invention as defined above. Preferably said endogenous polynucleic acid encodes a protein as listed in Table 1.

The present invention also relates to a recombinant polynucleic acid comprising: a polynucleic acid as defined above, and, a plant expressible promoter, whereby said polynucleic acid is in the same transcriptional unit and under the control of said plant-expressible promoter.

The present invention also relates to a recombinant polynucleic acid comprising:

(a) a DNA encoding a protein which when expressed in said plant at an effective amount indirectly increases or induces the expression of an endogenous

20

polynucleic acid as defined above or indirectly increases or induces the protein activity of a polypeptide as defined above, and,

(b) a plant expressible promoter, whereby said DNA is in the same transcriptional unit and under the control of said plant-expressible promoter.

An "endogenous" polynucleic acid refers to a polynucleic acid that is already present in the plant species before transformation.

Said recombinant polynucleic acid as described here above is generally also referred to as a "recombinant vector" or an "expression cassette". An expression cassette of the invention can be cloned into an expression vector by standard methods. The expression vector can then be introduced into host cells by currently available DNA transfer methods.

The present invention also relates to the recombinant polynucleic acid as defined above, comprising a DNA which encodes an anti-sense RNA, a ribozyme or a sense RNA which increases or induces the activity of a protein as defined above in said cell. Preferably said protein is listed in Table 1.

More particularly, the present invention relates to a recombinant polynucleic acid comprising at least part of the nucleotide sequence of any of SEQ ID NO 1, 3, 5, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121.

Preferably, the present invention relates to a recombinant polynucleic acid comprising at least part of the coding sequence of a gene encoding a protein as listed in Table 1. Preferably, said "part" is a unique part of any of said nucleotide sequences. (26-28) As used herein, the term a "plant-expressible promoter" refers to a promoter that is capable of driving transcription in a plant cell. This includes any promoter of plant origin, including the natural promoter of the transcribed DNA sequence, but also any promoter of non-plant origin which is capable of directing transcription in a plant cell. The promoter may also be an artificial or synthetic promoter. The term "plant-expressible promoter" includes, but is not restricted to, constitutive, inducible, organ-, tissue-specific or developmentally regulated promoters.

According to the invention, production and/or activity of a polypeptide according to the present invention in a plant or in plant parts is increased by introducing one or more polynucleic acids according to the invention into the genome of the plant. More specifically, the constitutive promoter can be, but is not restricted to, one of the following: a 35S promoter (Odell et al. (1985)), a 35S'3 promoter (Hull and Howell

15

25

30

(1987)), the promoter of the nopaline synthase gene ("PNOS") of the Ti-plasmid (Herrera -Estrella, (1983)) or the promoter of the octopine synthase gene ("POCS", De Greve et al. (1982)). It is clear that other constitutive promoters can be used to obtain similar effects. A list of plant-expressible promoters that can be used according to the present invention is given in Table 2.

For specific embodiments of this invention, the use of inducible promoters can provide certain advantages. Modulation of protein levels or protein activity may be required in certain parts of the plant, making it possible to limit modulation to a certain period of culture or developmental stage of the plant.

For specific embodiments of this invention, the use of organ- or tissue-specific or chemical inducible promoters can provide certain advantages. Thus, in specific embodiments of the invention, the gene(s) or part thereof is (are) placed under the control of a promoter directing expression in specific plant tissues or organs, such as for instance roots, leaves, harvestable parts, etc.

It is also possible to use a promoter that can be induced upon the environmental stress conditions. Such promoters can be taken for example from stress-related genes which are regulated directly by an environmental, i.e. preferable abiotic, stress in a plant cell, including genes for which expression is increased, reduced or otherwise altered. These stress related genes comprise genes the expression of which is either induced or repressed by anaerobic stress, flooding stress, cold stress, dehydration stress, drought stress, heat stress or salinity. An exemplary list of such promoters is given in Table 3.

The recombinant polynucleic acids according to the present invention may include further regulatory or other sequences from other genes, such as leader sequences (e.g. the cab22 leader from Petunia), 3' transcription termination and polyadenylation signals (e.g. from the octopine synthase gene or the nopaline synthase gene), plant translation initiation consensus sequences, introns, transcription enhancers and other regulatory elements such as adh intron 1, etc, which is or are operably linked to the gene or a fragment thereof. Additionally, the recombinant polynucleic acid can be constructed and employed to target the gene product of the polynucleic acid of the invention to a specific intracellular compartment within a plant cell on to direct a protein to the extracellular environment. This can generally be obtained by operably joining a DNA sequence encoding a transit or signal peptide to the recombinant polynucleic acid.

15

20

25

35

The recombinant DNA comprising one or more polynucleic acids according to the present invention may be accompanied by a chimeric marker gene (Hansen et al., 1999 and references therein). The chimeric marker gene can comprise a marker DNA that is operably linked at its 5' end to a plant-expressible promoter, preferably a constitutive promoter, such as the CaMV 35S promoter, or a light inducible promoter such as the promoter of the gene encoding the small subunit of Rubisco; and operably linked at its 3' end to suitable plant transcription 3' end formation and polyadenylation signals. It is expected that the choice of the marker DNA is not critical, and any suitable marker DNA can be used. For example, a marker DNA can encode a protein that provides a distinguishable color to the transformed plant cell, such as the A1 gene (Meyer et al., (1987)), can provide herbicide resistance to the transformed plant cell, such as the *bar* gene, encoding resistance to phosphinothricin (EP 0 242 246), or can provide antibiotic resistance to the transformed cells, such as the *aac(6')* gene, encoding resistance to gentamycin (WO94/01560).

According to another embodiment, the present invention invention relates to the use of the polynucleic acids above as selectable marker gene. More preferably, the present invention also relates to the use of the plant DBF2 gene as defined above as selectable marker gene, selection taking place with treatment with a stress condition.

The recombinant DNA vectors according to the present invention comprising the sequences from genes of the invention will typically also comprise a marker gene which confers a selectable phenotype on plant cells. For example, the marker may encode biocide resistance, particularly antibiotic resistance, such as resistance to kanamycin, G418, bleomycin, hygromycin, or herbicide resistance, such as resistance to chlorosulforon or Basta.

The present invention also relates to a recombinant host cell transformed with an isolated polynucleic acid as defined above. Said host can be any host known in the art. Preferably said recombinant host cell is a plant cell, yeast, fungi, insect cell, etc. In order to be efficiently expressed in said host, said polynucleic acids can be combined with any promoter known to function in said host system. Methods for transforming said host cells are also well known in the art.

The present invention particularly also relates to a plant cell transformed with at least one recombinant polynucleic acid as defined above.

The present invention also relates to a plant consisting essentially of plant cells transformed with at least one recombinant polynucleic acid as defined above.

15

20

25

30

35

A "transgenic plant" refers to a plant comprising a transgene in the genome of essentially all of its cells.

DNA constructs of the invention may be introduced into the genome of the desired plant host by a variety of conventional techniques (see for example Hansen et al., 1999 for review and WO 99/05902). For example, DNA constructs of the invention may be introduced into the genome of the desired plant host by using techniques such as protoplast transformation, biolistics or microprojectile bombardment or Agrobacterium mediated transformation.

Microinjection techniques are known in the art and well described in the scientific and patent literature. The introduction of DNA constructs using polyethylene glycol precipitation is described in Paszkowski et al. (1984).

Electroporation techniques are described in Fromm et al. (1985). Biolistic transformation techniques are described in Klein et al. (1987).

Alternatively, the DNA constructs may be combined with suitable T-DNA flanking regions and introduced into a conventional Agrobacterium host vector. The virulence functions of the Agrobacterium host will direct the insertion of the construct and adjacent marker into the plant cell DNA when the cell is infected by the bacteria. Agrobacterium tumefaciens-mediated transformation techniques, including disarming and use of binary vectors, are well described in the scientific literature. See, for example Horsch et al. (1984), and Fraley et al. (1983).

Transformed plant cells which are derived by any of the above transformation techniques can be cultured to regenerate a whole plant which possesses the transformed genotype and thus the desired phenotype. Such regeneration techniques rely on manipulation of certain phytohormones in a tissue culture growth medium. Plant regeneration from cultured protoplasts is described in Evans et al. (1983); and Binding (1985). Regeneration can also be obtained from plant callus, explants, organs, or parts thereof. Such regeneration techniques are described generally in Klee et al. (1987).

The polynucleic acids and polypeptides of the invention can be used to confer desired traits on a broad range of plants, including monocotyledonous or dicotyledonous plants, preferably they belong to a plant species of interest in agriculture, wood culture or horticulture, such as a crop plant, root plant, oil producing plant, wood producing plant, fruit producing plant, fodder or forage legume, companion or ornamental or horticultured plant. The plants can include species from the genera Actinidia, Apium, Allium, Ananas, Arachis, Arisaema, Asparagus, Atropa, Avena, Beta,

Brassica, Carica, Cichorium, Citrus, Citrullus, Capsicum, Cucumis, Cucurbita, Cydonia, Daucus, Diospyros, Fragaria, Glycine, Gossypium, Helianthus, Heterocallis, Hordeum, Hyoscyamus, Ipomoea, Lactuca, Linum, Lolium, Lycopersicon, Malus, Mangifera, Manihot, Majorana, Medicago, Musa, Nicotiana, Oryza, Panicum, Pannesetum, Persea, Petroselinum, Phaseolus, Pisum, Pyrus, Prunus, Raphanus, Rheum, Ribes, Rubus, Saccharum, Secale, Senecio, Sinapis, Solanum, Sorghum, Spinacia, Trigonella, Triticum, Vaccinium, Vitis, Vigna, Zea, and Zingiber. Additional species are not excluded. Crops grown on cultivated lands in arid and semi-arid areas in which irrigation with ground water is needed may advantageously benefit from the invention.

One of skill will recognize that after the recombinant polynucleic acid is stably incorporated in transgenic plants and confirmed to be operable, it can be introduced into other plants by sexual crossing. Any of a number of standard breeding techniques can be used, depending upon the species to be crossed. As described before, the plant cells, plant tissue, in particular, transgenic plants of the invention display a certain higher or enhanced degree of tolerance (or even resistance) to environmental stress conditions compared to the corresponding wild-type plants. For the meaning of "environmental stress", see supra. In a preferred embodiment of the present invention, the transgenic plant displays increased tolerance to osmotic stress, salt stress, cold and/or heat stress. An increase in tolerance to such environmental stress is understood to refer to a tolerance to a level of such stress which inhibits the growth and productivity of the corresponding untransformed plant, as determined by methodologies known to the art. Such increased tolerance in transgenic plants is related to an increased expression level in the transgenic plant or parts thereof of one ore more of the polynucleic acids of the present invention and/or to an increased level of activity of the polypeptide(s) encoded by said polynucleic acid, as determined by methodologies known to the art. In comparison with their untransformed counterparts, and determined according to methodologies known in the art, a transgenic plant according to the present invention shows an increased growth, viability, metabolism, fertility and/or productivity under mild environmental stress conditions. In the alternative, a transgenic plant according to the invention can grow under environmental stress conditions wherein the untransformed counterparts can not grow. An increase in tolerance to salt stress is understood to refer to the capability of the transgenic plant to grow under stress conditions which inhibit the growth of at least 95% of the parent, non-stress tolerant plants from which the stress tolerant transgenic

15

20

- 25

35

plants are derived. Typically, the growth rate of stress tolerant plants of the invention will be inhibited by less than 50%, preferably less than 30%, and most preferably will have a growth rate which is not significantly inhibited by growth conditions which inhibit the growth of at least 95% of the parental, non-stress tolerant plants. In an alternative example, under mild environmental stress conditions, the growth and/or productivity of the transgenic plants is statistically at least 1 % higher than for their untransformed counterparts, preferably more than 5 % higher and most preferably more than 10 % higher.

Any transformed plant obtained according to the invention can be used in a conventional breeding scheme or in *in vitro* plant propagation to produce more transformed plants with the same characteristics and/or can be used to introduce the same characteristic in other varieties of the same or related species.

Furthermore, the characteristic of the transgenic plants of the present invention to maintain normal/rapid/high growth rates under environmental stress conditions can be combined with various approaches to confer environmental stress tolerance with the use of other stress tolerance genes. Some examples of such stress tolerant genes are provided in Holmberg and Bülow (1998). Most prior art approaches which include the introduction of various stress tolerance genes have the drawback that they result in reduced or abnormal growth (compared to non-transgenic controls) under normal, non-stressed conditions, namely stress tolerance comes at the expense of growth and productivity (Kasuga et al., 1999). This correlation between constitutive expression of stress-responsive genes and reduced growth rates under normal growth conditions indicates the presence of cross talk mechanisms between stress response control and growth control.

Furthermore, the characteristic of the transgenic plants of the present invention to display tolerance to environmental stress conditions can be combined with various approaches to confer to plants other stress tolerance genes, e.g., osmotic protectants such as mannitol, proline; glycine-betaine, water-channeling proteins, etc. Thus, the approach of the present invention to confer tolerance to environmental stress conditions to plants can be combined with prior art approaches which include introduction of various stress tolerance genes. Combination of these approaches may have additive and/or synergistic effects in enhancing tolerance or resistance to environmental stress.

Thus, it is immediately evident to the person skilled in the art that the method of the present invention can be employed to produce transgenic stress tolerant plant with

20

25

30

any further desired trait (see for review TIPTEC Plant Product & Crop Biotechnology 13 (1995), 312-397) comprising:

- (i) herbicide tolerance (DE-A 3701623; Stalker (1988)),
- (ii) insect resistance (Vaek (1987)),
- (iii) virus resistance (Powell (1986), Pappu (1995), Lawson (1996)),
- (iv) ozone resistance (Van Camp (1994)),
- (v) improving the preserving of fruits (Oeller (1991)),
- (vi) improvement of starch composition and/or production (Stark (1992), Visser (1991)),
- (vii) altering lipid composition (Voelker (1992)),
- (viii) production of (bio)polymers (Poirer (1992)),
- (ix) alteration of the flower color, e.g., bu manipulating the anthocyanin and flavonoid biosynthetic pathway (Meyer (1987), WO90/12084),
- (x) resistance to bacteria, insects and fungi (Duering (1996), Strittmatter (1995), Estruch (1997)),
- (xi) alteration of alkaloid and/or cardia glycoside composition,
- (xii) inducing maintaining male and/or female sterility (EP-A1 0 412 006; EP-A1 0 223 399; WO93/25695);
- (xiii) higher longevity of the inflorescences/flowers, and
- (xvi) stress resistance.

Thus, the present invention relates to any plant cell, plant tissue, or plant which due to genetic engineering displays an enhanced tolerance or resistance to environmental stress obtainable in accordance with the method of the present invention and comprising a further nucleic acid molecule conferring a novel phenotype to the plant such as one of those described above.

The present invention also relates to a callus or calli consisting essentially of plant cells as defined here above. Such transgenic calli can be preferably used for the production of secondary metabolites in plant cell suspension cultures.

The present invention also relates to any other harvestable part, organ or tissue or propagation material of the plant as defined here above.

The present invention also relates to the seed of a transgenic plant as defined here above, comprising said recombinant DNA.

The present invention also relates to the use of any isolated polynucleic acid as defined above to produce transgenic plants.

15

20.

25

30

35

The present invention also relates to the use of a recombinant polynucleic acid as defined above, to produce transgenic plants, preferably transgenic plants having an enhanced tolerance or resistance to environmental stress conditions. Preferably said polynucleic acid encodes a polypeptide as listed in Table 1.

The present invention also relates to the use of an isolated polynucleic acid as defined above, to produce transgenic callus having an enhanced tolerance or resistance to environmental stress conditions. Preferably said polynucleic acid encodes a polypeptide as listed in Table 1.

The present invention also relates to probes and primers derived from the genes of the invention that are useful for instance for the isolation of additional genes having sequences which are similar to but differ from any of SEQ ID NO 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121, but which encode a protein having substantially the same biological activity as a protein having the amino acids sequence of any of SEQ ID NO 2 to 120 (even numbers) by techniques known in the art, such as PCR. The presence of a homologous gene in another plant species can for instance be verified by means of Northern of Southern blotting experiments.

The present invention also relates to the cloning of the genomic counterpart of any of the cDNA sequences as represented in SEQ ID NO 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121. These genomic counterparts can be selected from a genomic library using these cDNA sequences as a probe. The present invention also relates to the coding region as well as the promoter region of any of said genomic clones.

The term "probe" according to the present invention refers to a single-stranded oligonucleotide *sequence* which is designed to specifically hybridize to any of the polynucleic acids of the invention.

The term "primer" refers to a single stranded oligonucleotide sequence capable of acting as a point of initiation for synthesis of a primer extension product which is complementary to the nucleic acid strand to be copied. Preferably the primer is about 5-50 nucleotides long. The term "target region" of a probe or a primer according to the present invention is a sequence within the polynucleic acid(s) to which the probe or the primer is completely complementary or partially complementary (i.e. with some degree

15

20

25

35

of mismatch). It is to be understood that the complement of said target sequence is also a suitable target sequence in some cases.

"Specific hybridization" of a probe to a target region of the polynucleic acid(s) means that the probe forms a duplex with part of this region or with the entire region under the experimental conditions used, and that under those conditions this probe does substantially not form a duplex with other regions of the polynucleic acids present in the sample to be analysed.

"Specific hybridization" of a primer to a target region of the polynucleic acid(s) means that, during the amplification step, said primer forms a duplex with part of this region or with the entire region under the experimental conditions used, and that under those conditions the primer does not form a duplex with other regions of the polynucleic acids present in the sample to be analysed. It is to be understood that "duplex" as used hereby, means a duplex that will lead to specific amplification.

Preferably, the probes of the invention are about 5 nucleotides to about 1 Kb long, more preferably from about 10 to 25 nucleotides. The nucleotides as used in the present invention may be ribonucleotides, deoxyribonucleotides and modified nucleotides such as inosine or nucleotides containing modified groups which do not essentially alter their hybridization characteristics. The probes according to the present invention preferably include parts of the cDNA sequences of any of the polynucleic acids as defined above.

The present invention also relates to a composition comprising a polynucleic acid sequence as defined above, a polypeptide as defined above, a probe as defined above or a primer as defined above.

The present invention also relates to a pharmaceutical or agrochemical composition comprising said polynucleic acid, a polypeptide of the invention as defined above.

The present invention also relates to antibodies specifically reacting with a protein or polypeptide according to the present invention.

The following Examples describe by way of example the tolerance and/or resistance to several environmental stress conditions observed for transgenic plants and yeast overexpressing some of the polynucleic acids according to the present invention. Unless stated otherwise in the Examples, all recombinant DNA techniques are carried out according to standard protocols as described in Sambrook et al. (1989) and in volumes 1 and 2 of Ausubel et al. (1994). Standard materials and methods for plant molecular work are described in Plant Molecular Biology Labfax (1993) by R.D.D.

Croy, jointly published by BIOS Scientific Publications Ltd. (UK) and Blackwell Scientific Publications, UK.

These examples and figures are not to be construed as limiting to any of the embodiments of the present invention as set out above. All of the references mentioned herein are incorporated by reference.

BRIEF DESCRIPTION OF THE FIGURES AND TABLES

Figure 1. At-DBF2 encodes a functional homolog of the yeast Dbf2 (A) Comparison of the deduced amino acid sequence of At-DBF2 with that of yeast DBF2. Gaps were introduced to optimize the alignment. Roman numerals above the At-DBF2 sequence indicate the protein kinase catalytic subdomains defined by Hanks et al. (1988). (B) Complementation of dbf2. The dbf2 mutant S7-4A [MATa dbf24::URA3 ura3 leu2 ade5 trp1 his7] (Toyn and Johnston, 1994) (B1) forms swollen pairs of daughter cells (dumbbells) at restrictive temperature (37° C). The defective morphology of the dbf2 mutant can be complemented by transformation with the pYX112 centromeric plasmid (Ingenius, R&D system) containing the At-DBF2 cDNA (B2) or DBF2 (B3); wild type (CG378 strain, MATa ade5 leu2 trp1 ura3) (B4). Log phase cultures were shifted from 28°C to 37°C and photographed after 16 hours. After 16 hours, 98% of the S7-4A cells arrested with a dumbbell morphology (B1) whereas 6,1 and 0% of dumbbells were observed in B1, B3 and B4. Strains were kindly provided by (Dr Lindl, Max Planck Institut fur Zuchtungsforschung, Koln, Germany).

Figure 2. Overexpression of *DBF2* or *At-DBF2* enhances tolerance to osmotic, salt, heat and cold stress. Yeast cells were grown in YPD and cell density was adjusted to OD600 at 2. (1) DY, (2) DY transformed with pYX212 containing *DBF2*, pYX-YDBF2, (3) DY transformed with vector alone or (4) with vector containing *At-DBF2*, pYX-AtDBF2. Serial dilutions were made in step1:10. Ten μl of each dilution was spotted on solid YPD medium (control) supplemented with 2M sorbitol (osmotic stress) or 1.2 M NaCl (salt stress) or 4μl H₂O₂ (oxidative stress) and incubated at 28°C or at 42°C (heat stress) or at 4°C (cold stress) for 3 days.

Figure 3. *DBF2* and *At-DBF2* are induced by stress. (a) Northern analysis showing the kinetics of *At-DBF2* induction in plants treated with PEG 6000 20 % and the one of *DBF2* in yeast treated with sorbitol 2M for the time indicated. (b) Northern analysis of *At-DBF2* in 10 day-old-plants grown for 5 hours in control conditions (as described in Verbruggen et al. 1993) (1), at 37° C (2), with PEG 6000 20 % (3), NaCl 1% (4), at 4° C (5) or with 0.4 mM H_2O_2 (6); and of *DBF2* in yeast cells grown for 11/2 hour in YPD (1), at 37° C (2), with sorbitol 2M (3), with NaCl 1.2 M (4), at 4° C (5) or with 0.4 mM H_2O_2 (6). Control of loading has been done with EtBr staining and is shown under each Northern analysis.

20

25

(c) Western analysis of At-DBF2 in Arabidopsis. Samples are similar to those analysed in (b). Antibodies used were raised against yeast Dbf2 and kindly provided by Dr L. Leindl (Max Planck Institut fur Zuchtungsforschung, Koln, Germany).

Figure 4. *DBF2* overexpression can suppress *hog1* osmosensitivity. The *hog1* mutant (4) [W303-1A, *MATa*, *hog1Δ:: TRP1*] and wild type (W303) (1) were kindly provided by Dr Thevelein (Katholieke Universiteit Leuven, Belgium). The *hog1* mutant was transformed with pYX-YDBF2 (2) or pYX-AtDBF2 (3). Each of the 4 strains was grown for 16 hours in YPD (rich medium), and cell density was adjusted to OD600 at 2. Serial dilutions, 1:10 were made at five consecutive steps. Ten microliter of each dilution was spotted on solid YPD medium (control) or solid YPD medium supplemented with 0,9 M NaCl and incubated at 28°C for 3 days.

Figure 5. *T-DBF2* (*Nicotiana tabacum* DBF2) is periodically expressed during plant cell cycle. Tobacco *DBF2* expression has been followed in BY2 cells synchronised with aphidicolin (a & b) or with propyzamide (c & d) with *At-DBF2* as probe. The measure of relative rate of DNA synthesis and of the mitotic index, the use of the cell cycle markers *CYCB1.2* and *H4* markers have been previously described (Reicheld et al., 1995). *T-DB*F2 transcript levels were quantified from the blots shown in b and d using a PhosphorImager (Molecular Dynamics).

Figure 6. shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left section) upon applying a salt stress of 200 mM NaCl overnight.

Figure 7 shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left section) upon applying an osmotic stress induced by 20% PEG overnight.

Figure 8 shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left

15

20

30

section) upon applying a cold stress by gradually decreasing the temperature untill - 7°C.

Figure 9 shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left section) upon applying a heat stress of 2 hours at 48°C.

Figure 10 shows the results of a comparison of the growth of *A. thaliana* plants transformed with the following constructs: P35S-At-DBF2 (upper left and bottom right section), P35S control (upper right section) and P35S-antisense At-DBF2 (bottom left section). It can be concluded that the P35S-At-DBF2 transformed plants do not show morphological abnormalities compared to the control transgenic plants.

Figure 11 shows the results of a salt stress tolerance test with transgenic *A. thaliana* plants overexpressing HSP 17.6A (A) or c74 (B). The control plants (bottom left in A en B) is a transgenic line tranformed with pBIN-35S-CaMVter. The other sections in A are 5 independently obtained transgenic lines overexpressing HSP17.6A. The other sections in B are 5 independently obtained transgenic lines overexpressing c74.

Figure 12 shows the influence of *At-DBF2* expression in sense and antisense orientations on stress tolerance. BY2 cells were transformed by *A. tumefaciens* with recombinant T-DNA vectors containing At-DBF2 driven by CaMV 35S RNA promoter, pBIN-35S-At-DBF2 (upper left and right sections in A or diamonds in B), the CaMV 35S promoter and terminator pBIN-35S-CaMVter (bottom left sections in A or triangles in B), or antisense *At-DBF2* under the control of the CaMV 35S promoter pBIN-35S-ASAt-DBF2 (bottom right sections in A or circles in B). (A) Picture of the same amounts of transgenic cells after 3 weeks of growth on solid medium supplemented with 300 mM NaCl, 25% PEG, 2mM H₂O₂, or at 47°C (heat). (B) Growth of suspension cells in liquid medium. Upon stress, growth was measured as fresh weigth and expressed as a percentage of unstressed growth (control) (a). Stresses were applied after subculturing (= day 0) at indicated temperatures (e) and concentrations of NaCl (b) PEG (c), and H₂O₂ (f). For the cold shock (d), cells were maintained at 0°C for 2 days before the 2-week culture at 22°C. For each construction data of three

independent transgenic lines were pooled. To not overload the figure, SDs are not shown (maximum 15% of measured values). (C) Northern analysis of At-DBF2+TDBF2, kin1, and HSP17.6. Total RNAs were extracted from independent lines transformed with pBIN-35S-At-DBF2 (1) and (2), pBIN-35S-CaMter (3), and pBIN-35S-ASAt-DBF2 (4). Osmotic stress was induced with 10% PEG treatment for 5 hr (stressed).

Figure 13 shows the results of the growth of *A. thaliana* plants transformed with p35S-AtHSP17.6A and P35S control (upper right section) upon applying an osmotic stress induced by 20% PEG overnight. The results of two independent experiments are shown, each performed with 3 independently obtained transgenic lines overexpressing At-HSP17.6A (upper left and bottom left and right).

Figure 14 shows the results of the germination of *A. thaliana* plants transformed with p35S-Atc74 and P35S control (bottom section) on mineral medium supplemented with 125 mM NaCl. The results of two independent experiments are shown, each performed with 2 independently obtained transgenic lines overexpressing Atc74 (2 upper sections).

20

25

30

35

10

15

Table 1. Classification of the *Arabidopsis thaliana* clones isolated in Example 2. Clones isolated according to the description in example 2 have been analyzed on their potential to confer tolerance. According to the method described in example 2, the tolerance of different yeast transformants expressing an Arabidopsis cDNA to osmotic stress and salt stress was compared with the tolerance of DY wild type cells.

similar growth to the DY wild type cells;

++ : growth of the transformant is visible at a 10-fold higher dilution

(1:10) than control (1:1):

+++ : growth of the transformant is visible at a 100-fold higher dilution

(1:100) than control (1:1);

++++ : growth of the transformant is visible at a 1000-fold higher

dilution (1:1000) than control (1:1).

Table 2. Exemplary plant-expressible promoters for use in the performance of the present invention.

Table 3. Exemplary stress-inducible promoters for use in the performance of the present invention.

EXAMPLES

Example 1. Construction of the cDNA library.

Total RNA has been isolated from green siliques from *Arabidopsis thaliana* by grinding 1 g of siliques in 4 ml extraction buffer (100 mM tris-Hcl, pH 8, 10 mM EDTA, 100 mM LiCl) at 4° C, followed by phenolisation and chloroform: isoamylalcohol (24:1) extraction. To the aqueous phase, LiCl was added up to a final concentration of 2M, and the total RNA was allowed to precipitate overnight at 4°C. After centrifugation, the pellet was redissolved in 400 µl H₂O and reprecipitated with ethanol. Poly(A) messenger RNA was isolated from the total RNA by binding it to an oligo-dT cellulose spun column (Pharmacia), washing the column three times with 10 mM Tris-HCl, pH 7.5, 1 mM EDTA, 0.5 M NaCl and eluting the mRNA with 10 mM Tris-HCl, pH 7.5, 1 mM EDTA at 65° C.

The eluate was precipitated with ethanol, and cDNA was synthesized using MMLV- reverse transcriptase (Pharmacia) and a d(T)₁₄-Xhol primer for the first strand and *E. coli* DNA polymerase I (Pharmacia) for the second strand.

Example 2. Yeast transformation and selection for osmotolerance.

The cDNA was cloned into pYX vectors (Ingenius, R&D systems; 2 μ based pYX 212 for bank 1, ARS/CEN based pYX112 for bank 2) as EcoRI - Xhol fragments, using an Eco RI/Not I adaptor.

In these constructs, the cDNA is under the control of the strong constitutive TPI promoter. The yeast strain DY (MATa, his3, can1-100, ade2, leu2, trp1, ura3::3xSV40AP1-lacZ; kindly provided by N. Jones, Imperial Cancer Research Fund, London, UK) has been transformed with these cDNA libraries, using the Lithium Acetate transformation procedure (Gietz and SchietsI, 1995). After transformation with the Arabidopsis cDNA bank, transformants have been selected for the ability to grow in the presence of 100mM LiCl in a stepwise selection (Lee et al., 1999). LiCl is commonly used for salt tolerance screening in yeast (Haro et al. 1991). Several A. thaliana genes, conferring osmotolerance to the yeast, have been isolated (Table 1). To further analyse the potential of the selected Arabidopsis cDNA's to confer tolerance to environmental stress in yeast, each yeast transformant expressing such selected Arabidopsis cDNA's has been exposed to osmotic stress and salt stress. Each of the transformants was therefore grown for 16 hours in YPD (rich medium), and cell density was adjusted to OD₅₀₀ at 2. Serial dilutions, 1:10, were made at three consecutive

20.

25

30

35

steps. Ten microliters of each dilution was spotted on solid YPD medium (control) supplemented with 2 M sorbitol (osmotis stress) or 1.2 M NaCl (salt stress) and incubated at 28°C for 3 days. The results of this drop growth test (see also Lee et al., 1999) are shown in Table 1.

Example 3. Characterization of At-DBF2.

At-DBF2, a 1.8 kb cDNA (SEQ ID NO 1) has been identified in this screening that encodes a predicted 60.2 kDa protein showing 81 % similarity with the yeast Dbf2 transcriptional regulator. Homology (less than 40% similarity) has also be found with the putative Dbf2 homologues in human, C. elegans and Drosophila (named Ndr for nulear Dbf2 related, Millward et al. 1995). The At-DBF2 deduced protein sequence (SEQ ID NO 2) contains the 11 domains of protein kinases (Figure 1A). Amino acids lying between the invariant residues D and N of domain VI do not match the features of serine/threonine specificity (LKPE) defined by Hanks et al. (1988) but the GSPDYIALE peptide in domain VIII does well indicate serine/threonine specificity and At-DBF2 can complement the yeast dbf2 mutant (Figure 1B).

In mature Arabidopsis plants, *At-DBF2* is expressed in all tested organs. The highest abundance of transcripts has been found in siliques. A Southern analysis in Arabidopsis, tobacco and tomato has revealed that *DBF2* seems to be conserved in plants (see Example 13 below). As *At-DBF2* has been identified in a screening for LiCl tolerance, its effect in other stress situations has been tested in yeast (Figure 2).

Example 4. Overexpression of *Arabidopsis* and *Saccharomyces* cerevisiae DBF2 enhances cold, heat, salt and drought tolerance in yeast.

In order to test whether the effect was specific to the plant gene, the yeast *DBF2* gene has been overexpressed in the same vector. Upon a drop growth test (Figure 2 and Lee et al., 1999). A remarkable enhancement of stress tolerance can be seen at 42°C, during osmotic stress (sorbitol), and after salt and cold treatments in yeast. There is no difference between stress tolerance afforded by the plant or the yeast gene. The enhancement of stress tolerance due to the overexpression of *At-DBF2* or *DBF2* reflects a role for these genes in stress situations. Therefore yeast and Arabidopsis plants have been exposed to sorbitol- and PEG-induced osmotic stress. *At-DBF2* as well as *DBF2* is induced rapidly (1 to 2 hours) and transiently upon osmotic stress (Figure 3A). The expression of *At-DBF2* and *DBF2* has been analyzed during other environmental stresses in Arabidopsis plants or in yeast cells after the

25

time corresponding to the highest induction seen in Fig. 3A (Figure 3B). In plant as in yeast, there is a clear induction after heat, salt, osmotic and to a lesser extent after cold, which perfectly correlates with stresses to which the overexpression enhances tolerance. However, many genes are induced upon stress without relevant adaptive role, amongst others because post-transcriptional mechanisms inhibit subsequent translation. Here *At-DBF2* protein amount, as detected by anti-Dbf2 antibodies, clearly increased upon stress (Figure 3C).

Example 5. Both *At-DBF2* and *DBF2* can functionally complement the *hog1* mutation.

To investigate a possible interaction between stress signaling pathways and *DBF2*, the salt sensitive hog1 mutant was transformed with *At-BDF2* and *DBF2*. The *HOG1* MAP kinase pathway regulates osmotic induction of transcription in yeast (Schuller *et al.* 1994). The osmosensitivity of the mutant could be recovered by the overexpression of both *DBF2* and *At-DBF2* (Figure 4).

Example 6. At-DBF2 is cell cycle regulated.

DBF2 expression is cell cycle regulated where it plays a role in DNA synthesis initiation but also in nuclear division through its association with the CCR4 complex (Komarnitsky et al. 1998, Johnston et al. 1990). This regulation was investigated in plants. A tobacco BY-2 cell line in which the highest level of culture synchronization, compared with other plant cell lines has been achieved so far (Shaul et al. 1996, Reicheld et al. 1995) was used. Stationary phase cells were diluted into fresh medium and treated with aphidicolin (blocking cells in the beginning of the S phase) for 24 hours, then washed. The percentage of synchronous mitosis after release from the aphidicolin block was about 65 % (Figure 5A-B). A 1.6-Kb tobacco DBF2 homologue (T-DBF2) could be detected on Northern blot with the At-DBF2 as a probe. T-DBF2 steady-state transcript level clearly oscillates during the cell cycle and is mainly present during S, decreases during G2 until late M from where it increases until a peak in S phase. T-DBF2 expression occurs clearly before CYCB1.2 (a marker of G2-M phases), but parallels the one of H4 (a S phase marker) except at the S/G2 transition, where T-DBF2 transcripts decline earlier, and at the M/G1 transition, where T-DBF2 expression increases earlier. The use of the cell cycle markers CYCB1.2 and H4 is described in Reicheld et al.

10

15

20.

25 -

30

To follow unperturbed G1 and S phases, BY2 cell suspension was synchronized using a double blocking procedure (Nagata *et al.*,1992). After the release from the aphidicoline block, cells are treated for 4 hours with propyzamide in the beginning of the preprophase. The percentage of synchronous mitosis after the release from the propyzamide block was higher than 75%. *T-DBF2* was periodically expressed with an undetectable expression until late M, a sharp increase in G1 and a peak in mid S (Figure 5C-D) which confirms results of Figures 5A-B. However a function for the plant *DBF2* in cell cycle can only be assigned with measurement of the kinase activity. In yeast, *DBF2* transcript levels do not correlate with kinase activation which occurs by dephosphorylation (Toyn and Johnson, 1994). The precise function of Dbf2 in regulation of the cell cycle is not known. An essential role has been proposed during anaphase or telophase. No activity has been measured in G1 despite evidence for a role for Dbf2 in initiation of DNA synthesis.

As other proteins recently identified, Dbf2 controls the M/G1 transition which is a major cell cycle transition in yeast (Aerne et al. 1998). The existence of a M/G1 control checkpoint has been suggested in plant cells (Hemmerlin and Bach 1998) but its importance compared to G1/S and G2/M has not been investigated.

Overexpression of *DBF2* in yeast results in kinase activity throughout the cell cycle, which may be due to the saturation of a post-translational deactivating mechanism (Toyn and Johnston, 1994). Overexpression of the functionnally conserved *At-DBF2* has most probably the same effect. However, the presence of Dbf2 kinase activity at the wrong time in the cell cycle does apparently not affect its progression. In marked contrast constitutive activity has a marked effect on stress tolerance. The role played by *At-DBF2* or *DBF2* in stress is most probably independent from the cell division cycle. *At-DBF2* expression is present in all plant organs (abundant expression is observed in stems where only 1-2 % cells have a mitotic activity) and can be rapidly induced upon stress. However, a link with the cell cycle is not excluded. Higher stress tolerance in yeast overexpressing *DBF2* or *At-DBF2* may be correlated to the overproduction of the kinase in G1 where yeast cells are particularly sensitive to stress. Most plant cells are also thought to be blocked in G1 but the relationship with stress response is poorly known.

Example 7. Tobacco cell transformation and recombinant T-DNA Vector construction

BY2 cells were stably transformed as described (Shaul et al., 1996) by Agrobacterium tumefaciens C58C1Rif^R (pGV2260) strain (Deblaere et al., 1985) carrying pBIN-35S-At-DBF2 or pBIN-35S-ASAt-DBF2 recombinant binary vectors. PBIN-35S-At-DBF2 is the plant binary vector pBIN m-gfp4 in which the BamHI-Sacl fragment containing the gfp reporter gene was replaced with a BamHI-Sacl fragment containing the At-DBF2 cDNA from pYX-At-DBF2. p-Bin-35S-CaMVter is the plant binary vector pBIN19 in the HindIII-Sacl restriction sites of which the hindIII-Sacl fragment of pDH51 containing the cauliflower mosaic virus (CaMV) 35S RNA promoter and terminator was cloned. pBIN-35S-ASAt-DBF2 is the pBIN-35S-CaMVter vector in which the At-DBF2 cDNA was cloned in the antisense orientation from pYXAt-DBF2 in the BamHI-Smal restriction sites, between the CaMV 35S RNA promoter and terminator. More details are described in Lee et al. (1999).

15

20

25

35

Example 8. Overexpression of At-DBF2 sense and antisense RNA in plant cells

Transgenic plant cells overexpressing At-DBF2 were generated to test the role of this protein in stress tolerance in planta. Tobacco BY2 cells were stably transformed by A. tumefaciens carrying the At-DBF2 cDNA driven by the strong constitutive CaMV 35S RNA promoter. The antisense At-DBF2 RNA also was overexpressed under the control of the same promoter. Control lines were obtained by transforming tobacco BY2 cells with pBIN-35S-CaMVter. Three independently obtained At-DBF2overexpressing tobacco transgenic cell lines have been selected with a high and similar At-DBF2 expression and analysed further. Three tobacco transgenic cell lines overexpressing antisense At-DBF2 were chosen that showed an undetectable tobacco DBF2 transcript level. Both the overexpression of At-DBF2 and the down-regulation of the endogenous gene by the antisense strategy did not result in significant differences in growth after 2 weeks (Fig. 12A and 12B). On the contrary, marked differences in growth were observed after a 2-week treatment with NaCl, PEG-induced drought, cold, or high temperatures. Transgenic lines that overexpressed At-DBF2 were clearly more tolerant than control lines. Inhibition of the endogenous DBF2 expression was correlated with a higher sensitivity to those stresses. To understand the basis of stress

15

25

30

tolerance in *At-DBF2*-overexpressing plant cells, expression of stress-induced genes was followed in control and stress conditions (Fig. 12C). Tobacco kin1 and HSP17.6A homologues already were induced in *At-DBF2*-overexpressing tobacco cells in control conditions to a level similar to that observed during stress conditions (PEG-induced drought), suggesting that *At-DBF2* overexpression may mimic a stress signal.

Example 9. Arabidopsis transformation and recombinant T-DNA vector construction with genes conferring tolerance to environmental stress

Arabidopsis were stably transformed as described in Clarke, Wei and Lindsey (1992) by Agrobacterium tumefaciens C58C1RifR (pGV2260) strains carrying pBIN-35S-At-DBF2, pBIN-35S-At-HSP17.6A, pBIN-35S-At-c74 recombinant binary vectors. pBIN-35S-At-DBF2 is described in Lee et al. 1999. pBIN-35S-At-HSP17.6A recombinant binary vector was constructed as following: the EcoRI-Xhol fragment containing At-HSP17.6A cDNA in pYX-HSP17.6A (recombinant pYX212) was first cloned in pYES2 (Invitrogen) resulting in pYES-HSP17.6A. Than the BamHI-SphI fragment of pYES-HSP17.6A containing the At-HSP17.6A cDNA was cloned in the plant binary vector pBIN m-gfp4 in which the BamHI-SacI fragment containing the gfp receptor gene was deleted and replaced by the At-HSP17.6A cDNA. The 3' protruding ends generated by SacI and SphI were blunt ended by T4 DNA polymerase. pBIN-35S-c74 was constructed with a similar strategy as pBIN-35S-AtHSP17.6A with an intermediary pYES-Atc74 vector. The At-c74 cDNA was first amplified with PCR using the primers 5' AAA AAA CAC ATA CAG GAA TTC 3' (SEQ ID NO 122) and 5' AGT TAG CTA GCT GAG CTC GAG 3' (SEQ ID NO 123), then cloned "blunt ended" in the vector pYES2 cut with Notl and BstXI and blunt ended with T4 DNA polymerase. Subsequently, the BamHI-SphI fragment of pYES-c74 was cloned in pBINm-gfp4 as explained supra.

Example 10. Tolerance to environmental stress in plant cells

Transgenic calli were isolated from each of the transgenic Arabidopsis lines transformed with At-DBF2, At-HSP17.6A and At-c74. The growth of these transgenic calli during salt stress was measured and compared with control calli derived from transgenic Arabidopsis lines transformed with pBIN-35S-CaMVter. Callus pieces (25 for each transgenic line) of similar fresh weight (50 to 100 mg) were therefor grown on callus inducing medium (Clarke et al., 1992) supplemented with 200mM NaCl. After two weeks, from visual inspection, it was clear that transgenic calli transformed with

20

25

35

At-DBF2 or At-HSP17.6A or At-c74 looked much better than control transgenic calli transformed with pBIN-35S-CaMVter. The latter calli turned yellow and started dying. To confirm the observation, the fresh weight of the calli was measured. In comparison with the control transgenic calli, the fresh weight of the transgenic calli was for each of the three lines at least five times higher than the fresh weight of the control trangenic calli.

Example 11. Tolerance to environmental stress in plants.

Seeds from transgenic Arabidopsis plants tranformed with pBIN-35S-At-DBF2, p-BIN-35S-At-c74, or pBIN-35S-At-HSP17.6A, were sown in bulk on nylon filters (as described in Verbruggen et al. 1993) placed on solid K1 medium supplemented with kanamycin (75 micrograms/ml). For each recombinant pBIN binary vector at least five independent transgenic lines were tested for stress tolerance. In each of these lines overexpression of the transgene has been confirmed with Northern hybridisation experiments. Control plants were the ones transformed with pBIN-35S-CaMVter and transgenic plants transformed with pBIN-35S-AS+At-DBF2. After sowing, seeds were kept overnight at 4 degrees (to enhance germination). Growth was at 22 degrees, 60 % humidity, 16 hours light/8 hours dark, 70 microeinsteins. After 9 days growth, filters were transferred to liquid K1 medium supplemented with 200 mM NaCl for overnight incubation. Plants were allowed to recover for 5 to 6 days by transferring the filters to solid K1 medium. Under these conditions, the control transgenic plants turned yellow, their growth was inhibited and eventually they died. On the contrary, the transgenic lines transformed with At-DBF2 or At-HSP17.6A or At-c74 survived very well (Figure 6 and Figure 11).

To further evaluate the scope of protection to environmental stress, transgenic plants were exposed to osmotic stress. Therefor seeds from transgenic Arabidopsis plants transformed with pBIN-35S-At-DBF2, pBIN-35S-At-c74 or pBIN-35S-At-HSP17.6A were sown in bulk on nylon filters (as described in Verbruggen et al. 1993) placed on solid K1 medium supplemented with kanamycin (75 micrograms/ml). For each recombinant pBIN binary vector at least five independent transgenic lines were tested for stress tolerance. In each of these lines overexpression of the transgene has been confirmed with Northern hybridisation experiments. Control plants were the ones transformed with pBIN-35S-CaMVter and transgenic plants transformed with pBIN-35S-ASAt-DBF2. After sowing, seeds were kept overnight at 4 degrees (to enhance germination). Growth was at 22 degrees, 60 % humidity, 16 hours light/8 hours dark,

15

70 microeinsteins. After 9 days growth, filters were transferred to liquid K1 medium supplemented with 20 % polyethylene glycol for overnight incubation. Plants were allowed to recover for 5 to 6 days by transferring the filters to solid K1 medium. Under these conditions, the control transgenic plants turned yellow, their growth was inhibited and eventually they died. On the contrary, the transgenic lines transformed with At-DBF2, At-HSP17.6A or At-c74 survived very well (see Figure 7 and 13). Their growth was comparable to growth on control medium without polyethylene glycol.

To further analyse the scope of protection to environmental stress, transgenic plants were exposed to high and low temperatures. Therefor seeds from transgenic plants transformed with pBIN-35S-At-DBF2 or pBIN-35S-At-c74 were sown in bulk on nylon filters (as described in Verbruggen et al. 1993) placed on solid K1 medium supplemented with kanamycin (75 micrograms/ml). For each recombinant pBIN binary vector at least five independent transgenic lines were tested for stress tolerance. In each of these lines overexpression of the transgene has been confirmed with Northern hybridisation experiments. Control plants were the ones transformed with pBIN-35S-CaMVter and transgenic plants transformed with pBIN-35S-ASAt-DBF2. After sowing, seeds were kept overnight at 4 degrees (to enhance germination). Growth was at 22 degrees, 60 % humidity, 16 hours light/8 hours dark, 70 microeinsteins. After 9 days growth, for the experiments with high temperature stress, plants were exposed to gradually decreasing temperatures, down to -7°C. Plants were allowed to recover for 5 to 6 days by transferring the filters to solid K1 medium.

Under both low temperature and high temperature stress, the growth of control transgenic plants was inhibited and eventually they died. The transgenic lines transformed with At-DBF2 or At-c74 survived very well. Their growth was comparable to growth under control conditions with normal temperature (see Figure 8 and 9).

To further analyse the scope of protection to environmental stress, transgenic plants were exposed to salt stress during germination. Sterilized mature seeds from transgenic plants transformed with pBIN-35S-At-DBF2 or pBIN-35S-At-c74 were placed on top of petri dishes containing MS (Murashige and Skoog) medium with 0,8 % agar and 30 g l⁻¹ sucrose. Control plants were the ones transformed with pBIN-35S-CaMVter. Prior to germination and pH 5.7 adjustment, NaCl was added to a final concentration of 125 mM. Three petri dishes with a mean of 40-50 seeds per dish were used per treatment in every experiment. The complete experiment was repeated

30

twice. Seed germination at 22°C was followed. Seeds were considered to germinate after radical and green cotyledon emergency occurred.

On control medium (without 125 mM NaCl), germination of all transgenic lines was very similar to each other and to wild type plants. On medium supplemented with 125 mM NaCl, seeds from transgenic lines overexpressing At-DBF2 or At-c74 germinate significantly better than control transgenic lines. Less than 10 % of the seeds from transgenic lines transformed with pBIN-35S-CaMVter germinate under these conditions. In contrast, more than 70 % of the seeds from transgenic lines overexpressing At-DBF2 or At-c74 germinate on medium containing 125 mM NaCl (Figure 14).

Example 12. Southern hybridisation of At-DBF2 genes in other plants

To investigate whether *DBF2* homologues exist in other plant species, a Southern hybridisation analysis was performed using the full length *At-DBF2* as a probe. Genomic DNA was extracted from tobacco, tomato and rice according to Dellaporta et al. (1983) and further purified by phenol :chloroform extractions.

DNA (10 μg) was digested with restriction enzymes and separated on 1% (w/v) agarose gels using Lambda DNA digested with Hind III as molecular size standards. The DNA was transformed on to nylon membranes (Hybond N; Amersham, little Chalfont, UK) in 0.4 N NaOH. Filters were UV-cross-linked for 30 seconds, prehybridized for 3 hours at 56°C in hybridization solution (2x SSPE, 0.1%(w/v) SDS, 5x Denhardt solution) using 200

gm³ denatured salmon sperm DNA, and hybridized overnight with radiolabelled probes. 1X SSPE was 0.15 M NaCl/ 0.01 M sodium dihydrogen phosphate/ 1 mM EDTA

Filters were washed at 56°C in 2x SSPE, 0.1% (w/v) SDS for 20 min, then 1x SSPE, 0.1% (w/v) SDS for 20 min, and finally in 0.1x SSPE, 0.1% (w/v) SDS for 20 min. Filters were exposed to X-ray film (Kodak X-AR; Kodak, NY, USA) in the presence of intensifying screens for 24 hours.

The results of the hybridisation experiments show that tobacco, tomato and rice have at least one homologue to At-DBF2.

Tabel 1

putative function in	Features of encoded protein	SEQ ID NO.	Growth on medium with1,2 M NaCl	growth on medium with 2,0 M sorbitol
signalling	Similar to a yeast DBF2 cell cycle protein	. 1	++++	++++
metabolism	HSP17.6A	3	++++	++++
unknown	C74	5	+++	+++
metabolism	Similar to ADH2	7	+	++++
metabolism	Similar to D. melanogaster catalase/catalase 3	9	++++	+
metabolism	Similar to the HSP90 heat shock protein family	11	++++	1+++
metabolism	similar to phosphoenolpyruvate carboxylase	13	+	+++
metabolism	pathogen related proteins, class 10	15	+	++++
metabolism	Arabidopsis ascorbate peroxidase	17	++++	++++
metabolism	similar to phosphatase binding protein	19	++++ .	++++
metabolism	similar to phosphatase binding protein	21	++++	++++
metabolism	similar to retinol dehydrogenase	23	+++ .	++++
metabolism	similar to retinol dehydrogenase	25	++++	++++
metabolism	ribosomal protein	27	++++	++++
metabolism	ribosomal protein	29	++++	++++
metabolism	similar to a protein transporter (kinase homolog)	31	++++	++++
metabolism	similar to a peptide transporter	33	++++	+
metabolism	similar to a wheat low affinity cation transporter LCT1	35	++++	++++
metabolism	similar to yeast iso-1-cytochrome c (CYC-1)	37	++++	++++
metabolism	similar to yeast OSM1	39	++++	++++
metabolism	similar to yeast copper uptake gene (CUP1)	41	++++	+++
metabolism	similar to yeast UV-induced damage repair protein (RAD7)	43	++++	++++
metabolism	electron transporter, apocytochrome b	45	++++	++++
metabolism	similar to membrane lipoprotein LPPL1	47	++++	++++
metabolism	similar to tobacco auxin binding protein	49	+	++++
metabolism	similar to tobacco cytokinin binding protein CBP 57	51	+++	++++
signalling	similar to calcium binding protein yeast calcineurin B	53	+++	++++

signalling	similar to calcium binding protein glycine max calnexin	55	++++ .	+++
signalling	similar to calcium binding protein Dictyostelium discoideum calreticulin	57	++++	++++
signalling	similar to calcium binding protein calmodulin 1	59	++++	+
signalling	similar to calcium binding protein calmodulin 2	61	+	1+++
signalling	MAP kinase kinase, homologous to Dyctyostelium mekA (DdMek1)	63	++++	+++
signalling	similar to human adenosine kinase	65	+	++++
signalling	similar to human tyrosine kinase	67	++++	++++
signalling	similar to common ice plant tyrosine kinase	69	++++	++++
signalling	similar to the yeast protein kinase C receptor	71	++++	++++
signalling	similar to tobacco and Arabidopsis HAT7 homeotic protein	73	++-	++++
signalling	similar to E. coli sigma factor regulator (RSEB)	75	+	++++
signalling	similar to human protein phosphatase 2C	. 77	++++	++++
metabolism	late embryogenesis abundant proteins, Arabidopsis LEA protein 10 & 14	79	++	++++
metabolism	late embryogenesis abundant proteins, Arabidopsis LEA protein 10 & 14	81	++	++++
metabolism	pathogen related proteins, class 10	83	++++	++++
metabolism	cell wall peroxidase	85	++++	+++
metabolism	ribosomal protein	87	+++	++++
metabolism	salt stress induced protein, SAS 1	89	++++	++++
metabolism	PR gene (AIG2)	91	++++	++++
metabolism	MT1c	93	++++	++++
metabolism	IPP2 (Isopentenyl diphosphate)	95	+++	++++
metabolism	chlorophyll a/b binding protein	97	+++	+++
metabolism	glutathione transferase	99	++	++++
signalling	cold- and ABA inducible, calcium dependent – kinase, Kin1	101	++++	++++
signalling	MAP kinase, Atmpk1	103	++	++++
signalling	Arabidopsis cell cycle protein histone H2A	105	++++	++++
unknown	chromosome 4 – sequence	107	+++	++++
unknown	chromosome 4 – sequence	109	+	++++
unknown	chromosome 5 - sequence	111	++++	+++
unknown	chromosome 5 – sequence	113	++++	++
unknown	chromosome 5 – sequence	115	++++	++++
unknown	chromosome 5 - sequence	117	+	++++
unknown	chromosome 5 – sequence	119	+	++++

signalling	similar to calcium binding protein	121	++++	++++
	centrin (caltractin)			

TABLE 2
EXEMPLARY PLANT-EXPRESSIBLE PROMOTERS FOR USE IN THE PERFORMANCE OF THE PRESENT INVENTION

	THE PRESENT INVENTIO	
GENE SOURCE	EXPRESSION PATTERN	REFERENCE
α-amylase (<i>Amy32b</i>)	Aleurone	Lanahan <i>et al</i> (1992); Skriver <i>et al.</i> (1991)
cathepsin β-like gene	Aleurone	Cejudo et al. (1992)
Agrobacterium rhizogenes rolB	Cambium	Nilsson <i>et al.</i> (1997)
PRP genes	cell wall	http://salus.medium.edu/ mmg/tierney/html
barley Itr1 promoter	Endosperm	
synthetic promoter	Endosperm	Vicente-Carbajosa et al.(1998)
AtPRP4	Flowers	http://salus.medium.edu/ mmg/tierney/html
chalene synthase (chsA)	Flowers	van der Meer et al. (1990)
apetala-3	Flowers	
Chitinase	fruit (berries, grapes, etc)	Thomas et al. CSIRO Plant Industry, Urrbrae, South Australia, Australia; http://winetitles.com.au /gwrdc/csh95-1.html
rbcs-3A	green tissue (eg leaf)	Lam et al. (1990); Tucker et al. (1992)
leaf-specific genes	Leaf	Baszczynski <i>et al.</i> (1988)
AtPRP4	Leaf	http://salus.medium.edu/ mmg/tierney/html
Pinus cab-6	Leaf	Yamamoto et al. (1994)
SAM22	Senescent leaf	Crowell et al. (1992)
R. japonicum nif gene	Nodule	United States Patent No. 4, 803, 165
B. japonicum nifH gene	Nodule	United States Patent No. 5, 008, 194

Nodule	Yang et al. (1993)
Nodule	Pathirana et al. (1992)
Nodule	Gordon et al. (1993)
Phloem	Bhattacharyya-Pakrasi et al. (1992)
plasma membrane	Grimes et al. (1992)
pollen; microspore	Albani <i>et al.</i> (1990); Albani <i>et al.</i> (1991)
Pollen	Hamilton <i>et al</i> . (1992)
Pollen	Baltz et al. (1992)
pollen;anther; tapetum	Arnoldo et al. (1992)
Roots	Tingey et al. (1987); An et al. (1988);
root tip	Van der Zaal <i>et al.</i> (1991)
Root	Oppenheimer et al. (1988)
Root	Conkling et al. (1990)
Root	United States Patent No. 5, 401, 836
Roots	Suzuki <i>et al.</i> (1993)
roots; root hairs	http://salus.medium.edu/ mmg/tierney/html
root cortex	http://www2.cnsu.edu/ncsu/research
root vasculature	http://www2.cnsu.edu/ncsu/research
leaves; flowers; lateral root primordia	http://salus.medium.edu/mmg/tierney/html
Seed	Simon et al. (1985); Scofield et al. (1987); Baszczynski et al. (1990)
seed	Pearson <i>et al.</i> (1992)
Seed	Ellis <i>et al.</i> (1988)
Seed	Takaiwa <i>et al</i> . (1986);Takaiwa <i>et al</i> .
	Nodule Nodule Phloem plasma membrane pollen; microspore Pollen Pollen pollen;anther; tapetum Roots root tip Root Root Root roots; root hairs root cortex root vasculature leaves; flowers; lateral root primordia Seed Seed

		(1987)
Zein	Seed	Matzke et al. (1990)
NapA	Seed	Stalberg et al. (1996)
Sunflower oleosin	seed(embryo and dry seed)	Cummins et al. (1992)
LEAFY	shoot meristem	Weigel <i>et al.</i> (1992)
Arabidopsis thaliana knat1	shoot meristem	Accession number AJ131822
Malus domestica kn1	shoot meristem	Accession number Z71981
CLAVATA1	shoot meristem	Accession number AF049870
Stigma-specific genes	Stigma	Nasrallah <i>et al.</i> (1988); Trick <i>et al.</i> (1990)
Class I patatin gene	Tuber	Liu et al. (1991)
Blz2	Endosperm	EP99106056.7
PCNA rice	Meristem	Kosugi <i>et al</i> (1991); Kosugi and Ohashi (1997)

Table 3. Stress inducible promoters

Name	Stress	Reference
P5CS (delta(1)-pyrroline-5- carboxylate syntase)	sait, water	Zhang et al; Plant Science. Oct 28 1997; 129(1): 81-89
cor15a	Cold	Hajela et al., Plant Physiol. 93: 1246-1252 (1990)
cor15b	Cold	Wlihelm et al., Plant Mol Biol. 1993 Dec; 23(5):1073-7
cor15a (-305 to +78 nt)	cold, drought	Baker et al., Plant Mol Biol. 1994 Mar; 24(5): 701-13
rd29	salt, drought, cold	Kasuga et al., Nature Biotechnology, vol 18, 287- 291, 1999
heat shock proteins, including artificial promoters containing the heat shock element (HSE)	Heat	Barros et al., Plant Mol Biol, 19(4): 665-75, 1992. Marrs et al., Dev Genet.,14(1): 27- 41, 1993. Schoffl et al., Mol Gen Gent, 217(2-3): 246-53, 1989.
smHSP (small heat shock proteins)	heat	Waters et al, J Experimental Botany, vol 47, 296, 325- 338, 1996
wcs120	Cold	Ouellet et al., FEBS Lett. 423, 324-328 (1998)
ci7	Cold	Kirch et al., Plant Mol Biol, 33(5): 897-909, 1997 Mar
Adh	cold, drought, hypoxia	Dolferus et al., Plant Physiol, 105(4): 1075-87, 1994 Aug
pwsi18	water: salt and drought	Joshee et al., Plant Cell Physiol, 39(1): 64-72, 1998, Jan
ci21A	Cold	Schneider et al., Plant Physiol, 113(2): 335-45, 1997
Trg-31	Drought	Chaudhary et al., Plant Mol Biol, 30(6): 1247-57, 1996
Osmotin	Osmotic	Raghothama et al., Plant Mol Biol, 23(6): 1117-28, 1993

REFERENCES

Adams et al. (1983), J. Am. Chem. Soc. 105:661

Aerne et al. (1998). Molecular Biology of the Cell,vol 9, 945-956.

Bray et al. (1997), Plant responses to water deficit. Trends Plant Sci 2, 48-54

Carruthers et al. (1982), Cold Spring Harbor Symp. Quant. Biol. 47:411-418

Capecchi (1989), Science 244:1288-1292

Deblaere et al. (1985), Efficient octopine Ti plasmid-derived vectors for Agrobacterium-mediated gene transfer to plants, Nucl. Acids Res. 13, 4777-4788.

De Greve et al. (1982), J. Mol. Appl. Genet. 1(6):499-511

Dellaporta et al. (1983), A plant DNA minipreparation, version II. Plant Mol. Biol. Rep. 1, 19-22

Evans et al. (1983), Protoplasts Isolation and Culture, Handbook of Plant Cell Culture, pp. 124-176

Fowden et al. (1993), Plant Adaptation to Environmental Stress; ISBN: 0412490005

Fraley et al. (1983), Proc. Natl. Acad. Sci USA 80:4803

Fromm et al. (1985), Proc. Natl. Acad. Sci. USA 82:5824

Gietz and Schietsl, (1995) Methods in Molecular and Cellular Biology, 5, 255-269.

Grillo et al (1996), Physical Stresses in Plants: Genes and Their Products for Tolerance. Springer Verlag; ISBN: 3540613471

20 Hanks et al. (1988). Science, 241, 42-52.

Hansen et al. (1999), Trends in plant science reviews, Vol 4, No 6, 226-231

Haring et al. (1991), Plant Mol. Biol. 16:449-469

Haro et al. (1991). FEBS Lett, 291, 189-191.

Haseloff et al. (1988), Nature 334;585-591

25 Hemmerlin and Bach (1998). Plant Journal 14 (1) 65-74 Johnston et al. (1990). Mol and Cell Biol 10, no 4,1358-1366

Herrera - Estrella (1983), Nature 303:209-213

Holmberg & Bülow (1998), Improving stress tolerance in plants by gene transfer. Trends Plant Sci. 3, 61-66

Horsch et al., 1984), Science 233:496-498

Hull and Howell (1987), Virology 86:482-493

Ingram et al. (1996), The molecular basis of dehydration tolerance in plants. Ann. Rev.

Plant Physiol. Plant Mol. Biol. 47, 377-403

Innis et al. (1990), A guide to methods and applications, Academic Press, San Diego

Jones et al (1989), Plants Under Stress: Biochemistry, Physiology and Ecology and Their Application to Plant Improvement (Society for Experimental Biology Seminar Serie), Cambridge Univ. Pr. (Short); ISBN: 0521344239

Johnston et al. (1995)

- Kasuga et al. (1999), Nature Biotechnology 17, 287-291
 Klee et al. (1987), Ann. Rev. of Plant Phys. 38:467-486
 Klein et al. (1987), Nature 327:70-73
 Komamitsky et al. (1998). Mol and Cell Biol. 1 8, no.4, 2100-2107
 Lee et al (1999). Proc. Nat. Acad. Sci. USA 1996, 5873-5877
- Meyer et al. (1987), Nature 330:677
 Millward et al. (1995). Proc. Nat. Acad. Sci. USA, 92, 5022-5026.
 Nagata et al. (1992). Int. Rev. Cytol., 132, 1-30
 Napoli et al. (1990), The Plant Cell 2:279-289
 Needleman and Wunsch (1970), Mol. Biol. 48:443
- Nilsen et al (1996), The Physiology of Plants Under Stress; Abiotic Factors. ISBN: 047131526

Odell et al. (1985), Nature 313:482-493

Paszkowski et al. (1984), EMBO j. 3:2717-2722

Pearson and Lipman (1988), Proc. Natl. Acad. Sci. (USA) 85:2444

Peassarakli et al, Handbook of Plant and Crop Stress. ISBN: 0824789873
Raton (1985), Binding, Regeneration of Plants, Plant Protoplasts, pp. 21-73, CRC
Press

Reicheld et al. (1995). Plant Journal 7 (2) 245-252

Sambrook (1989), Molecular cloning, a laboratory manual, Cold Spring Harbor Press,

25 7.52.

Shaul et al. (1996). PNAS 93,4868-4872

Shinozaki et al. (1996), Molecular responses to drought and cold stress, Curr. Opin. Biotechnol. 7, 161-167

Shinozaki et al. (1997), Gene expression and signal transduction in water-stress response. Plant Physiol. 115, 327-334

Shinozaki et al. (1999), Drought, Salt, Cold and Heat Stress: Molecular Responses in Higher Plants (Biotechnology Intelligence Unit); ISBN: 1570595631

Schuller et al. (1994). Embo Journal, 13, 4382-4389.

Smith and Waterman (1981), Adv. Appl. Math. 2:482

Tomashow (1994), Arabidopsis (eds Meyrowitz, E & Somerville, C, 807-834 (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1994)

Toyn and Johnston, (1994). Embo Journal, 13, 1103-1113.

Verbruggen et al. (1993). Plant Phys. 103, 771-781

- Walbot (1992), Ann. Rev. Plant Mol. Biol. 43:49-82
 Weising et al; (1988), Ann; Rev. Genet. 22;421-477
 Stalker, Science 242 (1988), 419
 Vaek, Plant Cell 5 (1987), 159-169
 Powell, Science 232 (1986), 738-743
- Pappu, World Journal of Microbiology & Biotechnology 11 (1995), 426-437 Lawson, Phytopathology 86 (1996) 56 suppl.

 Van Camp, Biotech. 12 (1994), 165-168

 Oeller, Science 254 (1991), 437-439

 Stark, Science 242 (1992), 419
- Visser, Mol. Gen. Genet. 225 (1991), 289-296
 Voelker, Science 257 (1992), 72-74
 Poirer, Science 256 (1992), 520-523
 Meyer, Nature 330 (1987), 667-678
 Duering, Molecular Breeding 2 (1996), 297-305
- Strittmatter, Bio/Technology 13 (1995), 1085-1089
 Estruch, Nature Biotechnology 15 (1997), 137-141
 An, et al., Plant Physiol. 88: 547, 1998.
 Albani, et al., Plant Mol. Biol. 15: 605, 1990.
 Albani, et al., Plant Mol. Biol. 16: 501, 1991.
- Arnoldo, et al., J. Cell. Biochem., Abstract No. Y101, 204, 1992.

 Baltz, et al., The Plant J. 2: 713-721, 1992.

 Baszczynski, et al., Nucl. Acid Res. 16: 4732, 1988.

 Baszczynski, et al., Plant Mol. Biol. 14: 633, 1990.

 Bhattacharyya-Pakrasi, et al, The Plant J. 4: 71-79, 1992.
- Cejudo, F.J., et al. Plant Molecular Biology 20:849-856, 1992.
 Conkling, et al., Plant Physiol. 93: 1203, 1990.
 Crowell, et al., Plant Mol. Biol. 18: 459-466, 1992.
 Cummins, et al., Plant Mol. Biol. 19: 873-876, 1992
 Ellis, et al., Plant Mol. Biol. 10: 203-214, 1988.
- 35 Gordon, et al., J. Exp. Bot. 44: 1453-1465, 1993.

Grimes, et al., The Plant Cell 4:1561-1574, 1992.

Hamilton, et al., Plant Mol. Biol. 18: 211-218, 1992.

Kosugi *et al*, Upstream sequences of rice proliferating cell nuclear antigen (PCNA) gene mediate expression of PCNA-GUS chimeric gene in meristems of transgenic tobacco plants, *Nucleic Acids Research* 19:1571-1576, 1991.

Kosugi S. and Ohashi Y, PCF1 and PCF2 specifically bind to cis elements in the rice proliferating cell nuclear antigen gene, *Plant Cell 9*:1607-1619, 1997.

Lam, E. et al., The Plant Cell 2: 857-866, 1990.

Lanahan, M.B., et al., Plant Cell 4:203-211, 1992.

10 Liu et al., Plant Mol. Biol. 153:386-395, 1991.

Matzke et al Plant Mol Biol, 14(3):323-32 1990

Nasrallah, et al., Proc. Natl. Acad. Sci. USA 85: 5551, 1988.

Nilsson et al., Physiol. Plant. 100:456-462, 1997

Oppenheimer, et al., Gene 63: 87, 1988.

5 Pathirana, et al., Plant Mol. Biol. 20: 437-450, 1992.

Pearson, et al., Plant Mol. Biol. 18: 235-245, 1992.

Scofield, et al., J. Biol. Chem. 262: 12202, 1987.

Simon, et al., Plant Mol. Biol. 5: 191, 1985.

Stalberg, et al, Planta 199: 515-519, 1996.

20 Suzuki et al., Plant Mol. Biol. 21: 109-119, 1993.

Skriver, K., et al. Proc. Natl. Acad. Sci. (USA) 88: 7266-7270, 1991.

Takaiwa, et al., Mol. Gen. Genet. 208: 15-22, 1986.

Takaiwa, et al., FEBS Letts. 221: 43-47, 1987.

Tingey, et al., EMBO J. 6: 1, 1987.

25 Trick, et al., Plant Mol. Biol. 15: 203, 1990.

Tucker et al., Plant Physiol. 113: 1303-1308, 1992.

Van der Meer, et al., Plant Mol. Biol. 15, 95-109, 1990.

Van der Zaal, et al., Plant Mol. Biol. 16, 983, 1991.

Vicente-Carbajosa et al., Plant J. 13: 629-640, 1998.

30 Weigel et al., Cell 69:843-859, 1992.

Yamamoto et al., Plant Cell Physiol. 35:773-778, 1994.

Yang, et al., The Plant J. 3: 573-585.

Clarke et al. (1992), Plant Molecular Biology Reporter Volume 10(2), 178-189 Ausubel et al. (1994),

35 Zhu et al. (1997),

Zhang et al; Plant Science. Oct 28 1997; 129(1): 81-89 Hajela et al., Plant Physiol. 93: 1246-1252 (1990) Wlihelm et al., Plant Mol Biol. 1993 Dec; 23(5):1073-7 Baker et al., Plant Mol Biol. 1994 Mar; 24(5): 701-13 Kasuga et al., Nature Biotechnology, vol 18, 287-291, 1999 Barros et al., Plant Mol Biol, 19(4): 665-75, 1992. Marrs et al., Dev Genet.,14(1): 27-41, 1993. Schoffl et al., Mol Gen Gent, 217(2-3): 246-53, 1989. Waters et al, J Experimental Botany, vol 47, 296, 325-338, 1996 Ouellet et al., FEBS Lett. 423, 324-328 (1998) Kirch et al., Plant Mol Biol, 33(5): 897-909, 1997 Dolferus et al., Plant Physiol, 105(4): 1075-87, 1994 Joshee et al., Plant Cell Physiol, 39(1): 64-72, 1998 Schneider et al., Plant Physiol, 113(2): 335-45, 1997 Chaudhary et al., Plant Mol Biol, 30(6): 1247-57, 1996 Raghothama et al., Plant Mol Biol, 23(6): 1117-28, 1993 Valvekens et al. (1988)

Porta et al. (1996), Mol Biol, 5(3):209-21

25

30

35

Claims

- 1. A method for obtaining polynucleic acids comprising coding sequences and/or genes involved in environmental stress in plants, comprising the preparation of a cDNA library comprising coding sequences from siliques, introducing said coding sequences in yeast cells in a functional format and screening for polynucleic acids leading to an enhanced tolerance or resistance to environmental stress conditions in said transformed yeast cells.
- 10 2. An isolated polynucleic acid obtainable by a method according to claim 1.
 - The isolated polynucleic acid of claim 2 which encodes a polypeptide as listed in Table 1.
- 15 4. The isolated polynucleic acid of claim 3, which is chosen from:
 - (a) any of SEQ ID NO 1, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77 or 121, or the complementary strands thereof;
 - (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
 - (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b); or,
 - (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).
 - The isolated polynucleic acid of any of claim 2 to 4, which encodes a plant homolog of yeast DBF2 kinase.
 - 6. The isolated polynucleic acid of claim 5, which is chosen from:
 - (a) SEQ ID NO 1, or the complementary strands thereof;
 - (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;

20

25

30

35

- (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b); or,
- (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).
- Use of an isolated polynucleic acid of claims 2 to 3 which encodes an HSP 17.6A
 protein for the production of transgenic plants having an enhanced tolerance or
 resistance to environmental stress conditions.
- 8. Use of an isolated polynucleic acid of claim 7 for expression of the protein encoded thereby in a plant cell, with said polynucleic acid being chosen from:
 - (a) SEQ ID NO 3, or the complementary strand thereof;
 - (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
 - (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b); or,
 - (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).
 - 9. Use of an isolated polynucleic acid as defined above which is chosen from:
 - (a) any of SEQ ID NO 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, or 119, or the complementary strand thereof;
 - (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
 - (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b) or,
 - (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c),

for the production of transgenic plants having an enhanced tolerance or resistance to environmental stress conditions.

- 10. The isolated polynucleic acid of any of claims 2 to 4, which encodes a c74 protein which is chosen from:
 - (a) SEQ ID NO 5, or the complementary strand thereof;
 - (b) polynucleic acid sequences which hybridize to sequences defined in (a) or fragments thereof;
 - (c) polynucleic acid sequences which are degenerated as a result of the genetic code to the polynucleic acid sequences defined in (a) or (b); or,
 - (d) polynucleic acid sequences encoding a fragment of a protein encoded by a polynucleic acid of any one of (a) to (c).
- 11. An isolated polypeptide encoded by a polynucleic acid according to or as defined in any of claims 2 to 10, or a functional fragment thereof.
- 12. The isolated polypeptide of claim 11 having at least part of the sequence of any of SEQ ID NO 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, or 120.
- 13. A method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising transiently introducing into a plant cell a recombinant DNA comprising a polynucleic acid of or as defined in any of claims 2 to 10 which is expressed in an amount effective to confer enhanced tolerance or resistance to environmental stress.
- 14. A method for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising stably introducing into a plant cell a recombinant DNA comprising a polynucleic acid of or as defined in any of claims 2 to 10 which is expressed in an amount effective to confer enhanced tolerance or resistance to environmental stress.

25

20

25

- 15. The method of claims 13 or 14 for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid of claims 5 or 6 encoding a plant DBF2 kinase.
- 16. The method of claim 16 for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid of claims 7 or 8 encoding an HSP 17.6A protein.
- 17. The method of claim 13 to 14 for producing a plant with enhanced tolerance or resistance to environmental stress, said method comprising introducing into said plant a polynucleic acid of claim 10 encoding a c74 protein.
 - 18. The method of any of claims 13 to 17, comprising introducing into the genome of a plant cell one or more recombinant DNA molecules, said recombinant DNA molecules comprising:
 - a polynucleic acid according to or as defined in any of claims 2 to 10, and,
 - a plant expressible promoter, whereby said polynucleic acid is in the same transcriptional unit and under the control of said plant-expressible promoter.
 - 19. A method for producing a plant with enhanced tolerance or resistance to environmental stress, comprising introducing into the genome of a plant cell one or more recombinant DNA molecules, said recombinant DNA molecules comprising:
 - a DNA encoding a protein which when expressed in said plant cell at an effective amount indirectly increases or induces the expression of an endogenous polynucleic acid according to or as defined in any of claims 2 to 10 or indirectly increases or induces the activity of a polypeptide of claims 11 or 12, and,

- a plant expressible promoter, whereby said DNA is in the same transcriptional unit and under the control of said plant-expressible promoter.
- 20. A method of claim 19 wherein said DNA encodes a sense or antisense RNA molecule or a ribozyme capable of increasing or inducing the expression of said endogenous polynucleic acid sequence according to or as defined in any of claims 2 to 10.
- 21. A recombinant polynucleic acid comprising: a polynucleic acid according to or as defined in any of claims 2 to 10, and, a plant expressible promoter, whereby said polynucleic acid is in the same transcriptional unit and under the control of said plant-expressible promoter.
- 15 22. A recombinant polynucleic acid comprising:
 - (a) a DNA encoding a protein which when expressed in said plant cell at an effective amount increases or induces the expression of an endogenous polynucleic acid according to or as defined in any of claims 2 to 10 or increases or induces the activity of a polypeptide of claims 11 or 12, and.
- 20 (b) a plant expressible promoter, whereby said DNA is in the same transcriptional unit and under the control of said plant-expressible promoter.
 - 23. The recombinant polynucleic acid of claim 22, wherein said DNA encodes an antisense RNA, a ribozyme or a sense RNA which when expressed in a cell of a plant increases or induces the expression of an endogenous polynucleic acid according to or as defined in any of claims 2 to 10 or which induces or increases the activity of a protein of claim 11 or 12.
- 24. The recombinant polynucleic acid of claim 21 comprising at least part of the nucleotide sequence of any of SEQ ID NO 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 90, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, or 121, or part thereof.

20

- 25. The recombinant polynucleic acid of claim 21 to 24 comprising at least part of the coding sequence of a gene encoding a protein as listed in Table 1.
- 26. The recombinant polynucleic acid of any of claims 21 to 25 wherein said plantexpressible promoter is a constitutive promoter.
 - 27. The recombinant polynucleic acid of any of claims 21 to 25 wherein said plantexpressible promoter is a stress-inducible or organ- or tissue-specific promoter.
- 28. The recombinant polynucleic acid of any of claims 21 to 26 wherein said plantexpressible promoter is the 35S promoter of CaMV.
 - 29. A recombinant host cell transformed with at least one isolated polynucleic acid of or as defined in any of claims 2 to 10.
 - 30. A plant cell transformed with a recombinant polynucleic acid of any one of claims 21 to 28.
 - 31. A plant consisting essentially of plant cells of claim 30.
 - 32. A callus consisting essentially of plant cells of claim 30.
 - 33. A harvestable part, organ, tissue or propagation material of a plant of claim 31, comprising said recombinant DNA.
 - 34. The use of a recombinant polynucleic acid of claim 21 to 28 to produce transgenic plants.
- 35. A probe which is part of the polynucleic acid sequence of or as defined in any of claims 2 to 10 and which hybridizes specifically with said polynucleic acid or the complement thereof.
 - 36. A primer which is part of the polynucleic acid sequence of or as defined in any of claims 2 to 10 and which specifically amplifies said polynucleic acid or the complement thereof.

WO 00/08187 PCT/EP99/05652

61

37. A composition comprising a polynucleic acid sequence of or as defined in any of claims 2 to 10, a polypeptide of claim 11 or 12, a probe of claim 35 or a primer of claim 36.

At-	At-DBF2	MAGNMSCLSTDGHGTPGGSGHFPNQNLTKRRTRPAGINDSPSPVKCFFFPYEDTSNTSLKEVSQPTKYSSNSPPVSPAIFYERATSNCT	89	
٥	DBF2	MLSKSEKNVDLLAGNMSNLSFDGHGTPGGTGLFPNQNITKRRTRPAGINDSPSPVKPSFFPYEDTSNMDIDEVSQPDMDVSNSPKKLPPKFYERATSNKT	100	
		* * * *		
At-	At-DBF2		189	
۵	DBF2	GRAVSVCKMYFLEHYCDMFDYVISRRGRTKGVLEYLGGGSGLPNSDGIKLNEEWSSYLGREHQVLRKRRLKPKNRDFEMITGVGGGGYGGVYLARKKDTK	200	
		V VI III II I		
At-	OBF2	:	287	
<u> </u>	BF2	ILILILILILI III IIII IIIII IIIIII IIIIII	300	
		XI TIIN TO INTO TAKE		
. At-	At-DBF2	DSTISNEEDSSINIRLEKFKDLGYPALSEKSIEDRRKLYTCPNSMVGSPALFELVLRGKRYEYTVDYUS	356	
۵	DBF2	LKPENFLIDAKGHIKLTDFGLAAGTISNERIESMKIRLEKIKDLEFPAFTEKSIEDRRKMYNQLREKEINYANSMVGSPDYMALEVLEGKKYDFTVDYWS	400	
		1X X		
At-	At-DBF2	LGCMLFESLVGYTPFSGSSTNETYAISRSWKGTLNRARHEDGRAAFYNRTUDLITRHRADLSTRTRSFEHEVKMSYFADILFKALRSIIPPFTPGLDSET	456	
Δ	DBF2		200	
At-	At-DBF2	DAGYFDDFWNEADIAKYADVFNSQCCRTALVDDSAVSSKLVGFTFRHRNGKQGSSGMLFNGLEHSDPFSTFY 528		
Ó	DBF2	DAGYFDDFISEADMAKYADVFKRADKLTAMVDDSAVSSKLVGFTFRHRNGKGGSSGILFNGLEHSDPFSTFY 572		

FIGURE 1 A




FIGURE 1B




FIGURE 2




FIGURE 3

С





FIGURE 4








FIGURE 5

6/15




FIGURE 6




FIGURE 7

8/15




FIGURE 8




FIGURE 9

10/15





FIGURE 10



TGURE 11

12/15




FIGURE 12c

Growth (% control)

20

0 0 8 7 9 5 4 6 7

Control growth (g) ω




FIGURE 13



FIGURE 14

PCT/EP99/05652

SEQUENCE LISTING

1.	, <01	LAAM	S IN	TERU	NIVE	RSIT	AIR	INST	UTI	T VC	OR E	BIOTE	CHNO	DLOGI	E		
<12	20> 9	enes	inv	olve	d in	tol	erar	ice t	o er	viro	nmer	ital	stre	ess	,		
<1	30> V	'IB-1	4-NV	/OSM	Ю		•	: .		٠.							
	10> 11>				•			•			•						
	50> 9 51> 1						••										
<16	50> 1	26				•									••		
<17	70> P	aten	tIn	Ver.	2.1	•									•		
<21 <21	.0> 1 .1> 1 .1> D .3> A	909 NA	dops	is t	hali	ana	:	,			·						÷
	0> 1> C 2> (. (16	26)	•		·.										
	0> 1 stage	ctg .	actg	ctgg	at t	ggcc	tgct	g ct	gaca	Att :	atg Met	gcg Ala	ggt . Gly .	aac Asn l	atg Met	54	
		•						•			1				5		
tcg	tgt	tta	agc	acg	qàc	gga.	cac	gga	acc	cct	aac.	aat	tca		5	100	
tcg Ser	tgt Cys	tta Leu	agc Ser	acg Thr 10	gac Asp	gga Gly	cac His	GJ A aaa	acc Thr 15	Pro	aac.	ggt Gly	tca Ser	ggg Gly 20	5 cat His	102	
tto	ccc	aat	cag	Thr 10	cta	Gly	His	Gly	Thr 15	Pro	ggc Gly	Gly	Ser	Gly	His	102 150	
tto Phe	ccc Pro	aat Asn	cag Gln 25	Thr 10 aac Asn	cta Leu	acg Thr	His aaa Lys aaa	aga Arg 30	Thr 15 aga Arg	Pro acg Thr	ggc Gly cgt Arg	cca Pro	gcg Ala 35	Gly ggt Gly	His	150	
tto Phe aac Asn	ccc Pro gac Asp	aat Asn tcg Ser 40	cag Gln 25 cct Pro	Thr 10 aac Asn tcg Ser	cta Leu ccg Pro	acg Thr gtg Val	aaa Lys aaa Lys 45	aga Arg 30 tgc Cys	Thr 15 aga Arg ttt Phe	acg Thr ttt Phe	ggc Gly cgt Arg ttc Phe	CCC Pro 50	gcg Ala 35 tat Tyr	Gly ggt Gly	Atc Ile gac Asp	150	
tto Phe aac Asn acc Thr	ccc Pro gac Asp tcc Ser 55 aat Asn	aat Asn tcg Ser 40 aac Asn	cag Gln 25 cct Pro acg Thr	Thr 10 aac Asn tcg Ser tca Ser	cta Leu ccg Pro tta Leu	acg Thr gtg Val aag Lys 60	aaa Lys aaa Lys 45 gaa Glu	aga Arg 30 tgc Cys gtg Val	Thr 15 aga Arg ttt Phe tcc Ser	acg Thr ttt Phe cag Gln	ggc Gly cgt Arg ttc Phe	CCC Pro 50 acg	gcg Ala 35 tat Tyr aaa Lys	Gly 20 ggt Gly gaa Glu	Atc Ile gac Asp agt Ser	150 198	
ttc Phe aac Asn acc Thr	ccc Pro gac Asp tcc Ser 55 aat Asn	aat Asn tcg Ser 40 aac Asn tcc	cag Gln 25 cct Pro acg Thr	Thr 10 aac Asn tcg Ser tca Ser cca Pro	cta Leu ccg Pro tta Leu gtc Val 75	acg Thr gtg Val aag Lys 60 agc Ser	His aaaa Lys aaaa Lys 45 gaa Glu ccg Pro	aga Arg 30 tgc Cys gtg Val gca Ala	Thr 15 aga Arg ttt Phe tcc Ser att Ile	acg Thr ttt Phe cag Gln ttt Phe 80	ggc Gly cgt Arg ttc Phe ccc Pro 65 tat Tyr	CCC Pro 50 acg Thr	gcg Ala 35 tat Tyr aaa Lys agg Arg	Gly 20 ggt Gly gaa Glu tac Tyr	His atc Ile gac Asp agt Ser acg Thr 85	150 198 246	

1

Glu	Tyr	Tyr	Cys 105	Asp	Met	Phe	Asp	Tyr 110	Val	Ile	Ser	Arg	Arg 115	Gln	Arg	
acg Thr	aaa Lys	cag Gln 120	gtc Val	cta Leu	gag Glu	tat Tyr	ctg Leu 125	Gln	cag Gln	caa Gln	agc Ser	caa Gln 130	ctt Leu	ccg Pro	aat Asn	438
tct Ser	gac Asp 135	cag Gln	atc Ile	aag Lys	ctc Leu	aac Asn 140	gaa Glu	gag Glu	tgg Trp	tcc Ser	tcc Ser 145	tat Tyr	tta Leu	cag Gln	aga Arg	486
gag Glu 150	His	cag Gln	gtt Val	ttg Leu	tcg Ser 155	aaa Lys	aga Arg	agg Arg	ttg Leu	aag Lys 160	cca Pro	aaa Lys	aac Asn	aga Arg	gac Asp 165	534
ttt Phe	gaa Glu	atg Met	att Ile	aca Thr 170	caa Gln	gta Val	ggt Gly	caa Gln	ggt Gly 175	ggt Gly	tat Tyr	ggg Gly	cat His	gtt Val 180	tat Tyr	582
tta Leu	gcc Ala	aga Arg	aag Lys 185	aaa Lys	gac Asp	aca Thr	aaa Lys	gag Glu 190	gtg Val	tgc Cys	gcc Ala	tta Leu	aaa Lys 195	att Ile	ttg Leu	630
aat Asn	aag Lys	aag Lys 200	cta Leu	ggt Gly	ttc Phe	aaa Lys	ctt Leu 205	aat Asn	ggt Gly	aca Thr	tgc Cys	cat His 210	gtt Val	ttg Leu	acc Thr	678
gag Glu	agg Arg 215	cag Gln	agt Ser	ctg Leu	act Thr	aca Thr 220	acg Thr	aga Arg	tcc Ser	gag Glu	acg Thr 225	Met	gtg Val	aag Lys	ctc Leu	726
cta Leu 230	agt Ser	Gly	acg Thr	acc Thr	ccc Pro 235	gta Val	ggc Glý	agt Ser	agg Arg	ggg Gly 240	atg Met	gcg Ala	ata Ile	gaa Glu	agt Ser 245	774
gag Glu	cta Leu	ggc Gly	ggt Gly	gac Asp 250	ttc Phe	cgt Arg	aca Thr	gaa Glu	agt Ser 255	ata Ile	gga Gly	cgt Arg	aga Arg	tgc Cys 260	ttg Leu	822
aaa Lys	agt Ser	ggc Gly	cat His 265	gcg Ala	aga Arg	ttc Phe	tat Tyr	att Ile 270	agc Ser	gaa Glu	atg Met	ttc Phe	tgt Cys 275	gcc Ala	gtc Val	870
aac Asn	gag Glu	aaa Lys 280	cat His	ctt Leu	tta Leu	agt Ser	aaa Lys 285	acg Thr	gac Asp	agc Ser	aca Thr	atc Ile 290	tcc Ser	aac Asn	gaa Glu	918
gaa Glu	gat Asp 295	agt Ser	agc Ser	atc Ile	aac Asn	ata Ile 300	agg Arg	tta Leu	gaa Glu	aaa Lys	ttc Phe 305	aaa Lys	gac Asp	ctt Leu	ggg Gly	966
tac Tyr 310	cca Pro	gcg Ala	ttg [.] Leu	agc Ser	gag Glu 315	aaa Lys	tct Ser	atc Ile	gag Glu	gac Asp 320	agg Arg	agg Arg	aag Lys	ttg Leu	tac Tyr 325	1014
acc Thr	tgt Cys	ccg Pro	aac Asn	tcc Ser	atg Met	gtt Val	ggg Gly	tct Ser	ccg Pro	gac Asp	tac Tyr	ata Ile	gcc Ala	tta Leu	gaa Glu	1062

	330	225		
	330	335		340
gtc ttg aga gga Val Leu Arg Gly 345	Lys Arg Tyr	gag tat acc gta Glu Tyr Thr Va. 350	a gac tat tgg t l Asp Tyr Trp S 355	cg ttg 1110 Ser Leu
ggt tgt atg ctg Gly Cys Met Let 360	g ttt gag agc i Phe Glu Ser	ttg gtc ggc tad Leu Val Gly Tyr 365	t acc ccc ttc a Thr Pro Phe S 370	agt ggc 1158 Ser Gly
tcg tcg acc aac Ser Ser Thr Asr 375	gaa acg tat Glu Thr Tyr 380	gcg atc agt cgt Ala Ile Ser Arg	agc tgg aaa c g Ser Trp Lys G 385	ag acg 1206 In Thr
ttg aat aga gcg Leu Asn Arg Ala 390	g aga cac gag n Arg His Glu 395	gat ggg agg gcg Asp Gly Arg Ala 400	Ala Phe Tyr A	ast agg 1254 asn Arg 405
acg tgg gac ttg Thr Trp Asp Let	g att acc aga i Ile Thr Arg 410	cac agg gcc gad His Arg Ala Asg 415	Leu Ser Thr A	gg acg 1302 rg Thr 20
aga tcc ttt gag Arg Ser Phe Glu 425	His Glu Val	aag atg agc tac Lys Met Ser Tyr 430	ttc gcg gac a Phe Ala Asp I 435	tc ttg 1350 le Leu
ttt aag gcc tta Phe Lys Ala Leu 440	aga tcg ata Arg Ser Ile	att cca cct tto Ile Pro Pro Phe 445	aca ccc caa c Thr Pro Gln L 450	ta gac 1398 eu Asp
agc gag acc gat Ser Glu Thr Asp 455	gcc ggt tat Ala Gly Tyr 460	ttc gat gac ttt Phe Asp Asp Phe	tgg aat gag g Trp Asn Glu A 465	ct gac 1446 la Asp
ata gcc aaa tac Ile Ala Lys Tyr 470	gct gac gtc Ala Asp Val 475	ttt aat agt cag Phe Asn Ser Glr 480	Cys Cys Arg T	cg gct 1494 hr Ala 485
tta gtc gac gat Leu Val Asp Asp	tct gct gtt Ser Ala Val 490	tct tct aaa ctt Ser Ser Lys Leu 495	Val Gly Phe T	hr Phe
cga cac aga aat Arg His Arg Asr 505	Gly Lys Gln	ggt tcc agt ggt Gly Ser Ser Gly 510	atg tta ttc a Met Leu Phe A 515	ac ggg 1590 sn Gly
cta gaa cac tca Leu Glu His Ser 520	gac ccc ttc Asp Pro Phe	tca acc ttt tac Ser Thr Phe Tyr 525	tag taatcggca	g 1636
cctgcagcct gccc	agctgc cagcct	gccc tcgcctgacg	cctgccccag ga	tgcctctc 1696
ctttggataa catg	ccctgc tccccc	catgo ottgotgoot	cgcagcctga ac	gcctgcca 1756
gagctcgcca gcct	gcccag cctttc	gccc cagcctgcca	gcctttttt aa	acgctgaa 1816
aaacgcctaa aaaa	atcgaa ctttaa	acgc ttttaaaacg	gctgcccata aa	aaaaaagg 1876

1909

								5		٠						
<212	> 52 !> PF		lopsi	is tl	nalia	ana					· · ·			··· ··	•	
	_	Gly	Asn		Ser	Cys	Leu	Ser		Asp	Gly	His	Gly		Pro	
l Gly	Gly	Ser	Gly 20	5 His	Phe	Pro	Asn	Gln 25	10 Asn	Leu	Thr	Lys	Arg 30	15 Arg	Thr	
Arg	Pro	Ala 35		Ile	Asn	Asp	Ser 40		Ser	Pro	Val	Lys 45		Phe	Phe	
Phe	Pro 50	Tyr	Glu	Asp	Thr	Ser 55	Asn	Thr	Ser	Leu	Lys 60	Glu	Val	Ser	Gln	
Pro 65	Thr	Lys	Tyr	Ser	Ser 70	Asn	Ser	Pro	Pro	Val :75	Ser	Pro	Ala	Île	Phe 80	
Tyr	Glu	Arg	Ala	Thr 85	Ser	Trp	Cys	Thr	Gln 90	Arg	Val	Val	Ser	Gly 95	Arg	
Ala	Met	Tyr	Phe 100	Leu	Glu	Tyr	Tyr	Cys 105	Asp	Met	Phe	Asp	Tyr 110	Val	Ile	
		115					120					125			Gln	
	130		•			135					140	•	Glu		•	
145					150		٠			155			Arg		160	
				165					170				Gln	175	•	
			180					185					Glu 190			
		195					200				-	205			Thr	
	210					215	•				220		Arg			
225					230		•			235		•	Ser		240	
Met	Ala	Ile	Glu	Ser 245	Glu	Leu	Gly	Gly	Asp 250	Phe	Arg	Thr	Glu	Ser 255	Ile	

Gly Arg Arg Cys Leu Lys Ser Gly His Ala Arg Phe Tyr Ile Ser Glu Met Phe Cys Ala Val Asn Glu Lys His Leu Leu Ser Lys Thr Asp Ser 280 Thr Ile Ser Asn Glu Glu Asp Ser Ser Ile Asn Ile Arg Leu Glu Lys 295 Phe Lys Asp Leu Gly Tyr Pro Ala Leu Ser Glu Lys Ser Ile Glu Asp 315 Arg Arg Lys Leu Tyr Thr Cys Pro Asn Ser Met Val Gly Ser Pro Asp 330 Tyr Ile Ala Leu Glu Val Leu Arg Gly Lys Arg Tyr Glu Tyr Thr Val Asp Tyr Trp Ser Leu Gly Cys Met Leu Phe Glu Ser Leu Val Gly Tyr 360 Thr Pro Phe Ser Gly Ser Ser Thr Asn Glu Thr Tyr Ala Ile Ser Arg Ser Trp Lys Gln Thr Leu Asn Arg Ala Arg His Glu Asp Gly Arg Ala 390 Ala Phe Tyr Asn Arg Thr Trp Asp Leu Ile Thr Arg His Arg Ala Asp 410 Leu Ser Thr Arg Thr Arg Ser Phe Glu His Glu Val Lys Met Ser Tyr . . 425 Phe Ala Asp Ile Leu Phe Lys Ala Leu Arg Ser Ile Ile Pro Pro Phe 440 Thr Pro Gln Leu Asp Ser Glu Thr Asp Ala Gly Tyr Phe Asp Asp Phe 455 Trp Asn Glu Ala Asp Ile Ala Lys Tyr Ala Asp Val Phe Asn Ser Gln 465 470 Cys Cys Arg Thr Ala Leu Val Asp Asp Ser Ala Val Ser Ser Lys Leu 490 Val Gly Phe Thr Phe Arg His Arg Asn Gly Lys Gln Gly Ser Ser Gly 500 505 Met Leu Phe Asn Gly Leu Glu His Ser Asp Pro Phe Ser Thr Phe Tyr 520

<210> 3 <211> 695 <212> DNA

<21	3> A1	rabio	dops	is t	halia	ana										
	l> CI		. (564	4)		•		••						•		
<40	0> 3														•	,
tati	taago	ett (ggtad	ccga	gc .to	egigal	cca	c tag	gtaa	cggc	cgc	cagt	gtg	ctgg	aattcg	60
gca	cgago	caa (gaaag	gtta	ac a	caaca	agct	a aga							a agg y Arg	114
ttt Phe	cca Pro	ata Ile 10	ttt	tca Ser	atc Ile	ctc Leu	gaa Glu 15	gac Asp	atg Met	ctt Leu	gaa Glu	gcc Ala 20	cct Pro	gaa Glu	gaa Glu	162
caa Gln	acc Thr 25	gag Glu	aag Lys	act Thr	cgt Arg	aac Asn 30	aac Asn	cct Pro	tca Ser	aga Arg	gct Ala 35	tac Tyr	atg Met	cga Arg	gac Asp	210
gca Ala 40	aag Lys	gca Ala	atg Met	gct Ala	gct Ala 45	aca Thr	cca Pro	gct Ala	gac Asp	gtt Val 50	atc Ile	gag Glu	cac His	ccg Pro	gat Asp 55	258
gcg Ala	tac Tyr	gtt Val	ttc Phe	gcc Ala 60	gtg Val	gac Asp	atg Met	cct Pro	gga Gly 65	atc Ile	aaa Lys	gga Gly	gat Asp	gag Glu 70	att Ile	306
cag Gln	gtc Val	cag Gln	ata Ile 75	gag Glu	aac Asn	gag Glu	aac Asn	gtg Val 80	ctt Leu	gtg Val	gtg Val	agt Ser	ggc Gly 85	aaa Lys	aga Arg	354
cag Gln	agg Arg	gac Asp 90	aac Asn	aag Lys	gag Glu	aat Asn	gaa Glu 95	ggt Gly	gtg Val	aag Lys	ttt Phe	gtg Val 100	agg Arg	atg Met	gag Glu	402
agg Arg	agg Arg 105	atg Met	ggg Gly	aag Lys	ttt Phe	atg Met 110	agg Arg	aag Lys	ttt Phe	cag Gln	tta Leu 115	cct Pro	gat Asp	aat Asn	gca Ala	450
gat Asp 120	ttg Leu	gag Glu	aag Lys	atc Ile	tct Ser 125	gcg Ala	gct Ala	tgt Cys	aat Asn	gac Asp 130	ggt Gly	gtg Val	ttg Leu	Lys	gtg Val 135	498
act Thr	att Ile	ccg. Pro	aaa Lys	ctt Leu 140	cct Pro	cct Pro	cct Pro	gag Glu	cca Pro 145	aag Lys	aaa Lys	cca Pro	aag Lys	act Thr 150	ata Ile	546
caa Gln	gtt Val	caa Gln	gtc Val 155	gct Ala	tga	gtt	gtt	gt (gate	egtgt	ct tt	tgt	gttt	.		594
aat	gaato	gta a	atcga	ataag	gc aa	actac	ctct	t tgg	gtgtl	cgt	tgta	aaaa	ga a	aataa	aaaata	654
gtti	ttcto	tg t	ttcat	taaaa	aa aa	aaaa	aaaa	a aaa	acto	cgag	c					695

<210> 4 <211> 156 <212> PRT <213> Arabidopsis thaliana <400> 4 Met Asp Leu Glu Phe Gly Arg Phe Pro Ile Phe Ser Ile Leu Glu Asp 10 Met Leu Glu Ala Pro Glu Glu Gln Thr Glu Lys Thr Arg Asn Asn Pro 20 Ser Arg Ala Tyr Met Arg Asp Ala Lys Ala Met Ala Ala Thr Pro Ala 40 Asp Val Ile Glu His Pro Asp Ala Tyr Val Phe Ala Val Asp Met Pro Gly Ile Lys Gly Asp Glu Ile Gln Val Gln Ile Glu Asn Glu Asn Val 65 70 Leu Val Val Ser Gly Lys Arg Gln Arg Asp Asn Lys Glu Asn Glu Gly Val Lys Phe Val Arg Met Glu Arg Arg Met Gly Lys Phe Met Arg Lys 100 105 Phe Gln Leu Pro Asp Asn Ala Asp Leu Glu Lys Ile Ser Ala Ala Cys 115 120 Asn Asp Gly Val Leu Lys Val Thr Ile Pro Lys Leu Pro Pro Pro Glu 135 Pro Lys Lys Pro Lys Thr Ile Gln Val Gln Val Ala 145 150 <210> 5 <211> 1311 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (133)..(1083)

<400> 5

cggcacgagt ccacatgaaa ttcgattctc acatttcttc tatttaattc gaatttcaaa 60

ttgccatttc tcagattccg gggaaagaaa aaaaaaacct agaaaagtgt tttctccgtt 120

ttccaatcat cc atg agt ccg gac aat aaa ctg ctt ccg aag cgg atc atc 171

Met Ser Pro Asp Asn Lys Leu Leu Pro Lys Arg Ile Ile

1 10

ctt Leu	gta Val 15	cgg Arg	cac His	ggt Gly	gaa Glu	tcg Ser 20	gaa Glu	GJA aaa	aat Asn	ctc Leu	gac Asp 25	Thr	gcg Ala	gcg Ala	tat Tyr	219
aca Thr 30	acg Thr	acg Thr	ccg Pro	gat Asp	cat His 35	aag Lys	atc Ile	cag Gln	tta Leu	acg Thr 40	gat Asp	tcc Ser	ggt Gly	ttg Leu	ctt Leu 45	267
													tct Ser			315
									Phe				ccg Pro 75			363
cgg Arg	act Thr	cga Arg 80	tct Ser	acg Thr	ctc Leu	cgg Arg	gag Glu 85	atc Ile	gga Gly	cgg Arg	tcg Ser	ttc Phe 90	tcg Ser	cgt Arg	cgc Arg	411
cgt Arg	gtg Val 95	att Ile	ggt Gly	gtt Val	cgc Arg	gaa Glu 100	gaa Glu	tgt Cys	cgg Arg	att Ile	agg Arg 105	gaa Glu	cag Gln	gat Asp	ttt Phe	459
ggg Gly 110	aat Asn	ttt Phe	cag Gln	gtt Val	aaa Lys 115	gag Glu	cga Arg	atg Met	aga Arg	gca Ala 120	acg Thr	aaa Lys	aag Lys	gtc Val	aga Arg 125	507
gag Glu	aga Arg	ttt Phe	ggc Gly	cgc Arg 130	ttt Phe	ttt Phe	tac Tyr	cgg Arg	ttc Phe 135	ccg Pro	gag Glu	gga Gly	gaa Glu	tcc Ser 140	gcc Ala	\$ 5 5
gcc Ala	gat Asp	gtc Val	ttc Phe 145	gat Asp	cgc Arg	gtc Val	tcc Ser	agt Ser 150	ttt Phe	ctc Leu	gag Glu	tct Ser	cta Leu 155	tgg Trp	aga Arg	603
													gag Glu			651
ttt Phe	gtg Val 175	att Ile	gtc Val	tca Ser	cat His	ggc Gly 180	tta Leu	aca Thr	tcg Ser	cgt Arg	gtg Val 185	ttt Phe	ctg Leu	atg Met	aaa Lys	699
tgg Trp 190	ttt Phe	aag Lys	tgg Trp	tca Ser	gtg Val 195	gaa Glu	cag Gln	ttc Phe	gag Glu	gga Gly 200	cta Leu	aac Asn	aat Asn	cca Pro	ggg Gly 205	747
aac Asn	agt Ser	gag Glu	atc Ile	aga Arg 210	gtg Val	atg Met	gaa Glu	tta Leu	gga Gly 215	caa Gln	ggc Gly	ggt Gly	gat Asp	tac Tyr 220	agc Ser	795
ttg Leu	gcg Ala	att Ile	cat His 225	cac His	aca Thr	gag Glu	gaa Glu	gag Glu 230	tta Leu	gcc Ala	aca Thr	tgg Trp	gga Gly 235	ctg Leu	tca Ser	843
cca	gag	atg	att	gca	gat	caa	aag	tgg	cgg	gct	aac	gcg	cat	aaa	ggc	891

Pro Glu Met Ile Ala Asp Gln Lys Trp Arg Ala Asn Ala His Lys Gly 240 245 gaa tgg aaa gaa gat tgt aag tgg tat ttt ggt gat ttc ttc gac cat 939 Glu Trp Lys Glu Asp Cys Lys Trp Tyr Phe Gly Asp Phe Phe Asp His 255 265 atg gca gat tcc gat aaa gag tgc gag act gag gcc act gaa gat aga 987 Met Ala Asp Ser Asp Lys Glu Cys Glu Thr Glu Ala Thr Glu Asp Arg 275 280 gaa gaa gaa gaa gaa gag ggg aaa agg gta aat ctg cta acg agt 1035 Glu Glu Glu Glu Glu Glu Gly Lys Arg Val Asn Leu Leu Thr Ser 290 295 tca gaa tat agc aat gag cca gag tta tac aat gga caa tgc tgc tga 1083 Ser Glu Tyr Ser Asn Glu Pro Glu Leu Tyr Asn Gly Gln Cys Cys 310 tactatttta cagaacaaaa gcatacatga gaagaaacgt ttaactaaag aattcagaag 1143 atttgatttt gataaaaact tgtaccaatt tactgattaa gctttctggt gtcttagttt 1203 gtagcttttg gtttgtggaa aagtgttgta cacatcgtta taacaccagg aaacattaca 1263 <210> 6 <211> 316 <212> PRT <213> Arabidopsis thaliana <400> 6 Met Ser Pro Asp Asn Lys Leu Leu Pro Lys Arg Ile Ile Leu Val Arg His Gly Glu Ser Glu Gly Asn Leu Asp Thr Ala Ala Tyr Thr Thr Thr Pro Asp His Lys Ile Gln Leu Thr Asp Ser Gly Leu Leu Gln Ala Gln Glu Ala Gly Ala Arg Leu His Ala Leu Ile Ser Ser Asn Pro Ser Ser Pro Glu Trp Arg Val Tyr Phe Tyr Val Ser Pro Tyr Asp Arg Thr Arg Ser Thr Leu Arg Glu Ile Gly Arg Ser Phe Ser Arg Arg Val Ile 90 Gly Val Arg Glu Glu Cys Arg Ile Arg Glu Gln Asp Phe Gly Asn Phe Gln Val Lys Glu Arg Met Arg Ala Thr Lys Lys Val Arg Glu Arg Phe 120

Gly Arg Phe Phe Tyr Arg Phe Pro Glu Gly Glu Ser Ala Ala Asp Val 140. Phe Asp Arg Val Ser Ser Phe Leu Glu Ser Leu Trp Arg Asp Ile Asp 155 Met Asn Arg Leu His Ile Asn Pro Ser His Glu Leu Asn Phe Val Ile 165 Val Ser His Gly Leu Thr Ser Arg Val Phe Leu Met Lys Trp Phe Lys 180 185 190 Trp Ser Val Glu Gln Phe Glu Gly Leu Asn Asn Pro Gly Asn Ser Glu 200 Ile Arg Val Met Glu Leu Gly Gln Gly Gly Asp Tyr Ser Leu Ala Ile 215 220 His His Thr Glu Glu Glu Leu Ala Thr Trp Gly Leu Ser Pro Glu Met 230 235 Ile Ala Asp Gln Lys Trp Arg Ala Asn Ala His Lys Gly Glu Trp Lys 250 Glu Asp Cys Lys Trp Tyr Phe Gly Asp Phe Phe Asp His Met Ala Asp 260 265 Ser Asp Lys Glu Cys Glu Thr Glu Ala Thr Glu Asp Arg Glu Glu Glu Glu Glu Glu Gly Lys Arg Val Asn Leu Leu Thr Ser Ser Glu Tyr 295 300 Ser Asn Glu Pro Glu Leu Tyr Asn Gly Gln Cys Cys 310 <210> 7 <211> 863 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (19)..(837) <400> 7 agagacagta aacctaaa atg gcg aac tca gac aaa aga tta ttc gag aag 51 Met Ala Asn Ser Asp Lys Arg Leu Phe Glu Lys gta gct ata ata acc gga gga gca aga ggg ata gga gcg gcc acg gcg 99 Val Ala Ile Ile Thr Gly Gly Ala Arg Gly Ile Gly Ala Ala Thr Ala

aga Arg	ttg Leu	ttc Phe 30	aca Thr	gag Glu	aat Asn	ggc Gly	gcg Ala 35	tat Tyr	gtg Val	ata Ile	gtc Val	gcg Ala 40	gat Asp	atc Ile	ctt Leu	147	
Asp	aat Asn 45	gaa Glu	ggc Gly	atc Ile	ctt Leu	gtg Val 50	gcg Ala	gaa Glu	tcg Ser	atc Ile	ggt Gly 55	Gly	tgt Cys	tac Tyr	gtt Val	195	
cat His 60	tgt Cys	gac Asp	gta Val	tcg Ser	aag Lys 65	gag Glu	gct Ala	gat Asp	gtt Val	gag Glu 70	gcg Ala	gca Ala	gtg Val	gag Glu	cta Leu 75	243	
gca Ala	atg Met	aga Arg	cgt Arg	aaa Lys 80	ggt Gly	aga Arg	cta Leu	gat Asp	gtg Val 85	atg Met	ttc Phe	aac Asn	aat Asn	gcc Ala 90	ggg Gly	291	:
atg Met	tcg Ser	ctt Leu	aac Asn 95	gaa Glu	ggt Gly	agt Ser	atc Ile	atg Met 100	ggg Gly	atg Met	gac Asp	Val	gac Asp 105	atg Met	gtt Val	339	
aac Asn	aaa Lys	ctt Leu 110	gtc Val	tcg Ser	gtt Val	Asn	gtc Val 115	aat Asn	ggt Gly	gtt Val	ttg Leu	cat His 120	ggt Gly	atc Ile	aaa Lys	387	
cat His	gcc Ala 125	gct Ala	aag Lys	gcc Ala	atg Met	atc Ile 130	aaa Lys	Gly ggg	gga Gly	cga Arg	gga Gly 135	ggc	tcg Ser	ata Ile	ata Ile	435	
tgc Cys 140	aca Thr	tcg Ser	agc Ser	tca Ser	tca Ser 145	'GJA aga	cta Leu	atg Met	gga Gly	gga Gly 150	ctt Leu	gga Gly	gga Gly	cat His	gcg Ala 155	483	
tat Tyr	acg Thr	ctc Leu	tcc Ser	aaa Lys 160	gġa Gly	ggc Gly	atc Ile	aac Asn	ggg Gly 165	gtg Val	gtg Val	agg Arg	aca Thr	acg Thr 170	gag Glu	531	. '
tgc Cys	gag Glu	ctt Leu	ggg Gly 175	tct Ser	cac His	ggc Gly	atc Ile	cgt Arg 180	gtg Val	aat Asn	agc Ser	atc Ile	tçt Ser 185	cct. Pro	cat His	579	
gga Gly	gtt Val	ccc Pro 190	act Thr	gac Asp	atc Ile	ttg Leu	gtt Val 195	aat Asn	gcg Ala	tac Tyr	cgt Arg	aag Lys 200	ttc Phe	ctt Leu	aac Asn	627	
aat Asn	gac Asp 205	aaa Lys	ctc Leu	aac Asn	gtc Val	gct Ala 210	gag Glu	gtc Val	acc Thr	gac Asp	att Ile 215	att	gct Ala	gag Glu	a a a Lys	675	
ggg Gly 220	agt Ser	ttg Leu	ctg Leu	acc Thr	gga Gly 225	aga Arg	gcc Ala	ggt Gly	act Thr	gtg Val 230	gag Glu	gac Asp	gta Val	gct Ala	caa Gln 235	723	
gca Ala	gct Ala	ttg Leu	ttt Phe	ctt Leu 240	gca Ala	agc Ser	caa Gln	gaa Glu	tcg Ser 245	tcg Ser	ggg Gly	ttc Phe	att Ile	acc Thr 250	gga Gly	771	
cat	aac	ttg	gtt	gtt	gat	ggt	ggt	tac	aca	tct	gcc	act	agt	act.	atg	819	

His Asn Leu Val Val Asp Gly Gly Tyr Thr Ser Ala Thr Ser Thr Met 255 260 265

aga ttt atc tac aac tag ttttcgtttg gtggtgtttc cttttc Arg Phe Ile Tyr Asn 270

863

<210> 8

<211> 272

<212> PRT

<213> Arabidopsis thaliana

<400> 8

Met Ala Asn Ser Asp Lys Arg Leu Phe Glu Lys Val Ala Ile Ile Thr
1 5 10 15

Gly Gly Ala Arg Gly Ile Gly Ala Ala Thr Ala Arg Leu Phe Thr Glu 20 25 30

Asn Gly Ala Tyr Val Ile Val Ala Asp Ile Leu Asp Asn Glu Gly Ile 35 40

Leu Val Ala Glu Ser Ile Gly Gly Cys Tyr Val His Cys Asp Val Ser 50 55 60

Lys Glu Ala Asp Val Glu Ala Ala Val Glu Leu Ala Met Arg Arg Lys
65 70 75 80

Gly Arg Leu Asp Val Met Phe Asn Asn Ala Gly Met Ser Leu Asn Glu 85 90

Gly Ser Ile Met Gly Met Asp Val Asp Met Val Asn Lys Leu Val Ser 100 105 110

Val Asn Val Asn Gly Val Leu His Gly Ile Lys His Ala Ala Lys Ala 115 120 125

Met Ile Lys Gly Gly Arg Gly Gly Ser Ile Ile Cys Thr Ser Ser Ser 130 135 140

Ser Gly Leu Met Gly Gly Leu Gly Gly His Ala Tyr Thr Leu Ser Lys 145 150 155 160

Gly Gly Ile Asn Gly Val Val Arg Thr Thr Glu Cys Glu Leu Gly Ser 165 170 175

His Gly Ile Arg Val Asn Ser Ile Ser Pro His Gly Val Pro Thr Asp 180 185 190

Ile Leu Val Asn Ala Tyr Arg Lys Phe Leu Asn Asn Asp Lys Leu Asn 195 200 205

Val Ala Glu Val Thr Asp Ile Ile Ala Glu Lys Gly Ser Leu Leu Thr 210 215 220

Gly Arg Ala Gly Thr Val Glu Asp Val Ala Gln Ala Ala Leu Phe Leu

225 230 235 240 Ala Ser Gln Glu Ser Ser Gly Phe Ile Thr Gly His Asn Leu Val Val 245 Asp Gly Gly Tyr Thr Ser Ala Thr Ser Thr Met Arg Phe Ile Tyr Asn 265 <210> 9 <211> 3107 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (20) . (34) <220> <221> CDS <222> (958)..(1054) <220> <221> CDS <222> (1209)..(1486) <220> <221> CDS <222> (1578) . . (2354) <220> <221> CDS <222> (2440)..(2529) <220> <221> CDS <222> (2629)..(2790) <220> <221> CDS <222> (2884)..(2943) <400> 9 tcaaccttct atcatcacc atg gat cct tac aag gtatcttcga tcatattctt Met Asp Pro Tyr Lys cttacttttt ctttgttttt gtgtggtgta tgtgtatctt aattagaatt aggttcaact 114 atatatgctc gttttctaaa ctattttta attggattga tgttcttaaa tcttaagggt 174 caaaatactt tttatgctca aaaacttact taaattctgt gatcgcttga acctaagtgg 234. atgatgtgga tttcctgttt tggctgccta tctttaagta aaacgtttaa cccactgcgt 294

	9			LLLa	ta g	tatg	acaca	са	tgtg	ttct	aaa	aatc	gga	cgtt	caaatg	414
ata	taato	ga	ttgt	ttag	ac g	tccg	accgt	at	atta	tttt	agt	gata	tca	gcca	aatcag	474
att	aagta	aat	catc	aaca	aa a	tgat	tgato	ag	atct	atca	ata	caag	tgt :	attt	ttttt	534
cac	ataca	aaa a	aaaa	ttat	ct c	accg	acgaa	aa	aaaa	ataa	aaa	atta	tta	tgta	gatcca	594
tcg	aacaa	aaa	ggcti	tgaa	ta t	cgga	agtca	ct	taaa	agtg	taa	taat	cga	ataa	atatta	654
gtg	gataa	aa	tgaa	attt	at c	taca	accct	ac	tctc	cgaç	atg	ttac	tgt	ttgc	gtcatc	714
aaa	tctaa	ag (cctt	tttg	gc a	aata	atggt	cg	gaag	acta	ctc	gtgt	cgg	gatg	gaccac	774
ccg	gated	ga	tcag	gaaa	cg g	gttt	tgata	tg	tttc	gggt	tac	gaca	aaa	aatt	agggct	834
ttt	tatca	aa	tcaal	tcag	tt g	gtag	taaaa	tt	ttgt	ggat	tgt	tctt	gtc	gatt	ccgttt	894
gat	tgttg	gac (caaat	tttc	tt c	ctag	gattt	tg:	ttga	taat,	cga	cgt	ata	atgg	tgattg	954
cag	tat Tyr	cgt Arg	cct Pro	tca Ser	agc Ser 10	gcg Ala	tac Tyr	aac Asn	gcc Ala	cca Pro 15	ttc Phe	tac Tyr	acc Thr	aca Thr	aac Asn 20	1002
ggt Gly	ggt Gly	gct Ala	cca Pro	gtc Val 25	tcc Ser	aac Asn	aac Asn	atc Ile	tct Ser 30	Ser	ctc Leu	acc Thr	atc Ile	gga Gly 35	gaa Glu	1050
200	a at	-a+c										-				
Arg	Ğ	.a.c.	gtaad	e cci	tgaai	tttc	aaga	gtc	tat (caata	aagaa	at c	ggaa	cttg	t .	1104
Arg	G						•							•	gtgaag	
Arg tgg	G	itg a	aaaga	agata	aa aa	actga	agata	ı ta	gagte	ctaa	gcto	gaga ggt	tct ccg	gttc	gtgaag ctt	
tgga cgta	G attta	itg a	aaaga ttatt tat	agata tttta	aa aa aa ca	actga atgtç atc	agata gttac	taq	gagto cgtaa gtt	ctaa atgg gct	gct; gca;	gaga ggt ly ttc	ccg Pro	gttc gtt Val 40 aga	gtgaag ctt Leu gag	1164
tgga cgta ctt Leu	G attta gatgt gag	gat Asp	tatt tat Tyr 45	agata tttta cat His	aa aa ttg Leu	actga atgto atc Ile	agata yttac gag Glu cat	aag Lys 50	gagte cgtaa gtt Val	ctaa atgg gct Ala	gctq gcaq aat Asn	gaga ggt ly ttc Phe	ccg Pro acc Thr 55	gttc gtt Val 40 aga Arg	gtgaag ctt Leu gag Glu	1164 1219
tgga cgta ctt Leu agg Arg	G attta gatgt gag Glu atc	gat Asp cct Pro 60	tat tat Tyr 45 gag Glu	cat His aga Arg	aa aa ttg Leu gtg Val	actga atgto atc Ile gtt Val	gag Glu cat His 65	a tag aag Lys 50 gct Ala	gagte cgtae gtt Val aga Arg	gct Ala gga Gly	gctq gcaq aat Asn atc Ile	gaga gt ly ttc Phe agt Ser 70	ccg Pro acc Thr 55 gct Ala	gttc gtt Val 40 aga Arg aag Lys	gtgaag ctt Leu gag Glu ggt Gly	1164 1219 1267
tgg: cgt: ctt Leu agg Arg ttc Phe	G attta gatgt gag Glu atc Ile ttt Phe	gat Asp cct Pro 60 gaa Glu	tat tat Tyr 45 gag Glu gtc Val	cat His aga Arg	aaa aa ttg ttg Leu gtg Val cat	atc Ile gtt Val gac Asp 80	gag Glu cat His 65 att	aaggat Ala	gagte gtt Val aga Arg aac Asn	gct Ala gga Gly ctc Leu	gcto gcao aat Asn atc Ile act Thr 85	gagad ggt ly ttc Phe agt Ser 70 tgt Cys	ccg Pro acc Thr 55 gct Ala gct Ala	gttc gtt Val 40 aga Arg aag Lys gat Asp	gtgaag ctt Leu gag Glu ggt Gly ttt Phe	1164 1219 1267 1315

· I	ttt Phe	gct Ala	gtc Val	aag Lys 125	ttt Phe	tac Tyr	acc Thr	aga Arg	gag Glu 130		aaga	aaa q	gatte	caaaq	gt		1506
1	tcc	att	tt a	atco	gteti	t ta	agcti	ctt	aga	aatca	agga	ctga	attti	tg t	tcttg	gttact	1566
ç	gtta	atgat	cca g	Gl) g gga	a aad 7.Asi	ttt n Phe	gat As <u>r</u>	Cti Lei 13	י Val	Gly ggg	g aad / Asr	c aad n Asr	act Thi	r Pro	g gtg o Val	g ttc l Phe	1616
ţ	ttc Phe	atc Ile 145	cgt Arg	gat Asp	ggg Gly	att Ile	cag Gln 150	ttc Phe	ccg Pro	gat Asp	gtt Val	gtc Val 155	cac His	gcg Ala	ttg Leu	aaa Lys	1664
1	Pro L60	Asn	Arg	Lys	Thr	Asn 165	Ile	Gln	Glu	Tyr	tgg Trp 170	Arg	Ile	Leu	Asp	Tyr 175	1712
ŀ	let.	Ser	His	Leu	Pro 180	Glu	Ser	Leu	Leu	Thr 185	tgg Trp	Cys	Trp	Met	Phe 190	Asp	1760
	Asp	Val	Gly	11e 195	Pro	Gln	Asp	Tyr	Arg 200	His	atg Met	Glu	Gly	Phe 205	Gly	Val	1808
. }	lis	Thr	Туг 210	Thr	Leu	Ile	Ala	Lys 215	Ser	Gly	aaa Lys	Val	Leu 220	Phe	Val	Lys	1856
ţ	ttc Phe	cac His 225	tgg Trp	aaa Lys	cca Pro	act Thr	tgt Cys 230	GJA aaa	atc Ile	aag Lys	aat Asn	ctg Leu 235	act Thr	gat Asp	gaa Glu	gag Glu	1904
2	gcc Ala 240	aag Lys	gtt Val	gtt Val	gga Gly	gga Gly 245	gcc Ala	aat Asn	cac His	agc Ser	cac His 250	gcc Ala	act Thr	aag Lys	gat Asp.	ctc Leu 255	1952
I	cac His	gat Asp	gcc Ala	att Ile	gca Ala 260	tct Ser	ggc Gly	aac Asn	tac Tyr	ccc Pro 265	gag Glu	tgg Trp	aaa Lys	ctt Leu	ttc Phe 270	atc Ile	2000
(cag Sln	acc Thr	atg Met	gat Asp 275	cct Pro	gca Ala	gat Asp	gag Glu	gat Asp 280	aag Lys	ttt Phe	gac Asp	ttt Phe	gac Asp 285	cca Pro	ctt Leu	2048
į	gat Asp	gtg Val	acc Thr 290	aag Lys	atc	tgg Trp	cct Pro	gag Glu 295	gat Asp	att Ile	ttg Leu	cct Pro	ctg Leu 300	caa Gln	ccg Pro	gtt Val	2096
(ggt Gly	cgc Arg 305	ttg Leu	gtt Val	ctg Leu	aac Asn	agg Arg 310	acc Thr	att Ile	gac Asp	aac Asn	ttc Phe 315	ttc Phe	aat Asn	gaa Glu	act Thr	2144
(gag Glu	cag Gln	ctt Leu	gcg Ala	ttc Phe	aac Asn	ccg Pro	ggt Gly	ctt Leu	gtg Val	gtt Val	cct Pro	gga Gly	atc Ile	tac Tyr	tac Tyr	2192

320	325	330	335
tca gac gac aag Ser Asp Asp Lys	ctg ctc cag tgt Leu Leu Gln Cys 340	agg atc ttt gct t Arg Ile Phe Ala T 345	at ggt gac act 2240 yr Gly Asp Thr 350
cag aga cat cgc Gln Arg His Arg 355	ctt gga ccg aat Leu Gly Pro Asn	tat ttg cag ctt c Tyr Leu Gln Leu F 360	ca gtc aat gct 2288 ro Val Asn Ala 365
ccc aaa tgt gct Pro Lys Cys Ala 370	cac cac aac aat His His Asn Asn 375	cac cat gaa ggt t His His Glu Gly P	tt atg aac ttc 2336 he Met Asn Phe 80
atg cac aga gat Met His Arg Asp 385		tta gtacaccact tga	gctacca 2384
ttgttagtct tttt	acttgg aatcaaaat	t ctcatttggt ttgta	ctttt tacag atc 2442
			Ile 390
aat tac tac ccc Asn Tyr Tyr Pro	tca aag ttt gat Ser Lys Phe Asp 395	cct gtc cgc tgc g Pro Val Arg Cys A 400	ct gag aaa gtt 2490 la Glu Lys Val 405
ccc acc cct aca Pro Thr Pro Thr 410	aac tcc tac act Asn Ser Tyr Thr	gga att cga aca a Gly Ile Arg Thr L 415	ag gtccgattcc 2539 ys
tgccatgcct tete	taaatc ttcaaatcc	t aaactcaagt ttatt	agaat attggtgcta 2599
agaaaacctt ttaa	ttgcta atgttgcag	tgc gtc atc aag a Cys Val Ile Lys L 420	
ttc aaa cag gct Phe Lys Gln Ala 430	gga gac agg tac Gly Asp Arg Tyr 435	aga tca tgg gca c Arg Ser Trp Ala P	ca gac agg caa 2700 ro Asp Arg Gln 40
gac agg ttt gtt Asp Arg Phe Val 445	aag aga tgg gtg Lys Arg Trp Val 450	gag att cta tcg g Glu Ile Leu Ser G 455	ag cca cgt ctc 2748 lu Pro Arg Leu
acc cac gag atc Thr His Glu Ile 460	cgc ggc atc tgg Arg Gly Ile Trp 465	acc tct tac tgg c Thr Ser Tyr Trp L 470	tc aag 2790 eu Lys
gtcagaacca aaaa	aacact cggtcaaatt	tctacgtcct tttta	ccaag tttcagcaaa 2850
ctaaaacatt attt	atctct ctgtatctct	c cag gct gat cga Ala Asp Arg 475	tcc ttg gga cag 2904 Ser Leu Gly Gln 480
aaa ctc gca agc Lys Leu Ala Ser	cgt ctg aac gtg Arg Leu Asn Val 485	agg cca agc atc t Arg Pro Ser Ile 490	ag aggccaatct 2953

ccatataagc tcagtctatg tgaggtacaa tcaatctcat cgatctatca tcgcttggtc 3013
gttaaatccg tcaaaaagat aatcacatgt gttgttgttt cttgtctata taataataat 3073
gcttgtaatc ccaaaaactc atgtttcctt cctt 3107

<210> 10

<211> 492

<212> PRT

<213> Arabidopsis thaliana

<400> 10

Met Asp Pro Tyr Lys Tyr Arg Pro Ser Ser Ala Tyr Asn Ala Pro 1 5 10

Phe Tyr Thr Thr Asn Gly Gly Ala Pro Val Ser Asn Asn Ile Ser Ser 20 25 30

Leu Thr Ile Gly Glu Arg Gly Pro Val Leu Leu Glu Asp Tyr His Leu 35 40 45

Ile Glu Lys Val Ala Asn Phe Thr Arg Glu Arg Ile Pro Glu Arg Val
50 60

Val His Ala Arg Gly Ile Ser Ala Lys Gly Phe Phe Glu Val Thr His 65 70 75 8

Asp Ile Ser Asn Leu Thr Cys Ala Asp Phe Leu Arg Ala Pro Gly Val 85 90 95

Gln Thr Pro Val Ile Val Arg Phe Ser Thr Val Val His Gly Arg Ala 100 105 110

Ser Pro Glu Thr Met Arg Asp Ile Arg Gly Phe Ala Val Lys Phe Tyr 115 120 125

Thr Arg Glu Gly Asn Phe Asp Leu Val Gly Asn Asn Thr Pro Val Phe 130 135 140

Phe Ile Arg Asp Gly Ile Gln Phe Pro Asp Val Val His Ala Leu Lys 145 150 155 16

Pro Asn Arg Lys Thr Asn Ile Gln Glu Tyr Trp Arg Ile Leu Asp Tyr 165 170 175

Met Ser His Leu Pro Glu Ser Leu Leu Thr Trp Cys Trp Met Phe Asp 180 185 190

Asp Val Gly Ile Pro Gln Asp Tyr Arg His Met Glu Gly Phe Gly Val

His Thr Tyr Thr Leu Ile Ala Lys Ser Gly Lys Val Leu Phe Val Lys 210 215 220

Phe His Trp Lys Pro Thr Cys Gly Ile Lys Asn Leu Thr Asp Glu Glu

225 230 235

Ala Lys Val Val Gly Gly Ala Asn His Ser His Ala Thr Lys Asp Leu 245 250 255

His Asp Ala Ile Ala Ser Gly Asn Tyr Pro Glu Trp Lys Leu Phe Ile 260 265 270

Gln Thr Met Asp Pro Ala Asp Glu Asp Lys Phe Asp Phe Asp Pro Leu 275 280 285

Asp Val Thr Lys Ile Trp Pro Glu Asp Ile Leu Pro Leu Gln Pro Val 290 295 300

Gly Arg Leu Val Leu Asn Arg Thr Ile Asp Asn Phe Phe Asn Glu Thr 305 310 315 32

Glu Gln Leu Ala Phe Asn Pro Gly Leu Val Val Pro Gly Ile Tyr Tyr 325 330 335

Ser Asp Asp Lys Leu Gln Cys Arg Ile Phe Ala Tyr Gly Asp Thr 340 345 350

Gln Arg His Arg Leu Gly Pro Asn Tyr Leu Gln Leu Pro Val Asn Ala 355 360 365

Pro Lys Cys Ala His His Asn Asn His His Glu Gly Phe Met Asn Phe 370 380

Met His Arg Asp Glu Glu Ile Asn Tyr Tyr Pro Ser Lys Phe Asp Pro 385 390 395 40

Val Arg Cys Ala Glu Lys Val Pro Thr Pro Thr Asn Ser Tyr Thr Gly
405 410 415

Ile Arg Thr Lys Cys Val Ile Lys Lys Glu Asn Asn Phe Lys Gln Ala
420 425 430

Gly Asp Arg Tyr Arg Ser Trp Ala Pro Asp Arg Gln Asp Arg Phe Val 435 440 445

Lys Arg Trp Val Glu Ile Leu Ser Glu Pro Arg Leu Thr His Glu Ile 450 455 460

Arg Gly Ile Trp Thr Ser Tyr Trp Leu Lys Ala Asp Arg Ser Leu Gly 465 470 475 48

Gln Lys Leu Ala Ser Arg Leu Asn Val Arg Pro Ser Ile 485 490

<210> 11

<211> 2687

<212> DNA

<213> Arabidopsis thaliana

<220>	
<221> CDS	
<222> (67)(204)	
<220>	
<221> CDS	
<222> (521)(661)	
<220>	
<221> CDS	
<222> (745)(1026)	
<220>	
<221> CDS <222> (1114)(2667)	0.
<222> (1114)(2007)	
<400> 11	
aagttccaaa ttttctctta gcattctctt tcgtttctcg ttttcgttga atcaaagttc	60
5	•
gttgcg atg gcg gat gtt cag atg gct gat gca gaa act ttt gct ttc	108
Met Ala Asp Val Gln Met Ala Asp Ala Glu Thr Phe Ala Phe	
1 5 10	
Can get gag att and eng ett ett eng to the	
caa gct gag att aac cag ctt ctt agc ttg atc atc aac acg ttc tac Gln Ala Glu Ile Asn Gln Leu Leu Ser Leu Ile Ile Asn Thr Phe Tyr	156
15 20 25 30	
age aac aaa gaa ate tte etc egt gag etc ate agt aac tet tet gat	204
Ser Asn Lys Glu Ile Phe Leu Arg Glu Leu Ile Ser Asn Ser Ser Asp	
35 40 45	
gtaagtttcc cttcaaatct ctctctgact cggtgtgact cgtccgcttc ctattttctt	264
gactgttgtt tgttctttaa ttcctggatt cgttgatagc gttggattcg taggtttagc	224
sacestes tarrected recetigate cyttydiage griggaticg taggictage	324
gttgtgattg cttattcaaa taaatcgtga tttggcttgt gcatcacgtt aagtttagaa	384
ttcttagctt gtgctcgatc ttcatgtgtt gtagttacat atatagaacg gttcttgctt	444
cgatgtagtt tttgatttac cctagaggat tgagtaaagc ttctgattat ctttgtttat	504
atgaacggtt ttgtag gct ctt gac aag att cga ttt gag agc tta acg gat	e e e
Ala Leu Asp Lys Ile Arg Phe Glu Ser Leu Thr Asp	סכֿכ
50 55	
33	
aag agc aag ctc gat gga cag cct gaa ctc ttc att aga ttg gtt cct	604
Lys Ser Lys Leu Asp Gly Gln Pro Glu Leu Phe Ile Arg Leu Val Pro	•
60 65 70	
gac aag cct aat aag acg ctc tca att att gac agt ggt att ggc atg	652
Asp Lys Pro Asn Lys Thr Leu Ser Ile Ile Asp Ser Gly Ile Gly Met	
75 80 85 90	
acc aaa gca ggtaacgaat caatgcctaa taatctctcg ttggtgagat	701
Thr Lys Ala	, 01
	•
gtttagtgta tgtgctgtgg ttatgactct ctattatttt tca gat ttg gtg aac	756

																•
						•						Asp	Leu 95	Val	Asn	
aac Asn	ttg Leu	gga Gly 100	acc Thr	att Ile	gcg Ala	agg Arg	tct Ser 105	gga Gly	aca Thr	aaa Lys	gag Glu	ttt Phe 110	Met	gag Glu	gcg Ala	804
ctt Leu	caa Gln 115	gct Ala	gga Gly	gct Ala	gat Asp	gta Val 120	agc Ser	atg Met	ata Ile	gga Gly	caa Gln 125	ttt Phe	ggt Gly	git Val	ggt Gly	852
ttc Phe 130	tac Tyr	tct Ser	gct Ala	tat Tyr	ctt Leu 135	gtt Val	gca Ala	gag Glu	aag Lys	gtt Val 140	gtt Val	gtc Val	act Thr	aca Thr	aag Lys 145	900
cac His	aat Asn	gat Asp	gat Asp	gaa Glu 150	caa Gln	tac Tyr	gtt Val	tgg Trp	gag Glu 155	tct Ser	caa Gln	gct Ala	ggt Gly	ggt Gly 160	tcc Ser	948
Phe	Thr	Val	Thr 165	Arg	gat Asp	Val	Asp	Gly 170	Glu	Pro	Leu	Gly	Arg 175	Gly	Thr	996
aag Lys	atc Ile	agc Ser 180	ctc Leu	Phe	ctt Leu	aag Lys	gac Asp 185	gat Asp	cag Gln	gtaa	aggaa	itc g	gtago	ettt	ja :	1046
gtgt	tttg	1 9 9 9	gato	ttct	t tt	cttt	:tggt	gtt	ttct	gtg	ttct	taca	ag t	gtgt	ttati	1106
catg	rcag	ctt Leu	gaa Glu	tac Tyr 190	ttg Leu	gag Glu	gag Glu	agg Arg	aga Arg 195	ctc Leu	aaa Lys	gac Asp	ttg Leu	gtg Val 200	aag Lys	1155
aag Lys	cac His	tct Ser	gag Glu 205	ttc Phe	atc Ile	agt Ser	tac Tyr	cct Pro 210	atc Ile	tac Tyr	ctt Leu	Trp	acc Thr 215	gag Glu	aaa Lys	1203
acc Thr	acc Thr	gag Glu 220	aag Lys	gag Glu	atc Ile	agt Ser	gac Asp 225	gat Asp	gag Glu	gat Asp	gaa Glu	gat Asp 230	gaa Glu	cca Pro	aag Lys	1251
aaa Lys	gaa Glu 235	aac Asn	gaa Glu	ggt Gly	gag Glu	gtt Val 240	gaa Glu	gaa Glu	gtt Val	gat Asp	gag Glu 245	aag Lys	aag Lys	gag Glu	aaa Lys	1299
gat Asp 250	ggt Gly	aaa Lys	aag Lys	aag Lys	aag Lys 255	aaa Lys	atc Ile	aag Lys	gaa Glu	gtc Val 260	tct Ser	cac His	gag Glu	tgg Trp	gaa Glu 265	1347
ctc Leu	atc Ile	aac Asn	Lys	cag Gln 270	aaa Lys	ccg Pro	atc Ile	tgg Trp	ttg Leu 275	agg Arg	aag Lys	cca Pro	Glu	gag Glu 280	atc Ile	1395
act Thr	aag Lys	gaa Glu	gag Glu 285	tat Tyr	gct Ala	gct Ala	ttc Phe	tac Tyr 290	aag Lys	agc Ser	ttg Ľeu	acc Thr	aat Asn 295	gac Asp	tgg Trp	1443

gaa Glu	gat Asp	cac His 300	tta Leu	gcc Ala	gtg Val	aaa Lys	cac His 305	ttc Phe	tca Ser	gtg Val	gag Glu	ggt Gly 310	cag Gln	cta Leu	gaa Glu	1491
ttc Phe	aag Lys 315	gcc Ala	att Ile	ctc Leu	ttt Phe	gta Val 320	Pro	aag Lys	aga Arg	gct Ala	ccg Pro 325	ttt Phe	gat Asp	ctc Leu	ttt Phe	1539
													agg Arg			1587
Phe	Ile	Met	Asp	Asn 350	Cys	Glu	Glu	Leu	Ile 355	Pro	Glu	Tyr	ctc Leu	Ser 360	Phe	1635
Val	Lys	Gly	Val 365	Val	Asp	Ser	qaA	Asp 370	Leu	Pro	Leu	Asn	atc Ile 375	Ser	Arg	1683
Glu	Thr	Leu 380	Gln	Gln	Asn	Lys	Ile 385	Leu	Lys	Val	Ile	Arg 390	aag Lys	Asn _.	Leu	1731
Val	Lys 395	Lys	Суз	Ile	Glu	Met 400	Phe	Asn	Glu	Ile	Ala 405	Glu	aac Asn	Lys	Glu	1779
Asp 410	Tyr	Thr	Lys	Phe	Tyr 415	Glu	Ala	Phe	Ser	Lys 420	Asn	Leu	aaa Lys	Leu	Gly 425	1827
Ile	His	Glu	Asp	Ser 430	Gln	Asn	Arg	Gly	Lys 435	Ile	Ala	Asp	ctt Leu	Leu 440	Arg	1875
Tyr	His	Ser	Thr 445	Lys	Ser	Gly	Asp	Glu 450	Met	Thr	Ser	Phe	aaa Lys 455	Asp	Tyr	1923
Val	Thr	Arg 460	Met	Lys	Glu	Gly	Gln 465	Lys	Asp	Ile	Phe	Tyr 470		Thr	Gly,	1971
Glu	Ser 475	Lys	Lys	Ala	Val	Glu 480	Asn	Ser	Phe	Leu	Glu 485	Arg	ctg Leu	Lys	Lys	2019
Arg 490	Gly	Tyr	Glu	Val	Leu 495	Tyr	Met	Val	Asp	Ala 500	Ile	Asp	gaa Glu	Tyr	Ala 505	2067
gtt Val	gga Gly	caa Gln	ttg Leu	aag Lys 510	gag Glu	tat Tyr	gac Asp	ggt Gly	aag Lys 515	aaa Lys	ctt Leu	gtt Val	tct Ser	gcg Ala 520	act Thr	2115
aaa	gaa	ggc	ctc	aaa	ctt	gaa	gat	gag	acc	gaa	gaa	gag	aag	aaa	aag	2163

```
Lys Glu Gly Leu Lys Leu Glu Asp Glu Thr Glu Glu Glu Lys Lys Lys
            525
                                530
agg gaa gag aag aag tcc ttc gag aat ctc tgc aag acg att aag
                                                                   2211
Arg Glu Glu Lys Lys Lys Ser Phe Glu Asn Leu Cys Lys Thr Ile Lys
                            545
gaa att ctc ggg gac aag gtt gag aag gtt gtg gtc tca gac agg att
                                                                   2259
Glu Ile Leu Gly Asp Lys Val Glu Lys Val Val Val Ser Asp Arg Ile
                        560
                                            565
gtg gac tet eec tge tgt eta gta aet ggt gaa tat gga tgg aet gea
                                                                   2307
Val Asp Ser Pro Cys Cys Leu Val Thr Gly Glu Tyr Gly Trp Thr Ala
                    575
                                        580
aat atg gag agg att atg aag gca cag gcc ttg aga gat agc agc atg
Asn Met Glu Arg Ile Met Lys Ala Gln Ala Leu Arg Asp Ser Ser Met
                590
                                    595
agt ggt tac atg tcg agc aag aaa aca atg gag atc aac ccc gac aac
                                                                   2403
Ser Gly Tyr Met Ser Ser Lys Lys Thr Met Glu Ile Asn Pro Asp Asn
            605
                                610
ggt ata atg gag gac ctc agg aag aga gct gaa gca gac aag aat gac
                                                                   2451
Gly Ile Met Glu Asp Leu Arg Lys Arg Ala Glu Ala Asp Lys Asn Asp
                            625
aag tot gtt aaa gat ott gto atg ttg otg tat gag aca got ttg ttg
                                                                   2499
Lys Ser Val Lys Asp Leu Val Met Leu Leu Tyr Glu Thr Ala Leu Leu
                        640
                                            645
acg tot gga ttt agt ott gat gaa cog aac act ttt got got agg att
                                                                   2547
Thr Ser Gly Phe Ser Leu Asp Glu Pro Asn Thr Phe Ala Ala Arg Ile
                    655
cac agg atg ttg aag ttg ggt ctg agt att gat gag gat gag aac gtt
                                                                   2595
His Arg Met Leu Lys Leu Gly Leu Ser Ile Asp Glu Asp Glu Asn Val
                670
                                    675
gag gaa gat ggt gat atg cct gag ttg gag gag gac gct gct gaa gag
                                                                   2643
Glu Glu Asp Gly Asp Met Pro Glu Leu Glu Glu Asp Ala Ala Glu Glu
            685
                                690
agc aag atg gag gaa gtc gac taa gagatgaaga aattgctctt
                                                                   2687
Ser Lys Met Glu Glu Val Asp
        700
<210> 12
<211> 704
<212> PRT
<213> Arabidopsis thaliana
Met Ala Asp Val Gln Met Ala Asp Ala Glu Thr Phe Ala Phe Gln Ala
```

Glu Ile Asn Gln Leu Leu Ser Leu Ile Ile Asn Thr Phe Tyr Ser Asn Lys Glu Ile Phe Leu Arg Glu Leu Ile Ser Asn Ser Ser Asp Ala Leu Asp Lys Ile Arg Phe Glu Ser Leu Thr Asp Lys Ser Lys Leu Asp Gly 55 Gln Pro Glu Leu Phe Ile Arg Leu Val Pro Asp Lys Pro Asn Lys Thr 70 Leu Ser Ile Ile Asp Ser Gly Ile Gly Met Thr Lys Ala Asp Leu Val . 85 Asn Asn Leu Gly Thr Ile Ala Arg Ser Gly Thr Lys Glu Phe Met Glu 105 Ala Leu Gln Ala Gly Ala Asp Val Ser Met Ile Gly Gln Phe Gly Val . 120 Gly Phe Tyr Ser Ala Tyr Leu Val Ala Glu Lys Val Val Val Thr Thr Lys His Asn Asp Asp Glu Gln Tyr Val Trp Glu Ser Gln Ala Gly Gly 150 155 Ser Phe Thr Val Thr Arg Asp Val Asp Gly Glu Pro Leu Gly Arg Gly 165 170 Thr Lys Ile Ser Leu Phe Leu Lys Asp Asp Gln Leu Glu Tyr Leu Glu 185 Glu Arg Arg Leu Lys Asp Leu Val Lys Lys His Ser Glu Phe Ile Ser 200 Tyr Pro Ile Tyr Leu Trp Thr Glu Lys Thr Thr Glu Lys Glu Ile Ser 215 Asp Asp Glu Asp Glu Pro Lys Lys Glu Asn Glu Gly Glu Val 230 Glu Glu Val Asp Glu Lys Lys Glu Lys Asp Gly Lys Lys Lys Lys Ile Lys Glu Val Ser His Glu Trp Glu Leu Ile Asn Lys Gln Lys Pro 265 Ile Trp Leu Arg Lys Pro Glu Glu Ile Thr Lys Glu Glu Tyr Ala Ala 275 280 Phe Tyr Lys Ser Leu Thr Asn Asp Trp Glu Asp His Leu Ala Val Lys 295 300 His Phe Ser Val Glu Gly Gln Leu Glu Phe Lys Ala Ile Leu Phe Val 310

Pro Lys Arg Ala Pro Phe Asp Leu Phe Asp Thr Arg Lys Lys Leu Asn Asn Ile Lys Leu Tyr Val Arg Arg Val Phe Ile Met Asp Asn Cys Glu 345 Glu Leu Ile Pro Glu Tyr Leu Ser Phe Val Lys Gly Val Val Asp Ser 355 360 Asp Asp Leu Pro Leu Asn Ile Ser Arg Glu Thr Leu Gln Gln Asn Lys Ile Leu Lys Val Ile Arg Lys Asn Leu Val Lys Lys Cys Ile Glu Met 390 Phe Asn Glu Ile Ala Glu Asn Lys Glu Asp Tyr Thr Lys Phe Tyr Glu 410 Ala Phe Ser Lys Asn Leu Lys Leu Gly Ile His Glu Asp Ser Gln Asn 425 Arg Gly Lys Ile Ala Asp Leu Leu Arg Tyr His Ser Thr Lys Ser Gly 440 Asp Glu Met Thr Ser Phe Lys Asp Tyr Val Thr Arg Met Lys Glu Gly 455 Gln Lys Asp Ile Phe Tyr Ile Thr Gly Glu Ser Lys Lys Ala Val Glu 470 475 Asn Ser Phe Leu Glu Arg Leu Lys Lys Arg Gly Tyr Glu Val Leu Tyr Met Val Asp Ala Ile Asp Glu Tyr Ala Val Gly Gln Leu Lys Glu Tyr 505 Asp Gly Lys Lys Leu Val Ser Ala Thr Lys Glu Gly Leu Lys Leu Glu Asp Glu Thr Glu Glu Glu Lys Lys Lys Arg Glu Glu Lys Lys Ser Phe Glu Asn Leu Cys Lys Thr Ile Lys Glu Ile Leu Gly Asp Lys Val 550 555 Glu Lys Val Val Val Ser Asp Arg Ile Val Asp Ser Pro Cys Cys Leu 570 Val Thr Gly Glu Tyr Gly Trp Thr Ala Asn Met Glu Arg Ile Met Lys 580 Ala Gln Ala Leu Arg Asp Ser Ser Met Ser Gly Tyr Met Ser Ser Lys 600 Lys Thr Met Glu Ile Asn Pro Asp Asn Gly Ile Met Glu Asp Leu Arg

Lys Arg Ala Glu Ala Asp Lys Asn Asp Lys Ser Val Lys Asp Leu Val 635 . 640 Met Leu Leu Tyr Glu Thr Ala Leu Leu Thr Ser Gly Phe Ser Leu Asp 650 Glu Pro Asn Thr Phe Ala Ala Arg Ile His Arg Met Leu Lys Leu Gly 660 Leu Ser Ile Asp Glu Asp Glu Asn Val Glu Glu Asp Gly Asp Met Pro 680 Glu Leu Glu Glu Asp Ala Ala Glu Glu Ser Lys Met Glu Glu Val Asp 695 700 <210> 13 <211> 2932 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (18) . . (2924) <400> 13 ttgattgatc ggcgata atg gcg ggt cgg aac ata gag aag atg gca tct Met Ala Gly Arg Asn Ile Glu Lys Met Ala Ser att gat gct cag ctt cgg caa ctc gtt cct gct aaa gtc agt gaa gac Ile Asp Ala Gln Leu Arg Gln Leu Val Pro Ala Lys Val Ser Glu Asp 15 20 gat aag ctt gtt gag tac gat gct ctt ctc ctt gat cgc ttt ctc gac Asp Lys Leu Val Glu Tyr Asp Ala Leu Leu Leu Asp Arg Phe Leu Asp 30 35 att etc cag gat tta cac gge gag gat etc egt gaa aeg gtt caa gag Ile Leu Gln Asp Leu His Gly Glu Asp Leu Arg Glu Thr Val Gln Glu 45 tta tac gag ctt tct gct gag tat gaa ggg aag cgt gag cct agc aag 242 Leu Tyr Glu Leu Ser Ala Glu Tyr Glu Gly Lys Arg Glu Pro Ser Lys 60 70 ctt gag gag cta ggg agt gtc cta acg agt ttg gat cct ggt gac tca Leu Glu Glu Leu Gly Ser Val Leu Thr Ser Leu Asp Pro Gly Asp Ser 80 85 att gtt atc tcc aag gct ttc tct cac atg ctt aac tta gcc aat ttg 338 Ile Val Ile Ser Lys Ala Phe Ser His Met Leu Asn Leu Ala Asn Leu 95 100 gct gag gag gtg cag att gct cac cgt cgc agg atc aag aag ctg aag Ala Glu Glu Val Gln Ile Ala His Arg Arg Arg Ile Lys Lys Leu Lys

																٠.
		110				٠	115		•			120				
	ggt Gly 125															434
	gag Glu															482
	atc Ile															530
	cat His											Gln				578
agg Arg	ata Ile	agg Arg 190	gac Asp	tgt Cys	ctt Leu	gct Ala	caa Gln 195	ctc Leu	tat Tyr	gca Ala	aag Lys	gac Asp 200	att	act Thr	cct Pro	626
	gac Asp 205															674
gca Ala 220	ttc Phe	cga Arg	aca Thr	gat Asp	gag Glu 225	att Ile	aga Arg	aga Arg	aca Thr	cct Pro 230	cca Pro	acc Thr	cca Pro	caa Gln	gat Asp 235	722
gaa Glu	atg Met	aga Arg	gct Ala	gga Gly 240	atg Met	agt Ser	tat Tyr	ttc Phe	cac His 245	gag Glu	aca Thr	atc Ile	tgg Trp	aaa Lys 250	ggt Gly	770
gtc Val	ccc Pro	aag Lys	ttc Phe 255	ttg Leu	cgc Arg	cgt Arg	gtg Val	gac Asp 260	aca Thr	gct Ala	ctg Leu	aaa Lys	aac Asn 265	att Ile	GJÀ aaa	818,
att Ile	gat Asp	gaa Glu 270	cgt Arg	gtt Val	cct Pro	tac Tyr	aat Asn 275	gcc Ala	cca Pro	ttg Leu	att Ile	caa Gln 280	ttc Phe	tct Ser	tcg Ser	866
	atg Met 285															914
act Thr 300	aga Arg	gat Asp	gtg Val	tgc Cys	ttg Leu 305	ttg Leu	gct Ala	aga Arg	atg Met	atg Met 310	Ala	gcc Ala	aat Asn	ctc Leu	tac Tyr 315	962
tat Tyr	aac Asn	caa Gln	atc	gag Glu 320	aat Asn	ctg Leu	atg Met	ttt Phe	gag Glu 325	tta Leu	tct Ser	atg Met	tgg Trp	cgt Arg 330	tgc Cys	1010
act Thr	gat Asp	gaa Glu	ttc Phe 335	cgt Arg	gtg Val	cgg Arg	Ala	gat Asp 340	gaa Glu	ctg Leu	cac His	agg Arg	aac Asn 345	tca Ser	agg Arg	1058

aaa Lys	gat Asp	gct Ala 350	gca Ala	aaa Lys	cat His	tac Tyr	ata Ile 355	gaa Glu	ttc Phe	tgg Trp	aag Lys	aca Thr 360	att Ile	cct Pro	cca Pro	1106
act Thr	gag Glu 365	cca Pro	tac Tyr	cgt Arg	gtg Val	att Ile 370	ctt Leu	ggt Gly	gat Asp	gtg Val	agg Arg 375	gat Asp	aag Lys	ctg Leu	tat Tyr	1154
cac His 380	aca Thr	cgt Arg	gag Glu	cgt Arg	tcc Ser 385	cgc Arg	caa Gln	ttg Leu	ctg Leu	agt Ser 390	aat Asn	gga Gly	atc Ile	tcg Ser	gat Asp 395	1202
att Ile	cct Pro	gaa Glu	gaa Glu	gct Ala 400	acc Thr	ttc Phe	act Thr	Asn	gtg Val 405	gaa Glu	cag Gln	ttc Phe	ttg Leu	gag Glu 410	Pro	1250
Leu	Glu	Leu	Cys 415	Tyr	cga Arg	Ser	Leu	Cys 420	Ser	Cys	Gly	Asp	Ser 425	Pro	Ile	1298
Ala	Asp	Gly 430	Ser	Leu	ctt Leu	Asp	Phe 435	Leu	Arg	Gln	Val	Ser 440	Thr	Phe	Gly	1346
ctc Leu	ser 445	ctt Leu	gtg Val	aga Arg	ctt Leu	gac Asp 450	atc Ile	agg Arg	caa Gln	gag Glu	tct Ser 455	gaa Glu	cgc Arg	cac His	aca Thr	1394
Asp 460	Val	Leu	Asp	Ala	atc Ile 465	Thr	Lys	His	Leu	Asp 470	Ile	Gly	Ser	Ser	Tyr 475	1442
Arg	Asp	Trp	tct Ser	gaa Glu 480	gaa Glu	ggc Gly	cga Arg	cag Gln	Glu	tgg Trp	ctt Leu	ctt Leu	gct Ala	gaa Glu 490	cta Leu	1490
agc Ser	ggc								485							
	Gly	Lys	Arg 495	Pro	ctt Leu	Phe	Gly	Pro 500	gat Asp	Leu	Pro	Lys	Thr 505	gaa Glu	Glu	1538
att Ile	tct Ser	gat Asp 510	Arg 495 gtc Val	Pro ctg Leu	Leu gac Asp	Phe aca Thr	ttc Phe 515	Pro 500 aaa Lys	gat Asp gtc Val	Leu ata Ile	Pro tct Ser	gag Glu 520	Thr 505 ctg Leu	gaa Glu cct Pro	clu tca Ser	1538 1586
att Ile gat Asp	tct Ser tgt Cys 525	gat Asp 510 ttt Phe	Arg 495 gtc Val gga Gly	etg Leu gct Ala	gac Asp tat Tyr	Phe aca Thr att Ile 530	Gly ttc Phe 515 atc Ile	Pro 500 aaa Lys tct Ser	gat Asp gtc Val atg Met	Leu ata Ile gca Ala	tct Ser act Thr 535	gag Glu 520 tca Ser	Thr 505 ctg Leu cct Pro	gaa Glu cct Pro agt Ser	tca Ser gat Asp	
att Ile gat Asp gtg Val 540	tct Ser tgt Cys 525 ctt Leu	gat Asp 510 ttt Phe gcg Ala	Arg 495 gtc Val gga Gly gtt Val	ctg Leu gct Ala gag Glu	Leu gac Asp	Phe aca Thr att Ile 530 tta Leu	ttc Phe 515 atc Ile cag Gln	Pro 500 aaa Lys tct Ser cgc Arg	gat Asp gtc Val atg Met gaa Glu	ata Ile gca Ala tgc Cys 550	tct Ser act Thr 535 cat	gag Glu 520 tca Ser gtg Val	Thr 505 ctg Leu cct Pro	gaa Glu cct Pro agt Ser aat Asn	Glu tca Ser gat Asp cca Pro 555	1586

cct Pro	gcc Ala	gct Ala	gtt Val 575	gca Ala	aga Arg	ctc Leu	ttt Phe	tct Ser 580	ata Ile	gac Asp	tgg Trp	tac Tyr	aaa Lys 585	aac Asn	cgt Arg	1778
att Ile	aac Asn	ggt Gly 590	aaa Lys	caa Gln	gag Glu	gtt Val	atg Met 595	att Ile	ggt Gly	tac Tyr	tca Ser	gat Asp 600	tca Ser	ggg Gly	aaa Lys	1826
gat Asp	gca Ala 605	ggg Gly	cgt Arg	ctc Leu	tca Ser	gct Ala 610	gct Ala	tgg Trp	gag Glu	cta Leu	tac Tyr .615	aaa Lys	gct Ala	caa Gln	gaa Glu	1874
gag Glu 620	ctt Leu	gtg Val	aag Lys	gtt Val	gct Ala 625	aag Lys	aaa Lys	tat Tyr	gga Gly	gtg Val 630	aag Lys	cta Leu	act Thr	atg Met	ttc Phe 635	1922
cat	ggc Gly	cgt Arg	ggt Gly	ggc Gly 640	aca Thr	gtc Val	gga Gly	aga Arg	gga Gly 645	Gly	ggt Gly	cct Pro	act Thr	cat His 650	ctt Leu	1970
	ata Ile															2018
acg Thr	gtt Val	cag Gln 670	ggt Gly	gaa Glu	gtc Val	att Ile	gag Glu 675	caa Gln	tca Ser	ttt Phe	Gly ggg	gag Glu 680	gca Ala	cac His	tta Leu	2066
tgc Cys	ttt Phe 685	aga Arg	aca Thr	ctt Leu	caa Gln	cgt Arg 690	ttc Phe	aca Thr	gca Ala	gct Ala	act Thr 695	cta Leu	gag Glu	cac His	gga Gly	2114
atg Met 700	aac Asn	cct Pro	ccg Pro	att Ile	tca Ser 705	cca Pro	aaa Lys	ccc Pro	gag Glu	tgg Trp 710	cgt Arg	gct Ala	ttg Leu	ctt Leu	gat Asp 715	2162
gaa Glu	atg Met	gcg Ala	gtt Val	gtt Val 720	gca Ala	act Thr	gag Glu	gaa Glu	tac Tyr 725	cga Arg	tct Ser	gtc Val	gtt Val	ttc Phe 730	caa Gln	2210
	cct Pro															2258
tat Tyr	gga Gly	cgt Arg 750	atg Met	aat Asn	att Ile	gga Gly	agt Ser 755	aga Arg	cct Pro	tca Ser	aag Lys	cga Arg 760	aaa Lys	cca Pro	agc Ser	2306
ggt Gly	ggg Gly 765	atc Ile	gaa Glu	tct Ser	ctc Leu	cgt Arg 770	gca Ala	atc Ile	cca Pro	tgg Trp	atc Ile 775	ttt Phe	gct Ala	tgg Trp	acg Thr	2354
caa Gln 780	aca Thr	aga Arg	ttc Phe	cat His	ctt Leu 785	cct Pro	gta Val	tgg Trp	tta Leu	ggt Gly 790	ttc Phe	gga Gly	gca Ala	gca Ala	ttt Phe 795	2402
agg	tat	gcg	atc	aag	aag	gat	gtg	aga	aac	ctt	cac	atg	ctg	caa	gat	2450

```
Arg Tyr Ala Ile Lys Lys Asp Val Arg Asn Leu His Met Leu Gln Asp
                                    805
                800
atg tat aaa caa tgg ccc ttt ttc cga gtc acc atc gat cta att gaa
                                                                   2498
Met Tyr Lys Gln Trp Pro Phe Phe Arg Val Thr Ile Asp Leu Ile Glu
            815
                               .820
atg gtg ttc gcc aag gga gac ccc ggg atc gct gct ttg tac gac aaa
Met Val Phe Ala Lys Gly Asp Pro Gly Ile Ala Ala Leu Tyr Asp Lys
ctt ctt gtc tca gaa gat tta tgg gct ttt gga gag aaa ctc aga gcc
Leu Leu Val Ser Glu Asp Leu Trp Ala Phe Gly Glu Lys Leu Arg Ala
                        850
                                            855
aac ttt gat gaa acc aag aac ctc gtc ctc cag act gct gga cat aaa
                                                                   2642
Asn Phe Asp Glu Thr Lys Asn Leu Val Leu Gln Thr Ala Gly His Lys
                    865
                                        870
gac ctt ctt gaa gga gat cct tac ttg aaa cag aga cta agg cta cgt
                                                                   2690
Asp Leu Leu Glu Gly Asp Pro Tyr Leu Lys Gln Arg Leu Arg Leu Arg
                880
                                    885
gac tot tac att acg acc otc aac gtt tgc caa gcc tac aca ttg aag
                                                                   2738
Asp Ser Tyr Ile Thr Thr Leu Asn Val Cys Gln Ala Tyr Thr Leu Lys
            895
                                900
                                                     905
agg atc cgt gat gca aac tac aat gtg act ctg cga cca cac att tct
                                                                   2786
Arg Ile Arg Asp Ala Asn Tyr Asn Val Thr Leu Arg Pro His Ile Ser
                            915
aaa gag atc atg caa tca agc aaa tca gca caa gag ctc gtc aag ctt
                                                                   2834
Lys Glu Ile Met Gln Ser Ser Lys Ser Ala Gln Glu Leu Val Lys Leu
   .925
                        930
                                           935
aac ccc acg agt gaa tac gcg cct gga ctt gag gac aca ctt atc tta
                                                                   2882
Asn Pro Thr Ser Glu Tyr Ala Pro Gly Leu Glu Asp Thr Leu Ile Leu
                    945
                                        950
acc atg aag ggt att gct gca gga ttg caa aac acc ggt taa gtgagtca
Thr Met Lys Gly Ile Ala Ala Gly Leu Gln Asn Thr Gly
                960
                                    965
```

<210> 14

<211> 968

<212> PRT

<213> Arabidopsis thaliana

<400> 14

Met Ala Gly Arg Asn Ile Glu Lys Met Ala Ser Ile Asp Ala Gln Leu 1 5 10

Arg Gln Leu Val Pro Ala Lys Val Ser Glu Asp Asp Lys Leu Val Glu 20 25 30

Tyr Asp Ala Leu Leu Asp Arg Phe Leu Asp Ile Leu Gln Asp Leu

5	40	4
_	40	

		35					40					45			
His	Gly 50	Glu	Asp	Leu	Arg	Glu 55	Thr	Val	Gln	Glu	Leu 60	Tyr	Glu	Leu	Ser
Ala 65	Glu	Tyr	Glu	Gly	Lys 70	Arg	Glu	Pro	Ser	Lys 75	Leu	Glu	Glu	Leu	Gly 80
Ser	Val	Leu	Thr	Ser 85	Leu	Asp	Pro	Gly	qaA 90	Ser	Ile	Val	Ile	Ser 95	
Ala	Phe	Ser	His 100	Met	Leu	Asn	Leu	Ala 105	Asn	Leu	Ala	Glu	Glu 110	.Val	Gln
Ile	Ala	His 115	Arg	Arg	Arg	Ile	Lys 120	Lys	Leu	Lys	Lys	Gly 125	Asp	Phe	Val
Asp	Glu 130	Ser	Ser	Ala	Thr	Thr 135	Glu	Ser	Asp	Ile	Glu 140	Glu	Thr	Phe	Lys
Arg 145	Leu	Val	Ser	Asp	Leu 150	Gly	Lys	Ser	Pro	Glu 155		Ile	Phe	Asp	Ala 160
Leu	Lys	Asn	Gln	Thr 165	Val	Asp	Leu	Val	Leu 170	Thr	Ala	His	Pro	Thr 175	Gln
Ser	Val	Arg	Arg 180	Ser	Leu	Leu	Gln	Lys 185	His	Gly	Arg	Ile	Arg 190	Asp	Cys
Leu	Ala	Gln 195	Leu	Tyr	Ala	Lys	Asp 200	Ile	Thr	Pro	Asp	Asp 205	Lys	Glņ	Glu
Leu	Asp 210	Glu	Ser	Leu	Gln	Arg 215	Glu	Ile	Gln	Ala	Ala 220	Phe	Arg	Thr	Asp
Glu 225	Ile	Arg	Arg	Thr	Pro 230	Pro	Thr	Pro	Gln	Asp 235	Glu	Met	Arg	Ala	Gly 240
Met	Ser	Tyr	Phe	His 245	Glu	Thr	Ile	Trp	Lys 250	Gly	Val	Pro	Lys	Phe 255	Leu
Arg	Arg	Val	Asp 260	Thr	Ala	Leu	Lys	Asn 265	Ile	Gly	lle	Asp	Glu 270	Arg	Val
Pro	Tyr	Asn 275	Ala	Pro	Leu	Ile	Gln 280	Phe	Ser	Ser	Trp	Met 285	Gly	Gly	Asp
Arg	Asp 290	Gly	Asn	Pro	Arg	Val 295	Thr	Pro	Glu		Thr 300	Arg	Asp	Val	Суз
Leu 305	Leu	Ala	Arg	Met	Met 310	Ala	Ala	Asn	Leu	Tyr 315	Tyr	Asn	Gln	Ile	Glu 320
Asn	Leu	Met		Glu 325	Leu	Ser	Met	Trp	Arg 330	Суз	Thr	Ążp	Glu	Phe 335	Arg
Val	Arg	Ala	Asp	Glu	Leu	His	Arg	Asn	Ser	Arg	Lys	Asp	Ala	Ala	Lys

340	345	350

His Tyr Ile Glu Phe Trp Lys Thr Ile Pro Pro Thr Glu Pro Tyr Arg 355 360 365

Val Ile Leu Gly Asp Val Arg Asp Lys Leu Tyr His Thr Arg Glu Arg 370 375 380

Ser Arg Gln Leu Leu Ser Asn Gly Ile Ser Asp Ile Pro Glu Glu Ala 385 390 395 400

Thr Phe Thr Asn Val Glu Gln Phe Leu Glu Pro Leu Glu Leu Cys Tyr 405 410 415

Arg Ser Leu Cys Ser Cys Gly Asp Ser Pro Ile Ala Asp Gly Ser Leu 420 425 430

Leu Asp Phe Leu Arg Gln Val Ser Thr Phe Gly Leu Ser Leu Val Arg
435 440 445

Leu Asp Ile Arg Gln Glu Ser Glu Arg His Thr Asp Val Leu Asp Ala
450 460

Ile Thr Lys His Leu Asp Ile Gly Ser Ser Tyr Arg Asp Trp Ser Glu 465 470 475 480

Glu Gly Arg Gln Glu Trp Leu Leu Ala Glu Leu Ser Gly Lys Arg Pro 485 490 495

Leu Phe Gly Pro Asp Leu Pro Lys Thr Glu Glu Ile Ser Asp Val Leu 500 505 510

Asp Thr Phe Lys Val Ile Ser Glu Leu Pro Ser Asp Cys Phe Gly Ala 515 520 525

Tyr Ile Ile Ser Met Ala Thr Ser Pro Ser Asp Val Leu Ala Val Glu 530 535 540

Leu Leu Gln Arg Glu Cys His Val Lys Asn Pro Leu Arg Val Val Pro 545 550 555 560

Leu Phe Glu Lys Leu Ala Asp Leu Glu Ala Ala Pro Ala Ala Val Ala 565 570 575

Arg Leu Phe Ser Ile Asp Trp Tyr Lys Asn Arg Ile Asn Gly Lys Gln 580 585 590

Glu Val Met Ile Gly Tyr Ser Asp Ser Gly Lys Asp Ala Gly Arg Leu
595 600 605

Ser Ala Ala Trp Glu Leu Tyr Lys Ala Gln Glu Glu Leu Val Lys Val 610 620

Ala Lys Lys Tyr Gly Val Lys Leu Thr Met Phe His Gly Arg Gly Gly 625 630 635 640

Thr Val Gly Arg Gly Gly Gly Pro Thr His Leu Ala Ile Leu Ser Gln

645 650 655

Pro Pro Asp Thr Val Asn Gly Ser Leu Arg Val Thr Val Gln Gly Glu 660 665 670

- Val Ile Glu Gln Ser Phe Gly Glu Ala His Leu Cys Phe Arg Thr Leu 675 680 685
- Gln Arg Phe Thr Ala Ala Thr Leu Glu His Gly Met Asn Pro Pro Ile 690 695 700
- Ser Pro Lys Pro Glu Trp Arg Ala Leu Leu Asp Glu Met Ala Val Val 705 710 715 720
- Ala Thr Glu Glu Tyr Arg Ser Val Val Phe Gln Glu Pro Arg Phe Val 725 730 735
- Glu Tyr Phe Arg Leu Ala Thr Pro Glu Leu Glu Tyr Gly Arg Met Asn 740 - 745 750
- Ile Gly Ser Arg Pro Ser Lys Arg Lys Pro Ser Gly Gly Ile Glu Ser 755 760 765
- Leu Arg Ala Ile Pro Trp Ile Phe Ala Trp Thr Gln Thr Arg Phe His 770 780
- Leu Pro Val Trp Leu Gly Phe Gly Ala Ala Phe Arg Tyr Ala Ile Lys 785 790 795 800
- Lys Asp Val Arg Asn Leu His Met Leu Gln Asp Met Tyr Lys Gln Trp 805 810 815
- Pro Phe Phe Arg Val Thr Ile Asp Leu Ile Glu Met Val Phe Ala Lys 820 825 830
- Gly Asp Pro Gly Ile Ala Ala Leu Tyr Asp Lys Leu Leu Val Ser Glu 835 840 845
- Asp Leu Trp Ala Phe Gly Glu Lys Leu Arg Ala Asn Phe Asp Glu Thr 850 860
- Lys Asn Leu Val Leu Gln Thr Ala Gly His Lys Asp Leu Leu Glu Gly 865 870 875 880
- Asp Pro Tyr Leu Lys Gln Arg Leu Arg Leu Arg Asp Ser Tyr Ile Thr 885 890 895
- Thr Leu Asn Val Cys Gln Ala Tyr Thr Leu Lys Arg Ile Arg Asp Ala 900 905 910
- Asn Tyr Asn Val Thr Leu Arg Pro His Ile Ser Lys Glu Ile Met Gln 915 920 925
- Ser Ser Lys Ser Ala Gln Glu Leu Val Lys Leu Asn Pro Thr Ser Glu 930 935 940
- Tyr Ala Pro Gly Leu Glu Asp Thr Leu Ile Leu Thr Met Lys Gly Ile

945 950 955 960

Ala Ala Gly Leu Gln Asn Thr Gly 965

<210> 15 <211> 271 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (17)..(259)

<400> 15

tcgattcagg ttaagg atg tcg aga gct aca tac att atc ggt gcc ctt gcg 52

Met Ser Arg Ala Thr Tyr Ile Ile Gly Ala Leu Ala

1 5 10

gga tct gcg gta gta gct tac gtg tgt gac aaa gtt att tct gat gat 100 Gly Ser Ala Val Val Ala Tyr Val Cys Asp Lys Val Ile Ser Asp Asp 15 20 25

aag ctt ttt gga ggt act aca cca gga act att act aac aag gaa tgg 148 Lys Leu Phe Gly Gly Thr Thr Pro Gly Thr Ile Thr Asn Lys Glu Trp 30 35

ggt gct gcg act gaa gag aga tta caa gca tgg cca aga gtt gct ggt 196
Gly Ala Ala Thr Glu Glu Arg Leu Gln Ala Trp Pro Arg Val Ala Gly
45 50 55 60

Pro Pro Val Val Met Asn Pro Ile Ser Arg Gln Asn Phe Ile Val Lys

65

70

75

271

tca cgt cct gaa taa cttttgatgc ct Ser Arg Pro Glu 80

<210> 16 <211> 80 <212> PRT <213> Arabidopsis thaliana

Val Ala Tyr Val Cys Asp Lys Val Ile Ser Asp Asp Lys Leu Phe Gly 20 25 30

Gly Thr Thr Pro Gly Thr Ile Thr Asn Lys Glu Trp Gly Ala Ala Thr 35 40 45

Glu Glu Arg Leu Gln Ala Trp Pro Arg Val Ala Gly Pro Pro Val Val

```
50
                          55
Met Asn Pro Ile Ser Arg Gln Asn Phe Ile Val Lys Ser Arg Pro Glu
 65
                     70
                                                               80
<210> 17
<211> 2580
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (30)..(143)
<220>
<221> CDS
<222> (295)..(417)
<220>
<221> CDS
<222> (582)..(632)
<220>
<221> CDS
<222> (1179) . . (1245)
<220>
<221> CDS
<222> (1334) . . (1383)
<220>
<221> CDS
<222> (1497)..(1577)
<220>
<221> CDS
<222> (1661)..(1740)
<220>
<221> CDS
<222> (1882)..(1984)
<220>
<221> CDS
<222> (2370)..(2564)
<400> 17
tcttcacaaa tcctaaacga gtaggagct atg gct gca ccg att gtt gat gcg
                                 Met Ala Ala Pro Ile Val Asp Ala
gag tac ttg aaa gag atc act aag gct cgc cgt gag ctc cgt tct ctc
                                                                     101
Glu Tyr Leu Lys Glu Ile Thr Lys Ala Arg Arg Glu Leu Arg Ser Leu
     10
                          15
```

atc gcg aac aag aac tgt gct cct atc atg ctc cga ttg gcg Ile Ala Asn Lys Asn Cys Ala Pro Ile Met Leu Arg Leu Ala 25 30 35	143	
taagttttcg atttccttgg tttttcgtcg agttgactgt tacagatttc gttt	attcat 203	
gtggagatcg ttcgattgta gttaggctgt agaatcgatt ttgtttgttt ttga	atgttg 263	
aaatgtttgt atcatctggt ttttatgaag a tgg cac gat gct gga acc ${ m Trp\ His\ Asp\ Ala\ Gly\ Thr}$		
gat gct caa tcg aag acc ggt gga cct aat ggc tct atc agg aac Asp Ala Gln Ser Lys Thr Gly Gly Pro Asn Gly Ser Ile Arg Asn 50 55 60	ı Glu	
gaa gag cac act cat ggt gcc aac agt ggt ttg aag atc gct ctc Glu Glu His Thr His Gly Ala Asn Ser Gly Leu Lys Ile Ala Leu 65 70 75	gat 411 Asp	
ctc tgt ggtaggattt tgatttagtt tttgtagatt cactttctgg ataattt Leu Cys	cat 467	
gcgatgtatc cgttttatgt tgtggtttaa gaacactgtt caaaataatt acat	tatgct 527	
tttggaaatg gactttgtat cgcttaatta tgagatccta tctttgatgt ttca	gag 584 Glu 80	
ggc gtg aaa gct aag cat ccc aaa atc aca tac gca gac ctg tat Gly Val Lys Ala Lys His Pro Lys Ile Thr Tyr Ala Asp Leu Tyr 85 90 95	Gln	
gtgagttaag gctgtgagag aaatcttttt gatgtccttg ttgctttttc tgca	catttg 692	
tttttcaaag ttcgctggaa ctgtattcgg cttgtgtcat tacctcgtcc cagg	tttgag 752	
cttgttgttt aggagactta gttgatagtt gagcagctgt gtaaatatgg tttc	agttgt 812	
aatttgtttc aggagatgtt actgattgtg atttggttta caaaaatcat agat	tgacta 872	
tgttgttcaa ctagaacttt tatctcttgc agtaatagct aaattcaagt aaaa	itataca 932	
ctgaatgaat tcaaacgacc aagaaggaaa ctgtaatgta atgtcaatct gttt	ccatcc 992	
taagtcacat gtctgtcgtc tgtacctata acctgtctct acgactgttt gtat	tgccgt 1052	?
ttctccattt tatatttggt cttacaaggt cgaggcttta tttatgaatt ccca	atagaa 1112	<u>)</u>
gtgtaccagt ttaatggcaa ttaagttttg ggtatgaatt atttactttt aagt	gttttg 1172	?
tttcag ctt gct ggt gtg gta gca gtt gag gtt act ggt gga cct Leu Ala Gly Val Val Ala Val Glu Val Thr Gly Gly Pro 100 105	gac 1220 Asp 110)
atc gtg ttc gtt ccc ggg aga aag g tatactttct catctctrga	1265	

Ile Val Phe Val Pro Gly Arg Lys A 115 gacattataa cagcttatca gtttaacact aaagcaaaca taattactgt atgtttcttc 1325 ttgatagg at tca aat gtc tgc ccc aag gaa gga aga ctt cct gat gcc 1374 sp Ser Asn Val Cys Pro Lys Glu Gly Arg Leu Pro Asp Ala 120 125 130 aaa caa ggt acactaaatt cttgtatcaa ttataacaaa cttttcatgt 1423 135 tttctactga taatcttgtt ttggaattgg aagatttttt ctatgaattc acattgttta 1483 tatetetgta ggt tte caa cat etc aga gat gte tte tae ege atg gga 1532 Phe Gln His Leu Arg Asp Val Phe Tyr Arg Met Gly 140 145 cta tct gat aag gat att gtg gca ctc tca ggg ggt cat act ctg 1577 Leu Ser Asp Lys Asp Ile Val Ala Leu Ser Gly Gly His Thr Leu 155 gtaaattcat tggtcactta cttaacttcc gttgtttttg aacaaatatg cttgttgtgc 1637 ttatgaccac attgggtgtt tag gga agg gct cac ccg gag agg tca ggc ttt 1690 Gly Arg Ala His Pro Glu Arg Ser Gly Phe 165 170 ..gat gga cca tgg acc caa gag ccg ctg aat ttt gac aac tcc tac ttc Asp Gly Pro Trp Thr Gln Glu Pro Leu Asn Phe Asp Asn Ser Tyr Phe 180 185 gt gtaattttca tttctttatc ctcagagatt ttctttgtgc attttttaa 1790 Va . tettttetgt ttgtgtetee aagaaataaa ageageaaac agataetttt ttacatgate 1850 ggttatccat gattatttac tgttttggta c c agg gaa ctg ctg aaa gga gaa l Arg Glu Leu Leu Lys Gly Glu 190 tca gag ggc ttg ttg aaa ctt cca act gac aag acc tta ttg gaa gac 1951 Ser Glu Gly Leu Leu Lys Leu Pro Thr Asp Lys Thr Leu Leu Glu Asp 205 ccg gag ttc cgt cgt ctt gtt gag ctt tat gca aaggtataat atactggaga 2004 Pro Glu Phe Arg Arg Leu Val Glu Leu Tyr Ala 220 tcttctctgc ctctttgcca tttgtttctt gcgttgctat aataaccatt ggaacataac 2064 tegattteet ttattggttt cacattttea etgaateeae aageacacae aetgaateae 2124 aaaccaaatt atctagggtt ttgttctaga gaaccccacg gatccttatc gcctttatag 2184 ttgctgatgt tgcaaaatga taaaatgaac actcttacta ctatcagtga gaactgtaat 2244

attagetttt tgttagaace gtaaacagaa atteetatgg ttetttatga ttteettget 2304 taattaagtt tcaataagat aagaaagtgt tgttatgtgt tgacaagttc agtttgtggt 2364 ggcag gat gaa gat gca ttc ttc aga gac tac gcg gaa tcg cac aag aaa 2414 Asp Glu Asp Ala Phe Phe Arg Asp Tyr Ala Glu Ser His Lys Lys 225 230 235 ctc tct gag ctt ggt ttc aac cca aac tcc tca gca ggc aaa gca gtt Leu Ser Glu Leu Gly Phe Asn Pro Asn Ser Ser Ala Gly Lys Ala Val 240 245 gca gac agc acg att ctg gca cag agt gcg ttc ggg gtt gca gtt gct 2510 Ala Asp Ser Thr Ile Leu Ala Glm Ser Ala Phe Gly Val Ala Val Ala 260 265 get geg gtt gtg gea tit ggt tac tit tac gag atc egg aag agg atg 2558 Ala Ala Val Val Ala Phe Gly Tyr Phe Tyr Glu Ile Arg Lys Arg Met 280 285 aag taa acgaaatagg aagtaa 2580 Lys <210> 18 <211> 287 <212> PRT <213> Arabidopsis thaliana <400> 18. Met Ala Ala Pro Ile Val Asp Ala Glu Tyr Leu Lys Glu Ile Thr Lys Ala Arg Arg Glu Leu Arg Ser Leu Ile Ala Asn Lys Asn Cys Ala Pro 25 Ile Met Leu Arg Leu Ala Trp His Asp Ala Gly Thr Tyr Asp Ala Gln Ser Lys Thr Gly Gly Pro Asn Gly Ser Ile Arg Asn Glu Glu His 50 -Thr His Gly Ala Asn Ser Gly Leu Lys Ile Ala Leu Asp Leu Cys Glu Gly Val Lys Ala Lys His Pro Lys Ile Thr Tyr Ala Asp Leu Tyr Gln Leu Ala Gly Val Val Ala Val Glu Val Thr Gly Gly Pro Asp Ile Val 105 Phe Val Pro Gly Arg Lys Asp Ser Asn Val Cys Pro Lys Glu Gly Arg 120 125 Leu Pro Asp Ala Lys Gln Gly Phe Gln His Leu Arg Asp Val Phe Tyr 135

PCT/EP99/05652 WO 00/08187

155

190

170

Arg Met Gly Leu Ser Asp Lys Asp Ile Val Ala Leu Ser Gly Gly His

Thr Leu Gly Arg Ala His Pro Glu Arg Ser Gly Phe Asp Gly Pro Trp

Thr Gln Glu Pro Leu Asn Phe Asp Asn Ser Tyr Phe Val Arg Glu Leu

150

165

```
185
Leu Lys Gly Glu Ser Glu Gly Leu Leu Lys Leu Pro Thr Asp Lys Thr
                            200
                                                205
        195
Leu Leu Glu Asp Pro Glu Phe Arg Arg Leu Val Glu Leu Tyr Ala Asp
- 210
                        215
                                            220
Glu Asp Ala Phe Phe Arg Asp Tyr Ala Glu Ser His Lys Lys Leu Ser
                    230
Glu Leu Gly Phe Asn Pro Asn Ser Ser Ala Gly Lys Ala Val Ala Asp
                245
Ser Thr Ile Leu Ala Gln Ser Ala Phe Gly Val Ala Val Ala Ala Ala
                                265
            260
Val Val Ala Phe Gly Tyr Phe Tyr Glu Ile Arg Lys Arg Met Lys
        275
                            280
                                                 285
<210> 19
<211> 1861
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (26)..(284)
<220>
<221> CDS
<222> (541)..(917)
<220>
<221> CDS
<222> (1257)..(1493)
<220>
<221> CDS
<222> (1584)..(1853)
atagaaaaac cctaagtagg ttgtg atg ttg cga gct tta gca cgg cct ctc
                            Met Leu Arg Ala Leu Ala Arg Pro Leu
gaa cgg tgt ttg gga agc aga gct agt ggt gat ggt tta ctc tgg caa
                                                                   100
```

Glu 10	Arg	Cys	Leu	Gly	Ser 15	Arg	Ala	Ser	Gly	Asp 20	Gly	Leu	Leu	Trp	Gln 25	
tcg Ser	gaa Glu	ttg Leu	aga Arg	cct Pro 30	cac His	gct Ala	ggc Gly	ggt Gly	gat Asp 35	tat Tyr	tcg Ser	atc Ile	gcg Ala	gtg Val 40	gtt Val	148
caa Gln	gcc Ala	aat Asn	tcc Ser 45	agg Arg	ctt Leu	gaa Glu	gat Asp	cag Gln 50	agt Ser	cag Gln	gtt Val	ttc Phe	aca Thr 55	tct Ser	tct Ser	196
tct Ser	gct Ala	act Thr 60	tac Tyr	gtc Val	ggt Gly	gta Val	tac Tyr 65	gat Asp	ggt Gly	cat His	ggt Gly	gga Gly 70	cct Pro	gaa Glu	gct Ala	244
tct Ser	aga Arg 75	ttc Phe	gtt Val	aac Asn	aga Arg	cat His 80	ctc Leu	ttt Phe	cct Pro	tat Tyr	atg Met 85	cac His	a gi L	taagi	ttata	294
atco	cact	ct t	cctt	ccct	ta aa	actto	gttt	ago	gatto	ettt	ctt	ettti	ga d	ctcti	ttgact	354
acgt	tttt	ga t	ggto	caaaa	ac ti	tatga	agato	tct	tatta	accc	tga	cat	tc a	aatai	taaaa	414
gati	cgaa	att t	tgct	atga	aa gt	ttt	ggtct	ttç	gtgaa	acat	gtt	caggt	tt g	gtaaa	attgcc	474
tct	gaat	tg a	attt	gtag	gt ca	atgti	ctt	, tta	agtga	aat	ttad	cagga	att g	ggtti	ttatga	534
ttgo	cag a	aa tt 7s Pl	t go ne Al	la Aı	ga ga rg G: 90	aa ca lu Hi	at gg ls Gl	ly Gi	ly Le	eu Se 95	et gi	ta ga al As	at gt sp Va	al II	tc aaa le Lys 00	584
aag Lys	gca Ala	ttc Phe	aaa Lys 105	gaa Glu	aca Thr	gaa Glu	gaa Glu	gag Glu 110	ttt Phe	tgt Cys	ggt Gly	atg Met	gtt Val 115	aaa Lys	cga Arg	632
tcc Ser	ctt Leu	ccc Pro 120	atg Met	aaa Lys	ccg Pro	caa Gln	atg Met 125	gct Ala	act Thr	gta Val	gga Gly	tct Ser 130	tgc Cys	tgt Cys	ctt Leu	680
gtt Val	ggt Gly 135	Ala	atc Ile	tct Ser	aat Asn	gac Asp 140	aca Thr	ctg Leu	tat Tyr	gtt Val	gct Ala 145	aat Asn	ctt Leu	ggg Gly	gac Asp	728
tcg Ser 150	aga Arg	gcc Ala	gtt Val	ctt Leu	gga Gly 155	agc Ser	gtt Val	gtt Val	tca Ser	ggg Gly 160	gtt Val	gat Asp	agt Ser	aat Asn	aaa Lys 165	776
ggt Gly	acc	gta	gct	gaa	cgg	tta	tct	act	gat	cat	aat	gtt Val	gct	gtt	gaa	824
_	Ala	Val	Ala	Glu 170	Arg	rea	261	****	175	1115	VOII	***	AIG	180	GIU	
gaa	Ala gtg	Val aga	Ala aag	Glu 170 gag	gtt	aag	gca	ctt	175 aac	cct	gat	gac	tca		atc	872

		200					205					210				
gtat	caact	ta	gttti	tgçt	tg c	ctgc	ttgti	t aa	attg	cgtg	tga	ttac	ata	gcat	ctgtga	977
tgaa	agtta	ata a	atati	taa	aa g	gtgt	aatci	t ga	tgtt	gttt	ttt	cttt	tct	cttt	tcattt	1037
atat	aaat	gg (gggcl	ttgca	aa t	gttc	cagga	a ate	ccgt	caca	cgg	gctc	ctg .	caac	gtttct	1097
tcc	cagt	egg a	attti	tgtg	et t	ttct	aagaa	a tte	cccg	gtag	tca	gagc	tat	acat	aataat	1157
gaag	gatad	cat (gcttl	tta	gt t	gctt	gtgad	c ct	ttcc	gtga	.atg	tttg	agc	tcgt	tgtata	1217
ttag	gttag	gct (aaato	cgtti	tt ca	atati	acgct	t tei	tta			Ser .		tca Ser		1271
ggg Gly	gat Asp	gta Val 220	Tyr	ttg Leu	aaa Lys	aaa Lys	ccg Pro 225	gag Glu	tat Tyr	tac Tyr	agg Arg	gac Asp 230	ccg	att Ile	ttc Phe	1319
cag Gln	cga Arg 235	cat His	gga Gly	aat Asn	ccc Pro	att Ile 240	cct. Pro	ttg Leu	agg Arg	aga Arg	ccc Pro 245	gcg Ala	atg Met	aca Thr	gcc Ala	1367
gaa Glu 250	ccc Pro	tcc Ser	att Ile	ata Ile	gta Val 255	agg Arg	aag Lys	ctt Leu	aag Lys	cca Pro 260	cag Gln	gac Asp	ttg Leu	ttt Phe	ctg Leu 265	1419
ata Ile	ttt Phe	gca Ala	tca Ser	gat Asp 270	ggt Gly	ctc Leu	tgg Trp	gaa Glu	cat His 275	ctt Leu	agt Ser	gat Asp	gaa Glu	aca Thr 280	gcc Ala	1463
gta Val	gaa Glu	atc Ile	gtc Val 285	ctc Leu	aaa Lys	cac His	cca Pro	aga Arg 290	act Thr	gta	agtti	tțe (ccta	aact	ca	1513
agtt	tgct	ctt (gtato	ette	ac at	ttal	gtta	a gçi	tact	tagt	tta	tta	ttt	atta	actctg	1573
tgtt	cta	cag (ggt a Gly 1	itt (Ala A	cga a Arg 1 295	aga d Arg I	ctt (Leu V	gta a Val i	Arg A	gct g Ala 1 300	gct (Ala 1	ctg Leu	gaa (Glu (gaa Glu	1622
gcg Ala 305	gca Ala	aag Lys	aag Lys	aga Arg	gaa Glu 310	atg Met	aga Arg	tat Tyr	gga Gly	gat Asp 315	ata Ile	aag Lys	aaa Lys	ata Ile	gcc Ala 320	1670
aaa Lys	gga Gly	att Ile	cga Arg	cga Arg 325	cat His	ttc Phe	cat His	gac Asp	gac Asp 330	ata Ile	agc Ser	gtt Val	att Ile	gta Val 335	gtt Val	1718
tat Tyr	cta Leu	gat Asp	caa Gln 340	aac Asn	aaa Lys	acc Thr	agt Ser	tca Ser 345	tcg Ser	aat Asn	agt Ser	aaa Lys	ttg Leu 350	gtg Val	aag Lys	1766
caa Gln	gga Gly	ggt Gly 355	atc Ile	acc Thr	gct Ala	cca Pro	ccg Pro 360	gat Asp	atc Ile	tac Tyr	tca Ser	tta Leu 365	cac His	tct Ser	gat Asp	1814

gaa gca gag caa cga cgg tta ctc aat gtg tta tac tga ctgtttga Glu Ala Glu Gln Arg Arg Leu Leu Asn Val Leu Tyr <210> 20 <211> 380 <212> PRT. <213> Arabidopsis thaliana <400> 20 Met Leu Arg Ala Leu Ala Arg Pro Leu Glu Arg Cys Leu Gly Ser Arg Ala Ser Gly Asp Gly Leu Leu Trp Gln Ser Glu Leu Arg Pro His Ala 25 Gly Gly Asp Tyr Ser Ile Ala Val Val Gln Ala Asn Ser Arg Leu Glu Asp Gln Ser Gln Val Phe Thr Ser Ser Ser Ala Thr Tyr Val Gly Val Tyr Asp Gly His Gly Gly Pro Glu Ala Ser Arg Phe Val Asn Arg His Leu Phe Pro Tyr Met His Lys Phe Ala Arg Glu His Gly Gly Leu Ser Val Asp Val Ile Lys Lys Ala Phe Lys Glu Thr Glu Glu Glu Phe Cys Gly Met Val Lys Arg Ser Leu Pro Met Lys Pro Gln Met Ala Thr Val 120 Gly Ser Cys Cys Leu Val Gly Ala Ile Ser Asn Asp Thr Leu Tyr Val 135 140 Ala Asn Leu Gly Asp Ser Arg Ala Val Leu Gly Ser Val Val Ser Gly Val Asp Ser Asn Lys Gly Ala Val Ala Glu Arg Leu Ser Thr Asp His Asn Val Ala Val Glu Glu Val Arg Lys Glu Val Lys Ala Leu Asn Pro Asp Asp Ser Gln Ile Val Leu Tyr Thr Arg Gly Val Trp Arg Ile Lys 195 200 Gly Ile Ile Gln Val Ser Arg Ser Ile Gly Asp Val Tyr Leu Lys Lys 215 Pro Glu Tyr Tyr Arg Asp Pro Ile Phe Gln Arg His Gly Asn Pro Ile 230

Pro Leu Arg Arg Pro Ala Met Thr Ala Glu Pro Ser Ile Ile Val Arg 245 250 255

Lys Leu Lys Pro Gln Asp Leu Phe Leu Ile Phe Ala Ser Asp Gly Leu 260 265 270

Trp Glu His Leu Ser Asp Glu Thr Ala Val Glu Ile Val Leu Lys His 275 280 285

Pro Arg Thr Gly Ile Ala Arg Arg Leu Val Arg Ala Ala Leu Glu Glu 290 295 300

Ala Ala Lys Lys Arg Glu Met Arg Tyr Gly Asp Ile Lys Lys Ile Ala 305 310 315 320

Lys Gly Ile Arg Arg His Phe His Asp Asp Ile Ser Val Ile Val Val 325 330 335

Tyr Leu Asp Gln Asn Lys Thr Ser Ser Ser Asn Ser Lys Leu Val Lys 340 345 350

Gln Gly Gly Ile Thr Ala Pro Pro Asp Ile Tyr Ser Leu His Ser Asp 355 360 365

Glu Ala Glu Gln Arg Arg Leu Leu Asn Val Leu Tyr 370 375 380

<210> 21

<211> 3633

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (41)..(356)

<220>

<221> CDS

<222> (811)..(956)

<220>

<221> CDS

<222> (1076)..(1389)

<220>

<221> CDS

<222> (1544)..(1592)

<220>

<221> CDS

<222> (1925)..(2010)

<220>

<221> CDS

<222> (2037)..(2120)

```
<220>
<221> CDS
<222> (2399)..(2501)
<220>
<221> CDS
<222> (2621)..(2718)
<220>
<221> CDS
<222> (2802)..(2924)
<220>
<221> CDS
<222> (3071)..(3185)
<220>
<221> CDS
<222> (3324)..(3431)
<220>
<221> CDS
<222> (3518)..(3619)
<400> 21
ggcgattgag cgaagaagaa accttcgttc tctctcggaa atg acg aag agg aag
                                            Met Thr Lys Arg Lys
aag gaa gta ata gat gtc gat tgc tcc gag aag aaa gat ttt gtg att
                                                                   103
Lys Glu Val Ile Asp Val Asp Cys Ser Glu Lys Lys Asp Phe Val Ile
                 10
                                     15
gat tgg tct tcc gct atg gat aag gaa gac gaa gtt ccc gag ctc gag
Asp Trp Ser Ser Ala Met Asp Lys Glu Asp Glu Val Pro Glu Leu Glu
                                 30
att gtt aat acc acc aaa cct act cct ccg cca ccg cca acg ttt ttc
                                                                   199
Ile Val Asn Thr Thr Lys Pro Thr Pro Pro Pro Pro Pro Thr Phe Phe
tee gae gat caa ace gat tet eeg aaa ete eta ace gat egt gae ete
                                                                   247
Ser Asp Asp Gln Thr Asp Ser Pro Lys Leu Leu Thr Asp Arg Asp Leu
                         60
gac gag cag cta gag cgt aaa aaa gcg atc ctg aca tta ggt ccg ggc
                                                                   295
Asp Glu Gln Leu Glu Arg Lys Lys Ala Ile Leu Thr Leu Gly Pro Gly
                     75
tta ccc gac aag ggt gag aaa att cga ctc aaa atc gct gat ctc gaa
Leu Pro Asp Lys Gly Glu Lys Ile Arg Leu Lys Ile Ala Asp Leu Glu
gag gag aag cag c gtagagtttt agaaggctcg aaaatggttc gcattctgat
Glu Glu Lys Gln A
            105
```

tcaattgcat gcttagttcg tttgattttc ttagatatgt tactgtttta ggttgggg	t 456
ttcaagttta tgctaaagtt tggctttttt tgagtacatt tatgtgtatc tttactgg	c 516
ttacctcata gtccaagcta gattcgagct catttatgtg tatgatctat agtcacaga	a 576
catctatgtg ttcgagctca tttatgtgtt tgaatatgaa tatgatgcta caaaagact	t 636
ttttggcagg aggtggacag aagttctaag gtcgtgtctt cgactagctc aggtattc	t 696
ggtggataat gttaaagttg tttgcttcta acatagtggt tcatttttct gtatggtt	t 756
tcgatttatc tttcatttt tggacttaag tttgatgagc catgtttcat gtag gt rg	812
tca gat gtt tta ccg caa gga aat gca gtt tca aaa gat acc tct aga Ser Asp Val Leu Pro Gln Gly Asn Ala Val Ser Lys Asp Thr Ser Arg 110 115 120	860
ggg aat gca gac tca aaa gac acc tct aga caa ggg aat gca gat tca Gly Asn Ala Asp Ser Lys Asp Thr Ser Arg Gln Gly Asn Ala Asp Ser 125 130 135	908
aaa gaa gtc tca cgg tca aca ttt tct gcg gtt ttc agt aaa cca aaa Lys Glu Val Ser Arg Ser Thr Phe Ser Ala Val Phe Ser Lys Pro Lys 140 145 150	956
gtatggagca tcgtttttt ttttttgttc aacgtatgga gcctctatat tttgcaatt	t 1016
taaaactgtt ttggatgggt acttcttcat gatacgattt tgtaatctgt gttcaacag	1075
acg gat tct cag tca aag aaa gcc ttt ggt aaa gaa cta gaa gat ctg Thr Asp Ser Gln Ser Lys Lys Ala Phe Gly Lys Glu Leu Glu Asp Leu 155 160 165 170	1123
gga tgt gaa agg agg aaa cac aag gct ggt aga aag cct gta aca agg Gly Cys Glu Arg Arg Lys His Lys Ala Gly Arg Lys Pro Val Thr Arg 175 180 185	1171
ctg agc aac ggg tgg cgg ttg ttg cca gat gta ggg aaa gct gag cac Leu Ser Asn Gly Trp Arg Leu Leu Pro Asp Val Gly Lys Ala Glu His 190 195 200	1219
agt gca aag cag ttt gat tct gga ctt aaa gaa tca aaa ggg aat aag Ser Ala Lys Gln Phe Asp Ser Gly Leu Lys Glu Ser Lys Gly Asn Lys 205 210 215	1267
aaa tcc aag gaa cct tat gga aag aaa agg ccc atg gaa tct tcg act Lys Ser Lys Glu Pro Tyr Gly Lys Lys Arg Pro Met Glu Ser Ser Thr 220 230	1315
tot tot obe out out out out out out out out out	
tat tot otg att gat gat gat gat gat gat gat gat g	1363

Asp Thr Ser Gly His Glu Thr Pro Ar

255 gctactagtt tgttgttttc tctaagggtt ctcaagttta ccactgctgg ttactgcaat 1469 tttgttgtga catgacaatc tggtacataa tagaatgaga tgtattgtaa ttgctcaact 1529 tetttetete atag g gag tgg tet tgg gaa aaa tet eea tea caa agt tea 1580 g Glu Trp Ser Trp Glu Lys Ser Pro Ser Gln Ser Ser 260 265 agg cgc cgt aag gtattettge ttacteeege taetgtatat ettgeaattg 1632 Arg Arg Arg Lys 275 cagtttttac gtagtcatta tagtccttaa gaaatttaca ccagcagaag catgactcat 1692 tttctaaacc ttcttgttat ctcccaacag aaaattttat gaattcctta aaaagacttc 1752 agttttcgaa cgtttgattc ctctctagat gaactgcagg atttatactt gccaggaaaa 1812 cttcctactt gactatatca tttatttggc ttctttaata ttgtctttac tccaactcat 1872 ttgttatgtt gtttttctta cttattgatg atattcccta aaaaaactat ag aaa tca 1930 Lys Ser gag gac aca gtg ata aat gtg gat gaa gaa gaa gct cag cct tca aca Glu Asp Thr Val Ile Asn Val Asp Glu Glu Glu Ala Gln Pro Ser Thr 280 285 gtg gcg gag caa gcg gct gaa ctg cct gaa gg gtaaatgtga cctattttct 2030 Val Ala Glu Gln Ala Ala Glu Leu Pro Glu Gl 295 300 ctttag c ctc att aag tta caa ctg gct ata tat aaa cta ata gtt gat y Leu Ile Lys Leu Gln Leu Ala Ile Tyr Lys Leu Ile Val Asp ·315 aaa aca tgc agc tta cag gaa gat ata tgc tac cca aca ag gtaaatctat 2130 Lys Thr Cys Ser Leu Gln Glu Asp Ile Cys Tyr Pro Thr ArSe 330 ctcaagactg atctaggcta acttcctgta aatttgtaac cctcaaaaga tttaatgctt 2190 ggtgattcag ggatgatcct cactttgttc aagtttgtct taaagatctt gaatgccttg 2250 cacctcgaga atatctgaca tcgccggtta tgaatttcta catgaggtat tttttggagt 2310 gatagacttg ccatatatgt catcttatat tatgctagcg ctatttgcat gttatttata 2370 taactattgt cctgttttct tttggtag g ttc ttg cag cag cag ata tca tca 2423 g Phe Leu Gln Gln Gln Ile Ser S h 335 tcg aat caa atc tct gct gat tgt cac ttc ttt aat acc tat ttc tac 2471 r Ser Asn Gln Ile Ser Ala Asp Cys His Phe Phe Asn Thr Tyr Phe T 345

aag aag ctc agt gac gct gtt acg r Lys Lys Leu Ser Asp Ala Val Th		21
360	365	
ctttaaaaat aattatctgt tggcattctt	gcgattcaaa tttttatcat tgttatttat 258	81
gttaactggt ctatttatct tgtcctttca	atgaaatag ggg aat gac aag gat 263 Gly Asn Asp Lys A 370	35 ·.
gcc ttc ttt gtg agg ttc agg cgg p Ala Phe Phe Val Arg Phe Arg Ar 375	tgg tgg aag ggt att gat cta ttt 268 g Trp Trp Lys Gly Ile Asp Leu P 380 385	83
cgt aag gct tat att ttc ata cca e Arg Lys Ala Tyr Ile Phe Ile Pr 390 39	o Ile His Glu	28
tteettttag caetetaett tegatttttt	cgcaagagtt ctcaagaatt cagattcttg 278	88
taccatgttt cag t ctc cac tgg agc r Leu His Trp Ser e 400s	ctt gtg ata gtt tgc atc cct gat 283 Leu Val Ile Val Cys Ile Pro Asp 405 410	38
aag aaa gat gaa tcg ggg ttg act Lys Lys Asp Glu Ser Gly Leu Thr 415	ata ctt cac ctt gat tct cta gga 288 Ile Leu His Leu Asp Ser Leu Gly 425	36
ctt cac tcg aga aaa tca att gtt Leu His Ser Arg Lys Ser Ile Val 430	gaa aat gta aaa ag gtgagatgct 293 Glu Asn Val Lys Ar 435	34
aggggcttta cccgtgactt tatgttctca	catgcttgac gttgtatgca tatggtttca 299	94
gttcataaaa ggaaaaatta ttacactggc	ttgaaaatgt acgacattta ctagtttcta 305	54
tgtcaatttg ttgtag g ttt cta aaa g Phe Leu Lys 440	gac gaa tgg aat tat ttg aat caa 310 Asp Glu Trp Asn Tyr Leu Asn Gln 445 450)4
gat gac tat tcc ttg gat ctg cct Asp Asp Tyr Ser Leu Asp Leu Pro 455	atc tca gaa aaa gta tgg aaa aac 315 Ile Ser Glu Lys Val Trp Lys Asn 465	52
ctc cct cgt agg atc agc gaa gct Leu Pro Arg Arg Ile Ser Glu Ala 470	gtt gtt cag gtcagtcttt taccttctta 320 Val Val Gln 475)5
atcccatgat tcaaggaact ttgtttatac	ggtttcttcg gaaatatgat tatattcaga 326	55
cactagaacc acaggaagtt caattcgtct	tatgatatta ttctctttgt gcaaccag 332	23
gtt ccg cag cag aaa aac gat ttt Val Pro Gln Gln Lys Asn Asp Phe 480 485	gat tgt ggt ccg ttt gtg ctc ttc 337 Asp Cys Gly Pro Phe Val Leu Phe 490	71

ttc Phe	att Ile 495	aaa Lys	cgg Arg	ttc Phe	att Ile	gaa Glu 500	gag Glu	gcg Ala	cct Pro	caa Gln	agg Arg 505	ctg Leu	aaa Lys	agg Arg	aaa Lys	3419
	ctg Leu			gtga	agtaa	atc t	caaa	actct	t ti	tecto	gatad	e ega	aatc	acat		3471
atct	tctt	ct 1	acto	ttgi	c ta	aact	tgtg	g tco	ctcaa	atgt	atco		Phe A	gac a Asp 1 515		3526
							Ala			ctg Leu					cga Arg	3574
aac Asn	acg Thr	ctc Leu 535	atc Ile	gag Glu	cta Leu	ttc Phe	cgt Arg 540	gtc Val	agt Ser	gac Asp	cag Gln	aca Thr 545	gag Glu	taa	·	3619
acca	gtad	cag a	atta			*							. *			3633
<212	0> 22 l> 54 2> PI 3> Ar	16 RT	lopsi	is tl	nalia	ana									,	
	0> 22		Ara	Lve	Lve	Gl v	ນລາ	T10	A cm	Val) an	· Cura	Co.~	Cl.,	Tira	,
1	****	Lys	ura	Б у 5	Llys	Giu	·	116	10	Val	ASD.	Cys	261	15	гÀг	
Lys	qaA	Phe	Val 20	Ile	Asp	Trp	Ser	Ser 25	Ala	Met	Asp	Lys	Glu 30	Asp	Glu	
Val	Pro	Glu 35	Leu	Glu	Ile	Val	Asn 40	Thr	Thr	Lys	Pro	Thr 45	Pro	Pro	Pro	
Pro	Pro 50	Thr	Phe	Phe	Ser	Asp 55	Asp	Gln	Thr	Asp	Ser 60	Pro	Lys	Leu	Leu	
Thr 65	Asp	Arg	Asp	Leu	Asp 70	Glu	Gln	Leu	Glu	Arg 75	Lys	Lys	Ala	Ile	Leu 80	. , .
Thr	Leu	Gly	Pro	Gly 85	Leu	Pro	Asp	Lys	90 90	Glu	Lys	Ile	Arg	Leu 95	ГÀЗ	
Ile	Ala	Asp	Leu 100	Glu	Glu	Glu	Lys	Gln 105	Arg	Ser	Asp	Val	Leu 110	Pro	Gln	
Gly	Asn	Ala 115	Val	Ser	Lys	Asp	Thr 120	Ser	Arg	Gly	Asn	Ala 125	Asp	Ser	Lys	
Asp	Thr 130	Ser	Arg	Gln	Gly	Asn 135	Ala	Asp	Ser	Lys	Glu 140	Val	Ser	Arg	Ser	
Thr	Phe	Ser	Ala	Val	Phe	Ser	Lys	Pro	Lys	Thr	Asp	Ser	Gln	Ser	Lys	

145					150					155				•	160
Lys	Ala	Phe	Gly	Lys 165	Glu	Leu	Glu	Asp	Leu 170	Gly	Cys	Glu	Arg	Arg 175	Lys
His	Lys	Ala	Gly 180	Arg	Lys	Pro	Val	Thr 185	Arg	Leu	Ser	Asn	Gly 190		Arg
Leu	Leu	Pro 195	Asp	Val	Gly	Lys	Ala 200		His	Ser	Ala	Lys 205	Gİn	Phe	qeA
Ser	Gly 210	Leu	Lys	Glu	Ser	Lys 215		Asn	Lys	Lys	Ser 220	Lys	Glu	Pro	Tyr
Gly 225	Lys	Lys	Arg	Pro	Met 230	Glu	Ser	Ser	Thr	Tyr 235	Ser	Leu	Ile	Asp	Asp 240
Asp	Asp	Asp	Asp	Asp 245	Asp	Asp	Asp	Asp	Asn 250	Asp	Thr	Ser	Gly	His 255	Glu
Thr	Pro	Arg	Glu 260	Trp	Ser	Ттр	Glu	Lys 265	Ser	Pro	Ser	Gln	Ser 270	Ser	Arg
Arg	Arg	Lys 275	Lys	Ser	Glu	Asp	Thr 280		Ile	Asn	Val	Asp 285	Glu	Glu	Glu
Ala	Gln 290	Pro	Ser	Thr	Val	Ala 295	Glu	Gln	Ala	Ala	Glu 300	Leu	Pro	Glu	Gly
Leu 305	Ile	Lys	Leu	Gln	Leu 310	Ala	Ile	Tyr	Lys	Leu 315	Ile	Val	Asp	Lys	Thr 320
Cys	Ser	Leu	Gln	Glu 325	Asp	·Ile	Cys	Tyr	Pro 330	Thr		eg Pl	he L	eu G1 33	
Gln	Gln	Ile		Sr 9 340e	Ser 1	Asn (Gln	Ile	Ser 1		Asp (Cys I	His 1	Phe I 350	
Asn	Thr	Tyr	Phe 35	Tr I 55y	Lys I	ys	Leu .	Ser	Asp 1 360	Ala V	/al /	Thr :	Tyr 1	Lys 0	ly
Asn	Ąsp	Lys	Ap A	Ala 1 370	Phe 1	Phe '	Val .		Phe 1 375	Arg A	Arg :	rp :		Lys (3 380	ly.
Ile	Asp	Leu	Pe <i>A</i>		Lys 1	la '	Tyr	Ile 3	Phe 1 90	Ile I	Pro :	le 1		Glu r 395u	•
Leu	His	Trp	Ser 400	Leu	Val	Ile	Val	Cys 405	Ile	Pro	Asp	Lys	Lys 410	Asp	Glu
Ser	Gly	Leu 415	Thr	Ile	Leu	His	Leu 420	Asp	Ser	Leu	Gly	Leu 425	His	Ser	Arg
Lys	Ser 430	Ile	Val	Glu	Asn	Val 435	Lys	Arg	Phe	Leu	Lys 440	Asp	Glu	Trp	Asn
Tyr	Leu	Asn	Gln	Asp	Asp	Tyr	Ser	Leu	Asp	Leu	Pro	Ile	Ser	Glu	Lys

445 · 450 455 Val Trp Lys Asn Leu Pro Arg Arg Ile Ser Glu Ala Val Val Gln Val 470 Pro Gln Gln Lys Asn Asp Phe Asp Cys Gly Pro Phe Val Leu Phe Phe 480 485 Ile Lys Arg Phe Ile Glu Glu Ala Pro Gln Arg Leu Lys Arg Lys Asp 500 505 Leu Gly Met Phe Asp Lys Lys Trp Phe Arg Pro Asp Glu Ala Ser Ala 515 Leu Arg Ile Lys Ile Arg Asn Thr Leu Ile Glu Leu Phe Arg Val Ser 530 535 Asp Gln Thr Glu <210> 23 <211> 1108 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (22)..(1107) <400> 23. aggagttaga gcatcatcaa g atg aag gca ctc att ctt gtt gga ggc ttc Met Lys Ala Leu Ile Leu Val Gly Gly Phe ggc act cgc ttg aga cca ttg act ctc agt ttc cca aag ccc ctt gtt Gly Thr Arg Leu Arg Pro Leu Thr Leu Ser Phe Pro Lys Pro Leu Val 15 gat ttt gct aat aaa ccc atg atc ctt cat cag ata gag gct ctt aag 147 Asp Phe Ala Asn Lys Pro Met Ile Leu His Gln Ile Glu Ala Leu Lys 30 gca gtt gga gtt gat gaa gtg gtt ttg gcc atc aat tat cag cca gag Ala Val Gly Val Asp Glu Val Val Leu Ala Ile Asn Tyr Gln Pro Glu 45 gtg atg ctg aac ttc ttg aag gac ttt gag acc aag ctg gaa atc aaa 243 Val Met Leu Asn Phe Leu Lys Asp Phe Glu Thr Lys Leu Glu Ile Lys 60 atc act tgc tca caa gag acc gag cca cta ggt acc gct ggt cct ctg 291 Ile Thr Cys Ser Gln Glu Thr Glu Pro Leu Gly Thr Ala Gly Pro Leu 75 80 85 get eta geg aga gac aaa tig ett gat gga tet gga gag eee tie tit Ala Leu Ala Arg Asp Lys Leu Leu Asp Gly Ser Gly Glu Pro Phe Phe

																,
				95					100					105	•	
gtt Val	ctt Leu	aac Asn	agt Ser 110	gat Asp	gtg Val	att Ile	agt Ser	gag Glu 115	tac Tyr	cct Pro	ctt Leu	aaa Lys	gaa Glu 120	atg Met	ctt Leu	387
gag Glu	ttt Phe	cac His 125	aaa Lys	tct Ser	cac His	ggt Gly	ggg Gly 130	gaa Glu	gcc Ala	tcc Ser	ata Ile	atg Met 135	gta Val	aca Thr	aag Lys	435
gtg Val	gat Asp 140	gaa Glu	ccg Pro	tcg Ser	aaa Lys	tat Tyr 145	gga Gly	gtg Val	gtt Val	gtt Val	atg Met 150	gaa Glu	gaa Glu	agc Ser	act Thr	483
gga Gly 155	aga Arg	gtg Val	gag Glu	aag Lys	ttt Phe 160	gtg Val	gaa Glu	aag Lys	cca Pro	aaa Lys 165	ctg Leu	tat Tyr	gta Val	ggt Gly	aac Asn 170	531
aag Lys	atc Ile	aac Asn	gct Ala	ggg Gly 175	att Ile	tat Tyr	ctt Leu	ctg Leu	aac Asn 180	cca Pro	tct Ser	gtt Val	ctt Leu	gat Asp 185	aag Lys	579
														aag Lys		627
														tgg Trp		675
gac Asp	att Ile 220	ggg Gly	caa Gln	ccc Pro	cgt Arg	gac Asp 225	tac Tyr	ata Ile	acg Thr	ggt Gly	ttg Leu 230	aga Arg	ctc Leu	tac Tyr	tta Leu	723
														cca Pro		771
ata Ile	gtt Val	ggg Gly	aat Asn	gtt Val 255	ctt Leu	gtt Val	gac Asp	gaa Glu	acc Thr 260	gct Ala	aca Thr	att Ile	GJA aaa	gaa Glu 265	gga Gly	819
tgt Cys	ttg Leu	att Ile	gga Gly 270	cca Pro	gac Asp	gtt Val	gcc Ala	att Ile 275	ggt Gly	cca Pro	ggc Gly	tgc Cys	att Ile 280	gtt Val	gag Glu	867
tca Ser	gga Gly	gtc Val 285	aga Arg	ctc Leu	tcc Ser	cga Arg	tgc Cys 290	acg Thr	gtc Val	atg Met	cgt Arg	gga Gly 295	gtc Val	cgc Arg	atc Ile	915
aag Lys	aag Lys 300	cat His	gcg Ala	tgt Cys	atc Ile	tcg Ser 305	agc Ser	agt Ser	atc Ile	atc Ile	ggg Gly 310	tgg Trp	cac His	tca Ser	acg Thr	963
gtt Val 315	ggt Gly	caa Gln	tgg Trp	gcc Ala	agg Arg 320	atc Ile	gag Glu	aac Asn	atg Met	acg Thr 325	atc Ile	ctc Leu	ggt Gly	gag Glu	gat Asp 330	1011

gtt cat gtg agc gat gag atc tat agc aat gga gga gtt gtt ttg cca 1059 Val His Val Ser Asp Glu Ile Tyr Ser Asn Gly Gly Val Val Leu Pro 335 cac aag gag atc aaa tca aac atc ttg aag cca gag ata gtg atg tga 1107 His Lys Glu Ile Lys Ser Asn Ile Leu Lys Pro Glu Ile Val Met aa 1109 <210> 24 <211> 361 <212> PRT <213> Arabidopsis thaliana <400> 24 Met Lys Ala Leu Ile Leu Val Gly Gly Phe Gly Thr Arg Leu Arg Pro Leu Thr Leu Ser Phe Pro Lys Pro Leu Val Asp Phe Ala Asn Lys Pro Met Ile Leu His Gln Ile Glu Ala Leu Lys Ala Val Gly Val Asp Glu Val Val Leu Ala Ile Asn Tyr Gln Pro Glu Val Met Leu Asn Phe Leu Lys Asp Phe Glu Thr Lys Leu Glu Ile Lys Ile Thr Cys Ser Gln Glu 70 Thr Glu Pro Leu Gly Thr Ala Gly Pro Leu Ala Leu Ala Arg Asp Lys Leu Leu Asp Gly Ser Gly Glu Pro Phe Phe Val Leu Asn Ser Asp Val 105 Ile Ser Glu Tyr Pro Leu Lys Glu Met Leu Glu Phe His Lys Ser His 120 Gly Glu Ala Ser Ile Met Val Thr Lys Val Asp Glu Pro Ser Lys Tyr Gly Val Val Wal Met Glu Glu Ser Thr Gly Arg Val Glu Lys Phe 150 Val Glu Lys Pro Lys Leu Tyr Val Gly Asn Lys Ile Asn Ala Gly Ile 165 170 Tyr Leu Leu Asn Pro Ser Val Leu Asp Lys Ile Glu Leu Arg Pro Thr 185 Ser Ile Glu Lys Glu Thr Phe Pro Lys Ile Ala Ala Ala Gln Gly Leu 195 200

Tyr Ala Met Val Leu Pro Gly Phe Trp Met Asp Ile Gly Gln Pro Arg 210 215 220 Asp Tyr Ile Thr Gly Leu Arg Leu Tyr Leu Asp Ser Leu Arg Lys Lys Ser Pro Ala Lys Leu Thr Ser Gly Pro His Ile Val Gly Asn Val Leu 245 250 Val Asp Glu Thr Ala Thr Ile Gly Glu Gly Cys Leu Ile Gly Pro Asp Val Ala Ile Gly Pro Gly Cys Ile Val Glu Ser Gly Val Arg Leu Ser 280 Arg Cys Thr Val Met Arg Gly Val Arg Ile Lys Lys His Ala Cys Ile 295 Ser Ser Ser Ile Ile Gly Trp His Ser Thr Val Gly Gln Trp Ala Arg Ile Glu Asn Met Thr Ile Leu Gly Glu Asp Val His Val Ser Asp Glu 330 Ile Tyr Ser Asn Gly Gly Val Val Leu Pro His Lys Glu Ile Lys Ser 345 Asn Ile Leu Lys Pro Glu Ile Val Met 355 <210> 25 <211> 1071 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (9)..(1055) <400> 25 tccaataa atg aaa gca act cta gca gca ccc tct tct ctc aca agc ctc Met Lys Ala Thr Leu Ala Ala Pro Ser Ser Leu Thr Ser Leu cct tat cga acc aac tct tct ttc ggc tca aag tca tcg ctt ctc ttt Pro Tyr Arg Thr Asn Ser Ser Phe Gly Ser Lys Ser Ser Leu Leu Phe 20 cgg tct cca tcc tcc tcc tcc tca gtc tct atg acg aca acg cgt gga Arg Ser Pro Ser Ser Ser Ser Ser Val Ser Met Thr Thr Arg Gly 35 aac gtg gct gtg gcg gct gct aca tcc act gag gcg cta aga aaa 194

Asn Val Ala Val Ala Ala Ala Thr Ser Thr Glu Ala Leu Arg Lys

55

50

gga Gly	ata Ile	gcg Ala 65	gag Glu	ttc Phe	tac Tyr	aat Asn	gaa Glu 70	act Thr	tcg Ser	ggt Gly	ttg Leu	tgg Trp 75	gaa Glu	gag Glu	att Ile	2 42
tgg Trp	gga Gly 80	gat Asp	cat His	atg Met	cat His	cat His 85	GJA Bâć	ttt Phe	tat Tyr	gac Asp	cct Pro 90	gat Asp	tct Ser	tct Ser	gtt Val	290
caa Gln 95	ctt Leu	tct Ser	gat Asp	tct Ser	ggt Gly 100	cac His	aag Lys	gaa Glu	gct Ala	cag Gln 105	atc	cgt Arg	atg Met	Ile	gaa Glu 110	338
gag Glu	tct Ser	ctc Leu	cgt Arg	ttc Phe 115	gcc Ala	ggt Gly	gtt Val	act Thr	gat Asp 120	gaa Glu	gag Glu	gag Glu	gag Glu	aaa Lys 125	aag Lys	386
ata Ile	aag Lys	aaa Lys	gta Val 130	gtg Val	gat Asp	gtt Val	Gly ggg	tgt Cys 135	ggg Gly	att Ile	gga Gly	gga Gly	agc Ser 140	tca Ser	aga Arg	· 434
tat Tyr	ctt Leu	gcc Ala 145	tct Ser	aaa Lys	ttt Phe	gga Gly	gct Ala 150	gaa Glu	tgc Cys	att Ile	ggc Gly	att Ile 155	act Thr	ctc Leu	agc Ser	482
Pro	Val 160	Gln	Ala	Lys	aga Arg	Ala 165	Asn	Asp	Leu	Ala	Ala 170	Ala	Gln	Ser	Leu	530
Ser 175	His	Lys	Ala	Ser	ttc Phe 180	Gln	Val	Ala	Asp	Ala 185	Leu	Asp	Gln	Pro	Phe 190	578
Glu	Asp	Gly	Lys	Phe 195	gat Asp	Leu	Val	Trp	Ser 200	Met	Glu	Ser	Gly	Glu 205	His	. 626
Met	Pro	Asp	Lys 210	Ala	aag Lys	Phe	Val	Lys 215	Glu	Leu	Val	Arg	Val 220	Ala	Ala	674
Pro	Gly	Gly 225	Arg	Ile	ata Ile	Ile	Val 230	Thr	Trp	Cys	His	Arg 235	Asn	Leu	Ser	722
Ala	Gly 240	Glu	Glu	Ala	ttg Leu	Gln 245	Pro	Trp	Glu	Gln	Asn 250	Ile	Leu	Asp	Lys	770
11e 255	Cys	Lys	Thr	Phe	tat Tyr 260	Leu	Pro	Ala	Trp	Cys 265	Ser	Thr	Asp	Asp	Tyr 270	818
gtc Val	aac Asn	ttg Leu	ctt Leu	caa Gln 275	tcc Ser	cat His	tct Ser	ctc Leu	cag Gln 280	gat Asp	att Ile	aag Lys	tgt Cys	gcg Ala 285	Asp	866

tgg tca Trp Ser		Val												914
tta aca Leu Thr														962
att aaa Ile Lys 320														1010
ggt gtc Gly Val 335	att aag Ile Lys	ttt Phe	ggt Gly 340	atc Ile	atc Ile	act Thr	tgc Cys	cag Gln 345	aag Lys	cca Pro	ctc Leu	taa	· ,	1055
gtctaaag	ct atac	ta					•							1071
<210> 26 <211> 34 <212> PR <213> Ar	.8 T	is tl	nalia	ana		-			÷			٠.	• • •	
<400> 26 Met Lys 1		·· Leu 5	Ala	Ala	Pro	Ser	Ser 10	Leu	Thr	Ser	Leu	Pro 15	Tyr	
Arg Thr	Asn Ser 20		Phe	Gly	Ser	Lys 25	Ser	Ser	Leu	Leu	Phe 30	Arg	Ser	
Pro Ser	Ser Ser 35	Ser	Ser	Val	Ser 40	Met	Thr	Thr	Thr	Arg '45	Gly	Asn	Val	
Ala Val	Ala Ala	Ala	Ala	Thr 55	Ser	Thr	Glu	Ala	Leu 60	Arg	Lys	Gly	Ile	•
Ala Glu 65	Phe Tyr	Asn	Glu 70	Thr	Ser	Gly	Leu	Trp 75	Glu	Glu	Ile	Tṛp	Gly 80	· .
Asp His	Met His	His 85	Gly	Phe	Tyr	Asp	Pro 90	Asp	Ser	Ser	Val	Gln 95	Leu	
Ser Asp	Ser Gly		Lys	Glu	Ala	Gln 105	Ile	Arg	Met	Île	Glu 110	Glu	Ser	
Leu Arg	Phe Ala	Gly	Val	Thr	Asp 120	Glu	Glu	Glu	Glu	Lys 125	Lys	Ile	Lys	٠
Lys Val	Val Asr	Val	Gly	Cys 135	Gly	Ile	Gly	Gly	Ser 140	Ser	Arg	Tyr	Leu	
Ala Ser 145	Lys Phe	Gly	Ala 150	Glu	Суѕ	Ile	Gly	Ile 155	Thr	Leu	Ser	Pro	Val 160	
Gln Ala	Lys Aro	7 Ala 165		Asp	Leu	Ala	Ala 170	Ala	Gln	Ser	Leu	Ser 175	His	

Lys Ala Ser Phe Gln Val Ala Asp Ala Leu Asp Gln Pro Phe Glu Asp

185 Gly Lys Phe Asp Leu Val Trp Ser Met Glu Ser Gly Glu His Met Pro Asp Lys Ala Lys Phe Val Lys Glu Leu Val Arg Val Ala Ala Pro Gly 215 220 Gly Arg Ile Ile Ile Val Thr Trp Cys His Arg Asn Leu Ser Ala Gly Glu Glu Ala Leu Gln Pro Trp Glu Gln Asn Ile Leu Asp Lys Ile Cys 250 245 Lys Thr Phe Tyr Leu Pro Ala Trp Cys Ser Thr Asp Asp Tyr Val Asn 260 265 Leu Leu Gln Ser His Ser Leu Gln Asp Ile Lys Cys Ala Asp Trp Ser 280 Glu Asn Val Ala Pro Phe Trp Pro Ala Val Ile Arg Thr Ala Leu Thr 295 Trp Lys Gly Leu Val Ser Leu Leu Arg Ser Gly Met Lys Ser Ile Lys 305 310 315 Gly Ala Leu Thr Met Pro Leu Met Ile Glu Gly Tyr Lys Lys Gly Val 330 Ile Lys Phe Gly Ile Ile Thr Cys Gln Lys Pro Leu <210> 27 <211> 768 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (3)..(752) <400> 27 ag atg aag ttc aac gtt gcg aat cca act act gga tgc cag aag aag Met Lys Phe Asn Val Ala Asn Pro Thr Thr Gly Cys Gln Lys Lys 10 ctc gag atc gac gat gac cag aaa cta cgt gcg ttt tac gac aag aga 95 Leu Glu Ile Asp Asp Asp Gln Lys Leu Arg Ala Phe Tyr Asp Lys Arg 20 25 atc tct caa gaa gtc agt gga gat gct ttg ggc gag gag ttc aaa gga Ile Ser Gln Glu Val Ser Gly Asp Ala Leu Gly Glu Glu Phe Lys Gly

tac Tyr	gtt Val	ttc Phe 50	aag Lys	atc Ile	aag Lys	ggt Gly	ggt Gly 55	tgc Cys	gat Asp	aag Lys	caa Gln	ggt Gly 60	ttc Phe	cca Pro	atg Met	191
aag Lys	cag Gln 65	gga Gly	gtt Val	ttg Leu	act Thr	cca Pro 70	ggc Gly	cgt Arg	gtt Val	cgc Arg	ctt Leu 75	ttg Leu	ctt Leu	cac His	cga Arg	239
80 80	Thr	Pro	Cys	Phe	Arg 85	Gly	His	Gly	Arg	Arg 90	act Thr	Gly	Glu	Arg	Arg 95	287
Arg	Lys	Ser	Val	Arg 100	Gly	Cys	Ile	Val	Ser 105	Pro	Asp	Leu	Ser	Val 110		335
Asn	Leu	Val	11e 115	Val	Lys	Lys	Gly	Glu 120	Asn	Asp	ctt Leu	Pro	Gly 125	Leu	Thr	383
Asp	His	Glu 130	Ser	Lys	Met	Arg	Gly 135	Pro	Lys	Arg	gcc Ala	Ser 140	Lys	Ile	Arg	431
Lys	Leu 145	Phe	Asn	Leu	Lys	Lys 150	Glu	Asp	Asp	Val	agg Arg 155	Thr	Tyr	Val	Asn	479
Thr 160	Tyr	Arg	Arg	Lys	Phe 165	Thr	Asn	Lys	Lys	Gly 170	aag Lys	Glu	Val	Ser	Lys 175	527
Ala	Pro	Lys	Ile	Gln 180	Arg	Leu	Val	Thr	Pro 185	Leu	act Thr	Leu	Gln	Arg 190	Lys	575
Arg	Ala	Arg	11e 195	Ala	Asp	Lys	Lys	Lys 200	Lys	Ile		Lys	A1a 205	Asn	Ser ·	623
Asp	Ala	Ala 210	Asp	Tyr	Gln	Lys	Leu 215	Leu	Ala	Ser	agg Arg	Leu 220	Lys	Glu	Gln	671
Arg	Asp 225	Arg	Arg	Ser	Glu	Ser 230	Leu	Ala	Lys	Glu	agg Arg 235	Ser	Arg	Leu	Ser	719
tct Ser 240	gct Ala	gct Ala	gcc Ala	aag Lys	ecc Pro 245	tct Ser	gtc Val	aca Thr	gct Ala	taa 250	aaaa	igctt	ga (gatto	:a	768

<210> 28 <211> 249 <212> PRT

<213> Arabidopsis thaliana

<400> 28

Met Lys Phe Asn Val Ala Asn Pro Thr Thr Gly Cys Gln Lys Lys Leu 1 5 10

Glu Ile Asp Asp Gln Lys Leu Arg Ala Phe Tyr Asp Lys Arg Ile
20 25 30

Ser Gln Glu Val Ser Gly Asp Ala Leu Gly Glu Glu Phe Lys Gly Tyr 35 40

Val Phe Lys Ile Lys Gly Gly Cys Asp Lys Gln Gly Phe Pro Met Lys 50 55 60

Gln Gly Val Leu Thr Pro Gly Arg Val Arg Leu Leu His Arg Gly 65 70 75 80

Thr Pro Cys Phe Arg Gly His Gly Arg Arg Thr Gly Glu Arg Arg Arg 85 90 95

Lys Ser Val Arg Gly Cys Ile Val Ser Pro Asp Leu Ser Val Leu Asn 100 105 110

Leu Val Ile Val Lys Lys Gly Glu Asn Asp Leu Pro Gly Leu Thr Asp 115 120 125

His Glu Ser Lys Met Arg Gly Pro Lys Arg Ala Ser Lys Ile Arg Lys 130 135 140

Leu Phe Asn Leu Lys Lys Glu Asp Asp Val Arg Thr Tyr Val Asn Thr 145 150 155 160

Tyr Arg Arg Lys Phe Thr Asn Lys Lys Gly Lys Glu Val Ser Lys Ala 165 170 175

Pro Lys Ile Gln Arg Leu Val Thr Pro Leu Thr Leu Gln Arg Lys Arg 180 185 190

Ala Arg Ile Ala Asp Lys Lys Lys Ile Ala Lys Ala Asn Ser Asp 195 200 205

Ala Ala Asp Tyr Gln Lys Leu Leu Ala Ser Arg Leu Lys Glu Gln Arg 210 215 220

Asp Arg Arg Ser Glu Ser Leu Ala Lys Glu Arg Ser Arg Leu Ser Ser 225 230 235

Ala Ala Ala Lys Pro Ser Val Thr Ala 245

<210> 29

<211> 1201

<212> DNA

<213> Arabidopsis thaliana

```
<220>
<221> CDS
<222> (24)..(35)
<220>
<221> CDS
<222> (147)..(187)
<220>
<221> CDS
<222> (283)..(383)
<220>
<221> CDS
<222> (689)..(833)
<220>
<221> CDS
<222> (916)..(1005)
<221> CDS
<222> (1103)..(1196)
cacgegggag ctcaacatca gee atg geg gaa cag gttactegat etgttetete
                          Met Ala Glu Gln
                            1
ctctaagctt atcctcgttt tatgatctat tgatccttat tcactcaaat gattctaata 115
ctcttctctt ttctctgtca ctaattttca g act gag aaa gct ttt ctt aag
                                   Thr Glu Lys Ala Phe Leu Lys
cag cct aag gtc ttc ctt ag gtaattttgc gattcgattt ctctctgttc
                                                                   217
Gln Pro Lys Val Phe Leu Se
             15
tctattgttt cattgtattt aagttccaag ttgtttatat tgttcattgt ttctgattta 277
tcaag c tcg aag aaa tct gga aag gga aag aga cct gga aaa ggt gga
                                                                   325
     r Ser Lys Lys Ser Gly Lys Gly Lys Arg Pro Gly Lys Gly Gly
                                 25
aac cgt ttc tgg aag aac att ggt ttg ggc ttc aag act cct cgt gaa
                                                                   373
Asn Arg Phe Trp Lys Asn Ile Gly Leu Gly Phe Lys Thr Pro Arg Glu
                             40
gcc att gat g gtatgtttaa gcttttaact cgttataata gataaggaac
                                                                   423
Ala Ile Asp G
    50
tcttggattg tgttgttcat atagtcgata gatttcaaat gctattttgt cttgtagaat 483
cttaagcttt ggtttagtga gttctgattc ttcagcttta tctggatcta cattactgtt 543
```

tcag	rtgat	tgc a	aaatg	ttat	c aç	gtaga	ttti	gaa	atta	gtag	gat	gtca	ctg	aţtt	gaatat	603
gtga	tcaa	agc t	tcat	agaa	a co	tgca	tcat	tet	cta	tata	cct	ttaa	gtc	agat	tctcag	663
gtta	ttgt	gt a	atttg	ıtgtç	g aa	acag					gac a					714
ttc Phe	act Thr	gga Gly	act Thr	gtt Val 65	tcc Ser	att Ile	aga Arg	ggt Gly	cgt Arg 70	atc Ile	tta Leu	gct Ala	ggt Gly	act Thr 75	tgc Cys	762
cac His	agt Ser	gcg Ala	aaa Lys 80	atg Met	cag Gln	agg Arg	acc Thr	att Ile 85	atc Ile	gtg Val	cga Arg	agg Arg	gat Asp 90	Tyr	ctt Leu	810
cac His	ttt Phe	gtg Val 95	aag Lys	aag Lys	tat Tyr	cag Gln	ag g Ar	taaa	attca	at ad	catto	ctca	t ac	ttct	ttcc	863
ataç	ragto	ett a	acaca	ıttga	ıt gt	ttaa	ıgaaa	gta	aatai	cct	ttt	tgtt:	ctt		tat Tyr	919
gag Glu	aag Lys	agg Arg	cat His 105	tca Ser	aac Asn	att Ile	ccg Pro	gct Ala 110	cat His	gtc Val	tca Ser	cca Pro	tgc Cys 115	Phe	cgt Arg	967
gtt Val	aag Lys	gaa Glu 120	gga Gly	gac Asp	cat His	atc Ile	atc Ile 125	att Ile	ggc Gly	caa Gln	tgc Cys	ag (gtta	tgat	ct	1015
gatt	caaa	acc t	acaa	attg	rt ct	ccat	tgat	tct	gati	atc	gtga	aatt	tgt	tttg	atcttt	1075
ttgt	ttgt	ta a	tgat	tgat	a at	ttca	g g 130	cca Pro	ttg Leu	tcg Ser	aag Lys	aca Thr 135	gtg Val	agg Arg	ttc Phe	1127
aat Asn	gtg Val 140	ttg Leu	aag Lys	gtg Val	ata Ile	cca Pro 145	gct Ala	ggg Gly	tct Ser	tct Ser	tct Ser 150	tca Ser	ttt Phe	gga Gly	aag Lys	1175
			act Thr		_	taa	gctg	iC						-		1201
<211 <212)> 3(l> 16 l> PI l> A1	50 RT	lopsi	s th	nalia	ana						,				
)> 3(Ala) Glu	Gln	Thr		ı Lys	: Ala	Phe	e Lei		s Gl	n Pro	o Ly		1 .	

Phe Leu Ser Ser Lys Lys Ser Gly Lys Gly Lys Arg Pro Gly Lys Gly Gly Asn Arg Phe Trp Lys Asn Ile Gly Leu Gly Phe Lys Thr Pro Arg Glu Ala Ile Asp Gly Ala Tyr Val Asp Lys Lys Cys Pro Phe Thr Gly 55 Thr Val Ser Ile Arg Gly Arg Ile Leu Ala Gly Thr Cys His Ser Ala Lys Met Gln Arg Thr Ile Ile Val Arg Arg Asp Tyr Leu His Phe Val 85 90 Lys Lys Tyr Gln Arg Tyr Glu Lys Arg His Ser Asn Ile Pro Ala His 105 Val Ser Pro Cys Phe Arg Val Lys Glu Gly Asp His Ile Ile Gly 120 125 Gln Cys Arg Pro Leu Ser Lys Thr Val Arg Phe Asn Val Leu Lys Val 135 Ile Pro Ala Gly Ser Ser Ser Phe Gly Lys Lys Ala Phe Thr Gly 145 150 155 Met <210> 31 <211> 1790 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (23)..(1780) <400> 31 tgtgagtaat ttagcgaaaa cg atg ggt tcc atc gaa gaa gaa gca aga cct Met Gly Ser Ile Glu Glu Glu Ala Arg Pro 1 ctc atc gaa gaa ggt tta att tta cag gaa gtg aaa ttg tat gct gaa Leu Ile Glu Glu Gly Leu Ile Leu Gln Glu Val Lys Leu Tyr Ala Glu 15 gat ggt tca gtg gac ttt aat gga aac cca cca ttg aag gag aaa aca 148 Asp Gly Ser Val Asp Phe Asn Gly Asn Pro Pro Leu Lys Glu Lys Thr 30

gga aac tgg aaa gct tgt cct ttt att ctt ggt aat gaa tgt tgt gag Gly Asn Trp Lys Ala Cys Pro Phe Ile Leu Gly Asn Glu Cys Cys Glu

agg Arg	cta Leu 60	gct Ala	tac Tyr	tat Tyr	ggt Gly	att Ile 65	gct Ala	Gly aaa	aat Asn	tta Leu	atc Ile 70	act Thr	tac Tyr	ctc Leu	acc Thr	244
act Thr 75	aag Lys	ctt Leu	cac His	caa Gln	gga Gly 80	aat Asn	gtt Val	tct Ser	gct Ala	gct Ala 85	aca Thr	aac Asn	gtt Val	acc Thr	aca Thr 90	292
														ctg Leu 105		340
gat Asp	gct Ala	tac Tyr	tgg Trp 110	gga Gly	cgt Arg	tac Tyr	tgg Trp	acc Thr 115	atc Ile	gct Ala	tgt Cys	ttc Phe	tcc Ser 120	Gly aaa	att Ile	388
tat Tyr	ttc Phe	atc Ile 125	GJA GGG	atg Met	tct Ser	gcg Ala	tta Leu 130	act Thr	ctt Leu	tca Ser	gct Ala	tca Ser 135	gtt Val	ccg Pro	gca Ala	436
ttg Leu	aag Lys 140	cca Pro	gcg Ala	gaa Glu	tgt Cys	att Ile 145	ggt Gly	gac Asp	ttt Phe	tgt Cys	cca Pro 150	tct Ser	gca Ala	acg Thr	cca Pro	484
gct Ala 155	cag Gln	tat Tyr	gcg Ala	atg Met	ttc Phe 160	ttt Phe	ggt Gly	Gly	ctt Leu	tac Tyr 165	ctg Leu	atc Ile	gct Ala	ctt Leu	gga Gly 170	532
act Thr	gga Gly	ggt Gly	atc Ile	aaa Lys 175	ccg Pro	tgt Cys	gtc Val	tca Ser	tcc Ser 180	ttc Phe	ggt	gcc Ala	gat Asp	cag Gln 185	ttt Phe	580
gat Asp	gac Asp	acg Thr	gac Asp 190	tct Ser	cgg Arg	gaa Glu	cga Arg	gtt Val 195	aga Arg	aaa Lys	gct Ala	tcg Ser	ttc Phe 200	ttt Phe	aac Asn	628
tgg Trp	ttt Phe	tac Tyr 205	ttc Phe	tcc Ser	atc Ile	aat Asn	att Ile 210	gga Gly	gca Ala	ctt Leu	gtg Val	tca Ser 215	tct Ser	agt Ser	ctt Leu	676
cta Leu	gtt Val 220	tgg Trp	att Ile	caa Gln	gag Glu	aat Asn 225	cgg Arg	Gly	tgg Trp	ggt Gly	tta Leu 230	ggg Gly	ttt Phe	Gly ggg	ata Ile	724
cca Pro 235	aca Thr	gtg Val	ttc Phe	atg Met	gga Gly 240	cta Leu	gcc Ala	att Ile	gca Ala	agt Ser 245	ttc Phe	ttc Phe	ttt Phe	ggc Gly	aca Thr 250	772
cct Pro	ctt Leu	tat Tyr	agg Arg	ttt Phe 255	cag Gln	aaa Lys	cct Pro	gga Gly	gga Gly 260	agc Ser	cct Pro	ata Ile	act Thr	cgg Arg 265	att Ile	820
tcc Ser	caa Gln	gtc Val	gtg Val 270	gtt Val	gct Ala	tcg Ser	ttc Phe	cgg Arg 275	aaa Lys	tcg Ser	tct Ser	gtc Val	aaa Lys 280	gtc Val	cct Pro	868
gaa	gac	gcc	aca	ctt	ctg	tat	gaa	act	caa	gac	aag	aac	tct	gct _.	att	916

Glu	Asp	Ala 285	Thr	Leu	Leu	Tyr	Glu 290	Thr	Gln	qaA	Lys	Asn 295	Ser	Ala	Ile	
gct Ala	gga Gly 300	agt Ser	aga Arg	aaa Lys	atc Ile	gag Glu 305	cat His	acc Thr	gat Asp	gat Asp	tgc Cys 310	cag Gln	tat Tyr	ctt Leu	gac Asp	964
aaa Lys 315	gcc Ala	gct Ala	gtt Val	atc Ile	tca Ser 320	gaa Glu	gaa Glu	gaa Glu	tcg Ser	aaa Lys 325	tcc Ser	gga Gly	gat Asp	tat Tyr	tcc Ser 330	1012
aac Asn	tcg Ser	tgg Trp	aga Arg	cta Leu 335	tgc Cys	acg Thr	gtt Val	acg Thr	caa Gln 340	gtc Val	gaa Glu	gaa Glu	ctc Leu	aag Lys 345	att Ile	1060
ctg Leu	atc Ile	cga Arg	atg Met 350	ttc Phe	cca Pro	atc Ile	tgg Trp	gct Ala 355	tct Ser	ggt Gly	atc Ile	att	ttc Phe 360	tca Ser	gct Ala	1108
gta Val	tac Tyr	gca Ala 365	caa Gln	atg Met	tcc Ser	aca Thr	atg Met 370	ttt Phe	gtt Val	caa Gln	caa Gln	ggc Gly 375	cga Arg	gcc Ala	atg Met	1156
aac Asn	tgc Cys 380	aaa Lys	att Ile	gga Gly	tca Ser	ttc Phe 385	cag Gln	ctt Leu	cct Pro	cct Pro	gca Ala 390	gca Ala	ctc Leu	ggg Gly	aca Thr	1204
ttc Phe 395	gac Asp	aca Thr	gca Ala	agc Ser	gtc Val 400	atc Ile	atc Ile	tgg Trp	gtg Val	ccg Pro 405	ctc Leu	tac Tyr	gac Asp	cgg Arg	ttc Phe 410	1252
atc Ile	gtt Val	ccc Pro	tta Leu	gca Ala 415	aga Arg	aag Lys	ttc Phe	aca Thr	gga Gly 420	gta Val	gac Asp	aaa Lys	gga Gly	ttc Phe 425	act Thr	1300
gag Glu	ata Ile	caa Gln	aga Arg 430	atg Met	gga Gly	att Iļe	ggt Gly	ctg Leu 435	ttt Phe	gtc Val	tct Ser	gtt Val	ctc Leu 440	tgt Cys	atg Met	1348
gca Ala	gct Ala	gca Ala 445	gct Ala	atc Ile	gtc Val	gaa Glu	atc Ile 450	atc Ile	cgt Arg	ctc Leu	cat His	atg Met 455	gcc Ala	aac Asn	gat Asp	1396
ctt Leu	gga Gly 460	tta Leu	gtc Val	gag Glu	tca Ser	gga Gly 465	gcc Ala	cca Pro	gtt Val	ccc Pro	ata Ile 470	tcc Ser	gtc Val	ttg Leu	tgg Trp	1444
cag Gln 475	att Ile	cca Pro	cag Gln	tac Tyr	ttc Phe 480	att Ile	ctc Leu	ggt Gly	gca Ala	gcc Ala 485	gaa Glu	gta Val	ttc Phe	tac Tyr	ttc Phe 490	1492
atc Ile	ggt Gly	cag Gln	ctc Leu	gag Glu 495	ttc Phe	ttc Phe	tac Tyr	gac Asp	caa Gln 500	tct Ser	cca Pro	gat Asp	gca Ala	atg Met 505	aga Arg	1540
agc Ser	ttg Leu	tgc Cys	agt Ser	gcc Ala	tta Leu	gct Ala	ctt Leu	ttg Leu	acc Thr	aat Asn	gca Ala	ctt Leu	ggt Gly	aac Asn	tac Tyr	1588

515 510 520 ttg agc tcg ttg atc ctc acg ctc gtg act tat ttt aca aca aga aat Leu Ser Ser Leu Ile Leu Thr Leu Val Thr Tyr Phe Thr Thr Arg Asn 530 ggg caa gaa ggt tgg att tcg gat aat ctc aat tca ggt cat ctc gat Gly Gln Glu Gly Trp Ile Ser Asp Asn Leu Asn Ser Gly His Leu Asp 545 550 tac ttc ttc tgg ctc ttg gct ggt ctt agc ctt gtg aac atg gcg gtt Tyr Phe Phe Trp Leu Leu Ala Gly Leu Ser Leu Val Asn Met Ala Val 560 565 tac ttc ttc tct gct gct agg tat aag caa aag aaa gct tcg tcg tag 1780 Tyr Phe Phe Ser Ala Ala Arg Tyr Lys Gln Lys Lys Ala Ser Ser 575 580 taatgctgtt a 1791 <210> 32 <211> 585 <212> PRT <213> Arabidopsis thaliana Met Gly Ser Ile Glu Glu Glu Ala Arg Pro Leu Ile Glu Glu Gly Leu Ile Leu Gln Glu Val Lys Leu Tyr Ala Glu Asp Gly Ser Val Asp Phe Asn Gly Asn Pro Pro Leu Lys Glu Lys Thr Gly Asn Trp Lys Ala Cys Pro Phe Ile Leu Gly Asn Glu Cys Cys Glu Arg Leu Ala Tyr Tyr Gly Ile Ala Gly Asn Leu Ile Thr Tyr Leu Thr Thr Lys Leu His Gln Gly Asn Val Ser Ala Ala Thr Asn Val Thr Thr Trp Gln Gly Thr Cys Tyr Leu Thr Pro Leu Ile Gly Ala Val Leu Ala Asp Ala Tyr Trp Gly Arg 105 Tyr Trp Thr Ile Ala Cys Phe Ser Gly Ile Tyr Phe Ile Gly Met Ser 115 Ala Leu Thr Leu Ser Ala Ser Val Pro Ala Leu Lys Pro Ala Glu Cys 135 Ile Gly Asp Phe Cys Pro Ser Ala Thr Pro Ala Gln Tyr Ala Met Phe 150

Phe Gly Gly Leu Tyr Leu Ile Ala Leu Gly Thr Gly Gly Ile Lys Pro Cys Val Ser Ser Phe Gly Ala Asp Gln Phe Asp Asp Thr Asp Ser Arg 185 Glu Arg Val Arg Lys Ala Ser Phe Phe Asn Trp Phe Tyr Phe Ser Ile 195 200 205 Asn Ile Gly Ala Leu Val Ser Ser Ser Leu Leu Val Trp Ile Gln Glu 215 Asn Arg Gly Trp Gly Leu Gly Phe Gly Ile Pro Thr Val Phe Met Gly 225 230 Leu Ala Ile Ala Ser Phe Phe Phe Gly Thr Pro Leu Tyr Arg Phe Gln 250 Lys Pro Gly Gly Ser Pro Ile Thr Arg Ile Ser Gln Val Val Ala 265 Ser Phe Arg Lys Ser Ser Val Lys Val Pro Glu Asp Ala Thr Leu Leu 280 Tyr Glu Thr Gln Asp Lys Asn Ser Ala Ile Ala Gly Ser Arg Lys Ile 295 Glu His Thr Asp Asp Cys Gln Tyr Leu Asp Lys Ala Ala Val Ile Ser 305 315 Glu Glu Glu Ser Lys Ser Gly Asp Tyr Ser Asn Ser Trp Arg Leu Cys 330 Thr Val Thr Gln Val Glu Glu Leu Lys Ile Leu Ile Arg Met Phe Pro 340 345 Ile Trp Ala Ser Gly Ile Ile Phe Ser Ala Val Tyr Ala Gln Met Ser 360 Thr Met Phe Val Gln Gln Gly Arg Ala Met Asn Cys Lys Ile Gly Ser Phe Gln Leu Pro Pro Ala Ala Leu Gly Thr Phe Asp Thr Ala Ser Val 385 390 395 Ile Ile Trp Val Pro Leu Tyr Asp Arg Phe Ile Val Pro Leu Ala Arg 405 Lys Phe Thr Gly Val Asp Lys Gly Phe Thr Glu Ile Gln Arg Met Gly 425 Ile Gly Leu Phe Val Ser Val Leu Cys Met Ala Ala Ala Ile Val 440 Glu Ile Ile Arg Leu His Met Ala Asn Asp Leu Gly Leu Val Glu Ser

Gly Ala Pro Val Pro Ile Ser Val Leu Trp Gln Ile Pro Gln Tyr Phe 470 475 Ile Leu Gly Ala Ala Glu Val Phe Tyr Phe Ile Gly Gln Leu Glu Phe 490 Phe Tyr Asp Gln Ser Pro Asp Ala Met Arg Ser Leu Cys Ser Ala Leu 505 Ala Leu Leu Thr Asn Ala Leu Gly Asn Tyr Leu Ser Ser Leu Ile Leu 520 Thr Leu Val Thr Tyr Phe Thr Thr Arg Asn Gly Gln Glu Gly Trp Ile 535 Ser Asp Asn Leu Asn Ser Gly His Leu Asp Tyr Phe Phe Trp Leu Leu 555 Ala Gly Leu Ser Leu Val Asn Met Ala Val Tyr Phe Phe Ser Ala Ala 565 570 Arg Tyr Lys Gln Lys Lys Ala Ser Ser 580 <210> 33 <211> 1984 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (20)..(1975) <400> 33 ttcaccgtcg gcttctcaa atg cag gat att ctc gga tcg gtt cgc cga tcc Met Gln Asp Ile Leu Gly Ser Val Arg Arg Ser ttg gtt ttc cgg tcg tct ttg gcc gga gac gat ggt act agc ggc gga Leu Val Phe Arg Ser Ser Leu Ala Gly Asp Asp Gly Thr Ser Gly Gly 15 20 ggt ctt agc gga ttc gtc ggg aag att aac tct agt atc cgt agc tct Gly Leu Ser Gly Phe Val Gly Lys Ile Asn Ser Ser Ile Arg Ser Ser .35 cga att ggg ctc ttt tct aag ccg cct cca ggg ctt cct gct cct aga 196 Arg Ile Gly Leu Phe Ser Lys Pro Pro Pro Gly Leu Pro Ala Pro Arg 50 aaa gaa gcg ccg tcg att cgg tgg agg aaa ggg gaa tta atc ggt Lys Glu Glu Ala Pro Ser Ile Arg Trp Arg Lys Gly Glu Leu Ile Gly 60 65 70 tgc ggt gct ttt gga aga gtt tac atg gga atg aac ctc gat tcc ggc

Суѕ	Gly	Ala	Phe	Gly 80	Arg	Val-	Tyr	Met	Gly 85	Met	Asn	Leu	Asp	Ser 90	Gly	•
gag Glu	ctt Leu	ctt Leu	gca Ala 95	att	aaa Lys	cag Gln	gtt Val	tta Leu 100	atc	gct Ala	cca Pro	agc Ser	agt Ser 105	gct	tca Ser	340
												gaa Glu 120				388
										-	_	tac Tyr	_		•	436
gta Val 140	aga Arg	gag Glu	agt Ser	gat Asp	tcg Ser 145	ttg Leu	aat Asn	att Ile	ttg Leu	atg Met 150	gag Glu	ttt Phe	gtt Val	cct Pro	ggt Gly 155	484
gga Gly	tca Ser	ata Ile	tca Ser	tct Ser 160	ttg Leu	ttg Leu	gag Glu	aag Lys	ttt Phe 165	gga Gly	tct Ser	ttt Phe	cct Pro	gag. Glu 170	cct Pro	532
gtg Val	att Ile	att Ile	atg Met 175	Tyr	aca Thr	aag Lys	caa Gln	ctt Leu 180	ctg Leu	ctt Leu	ggg	ctg Leu	gaa Glu 185	tat Tyr	ctt Leu	580
												gca Ala 200				628
gtc Val	gat Asp 205	aac Asn	aaa Lys	ggt Gly	tgc Cys	atc Ile 210	aga Arg	ctc Leu	gca Ala	gat Asp	ttt Phe 215	ggt Gly	gct Ala	tcc Ser	aag Lys	676
aaa Lys 220	gtt Val	gta Val	gag Glu	cta Leu	gct Ala 225	Thr	gta Val	aat Asņ	ggt Gly	gcc Ala 230	aaa Lys	tct Ser	atg Met	aag Lys	ggg Gly 235	724
acg Thr	cct Pro	tat Tyr	tgg Trp	atg Met 240	gct Ala	cct Pro	gaa Glu	gtc Val	att Ile 245	ctc Leu	cag Gln	act Thr	ggt Gly	cat His 250	agc Ser	772
ttc Phe	tct Ser	gct Ala	gat Asp 255	ata Ile	tgg Trp	agt Ser	gtt Val	ggg Gly 260	tgc Cys	act Thr	gtg Val	att Ile	gag Glu 265	atg Met	gct Ala	820
acg Thr	Gly	aag Lys 270	cct Pro	ccc Pro	tgg Trp	agc Ser	gag Glu 275	cag Gln	tat Tyr	cag Gln	cag Gln	ttt Phe 280	Ala	gct Ala	gtc Val	868
ctt Leu	cat His 285	att Ile	ggt Gly	aga Arg	aca Thr	aaa Lys 290	gct Ala	cat His	cct Pro	cca Pro	att Ile 295	cca Pro	gaa Glu	gac Asp	ctc Leu	916
												cac His				964

300					305					310					315	
.agc Ser	ttg Leu	aga Arg	ctc Leu	ser 320	gca Ala	acc Thr	gaa Glu	ttg Leu	ctt Leu 325	cag Gln	cac His	ccg Pro	ttt Phe	gtc Val 330	act Thr	1012
gga Gly	aag Lys	cgc Arg	cag Gln 335	gaa Glu	cct Pro	tat Tyr	cca Pro	gct Ala 340	tac Tyr	cgt Arg	aat Asn	tct Ser	ctt Leu 345	acg Thr	gaa Glu	1060
tgt Cys	gga Gly	aac Asn 350	cca Pro	ata Ile	act Thr	act Thr	caa Gln 355	gga Gly	atg Met	aat Asn	gtt Val	cgg Arg 360	agt Ser	tca Ser	ata Ile	1108
aat Asn	tcg Ser 365	ttg Leu	atc Ile	agg Arg	agg Arg	tcg Ser 370	aca Thr	tgt Cys	tca Ser	ggc Gly	ttg Leu 375	aag Lys	gat Asp	gtc Val	tgt Cys	1156
gaa Glu 380	ctg Leu	gga Gly	agc Ser	ttg Leu	agg Arg 385	agt Ser	tcc Ser	att Ile	ata Ile	tac Tyr 390	cca Pro	cag Gln	aag Lys	tca Ser	aat Asn 395	1204
aac Asn	tca Ser	gga Gly	ttt Phe	ggt Gly 400	tgg Trp	cga Arg	gat Asp	gga Gly	gac Asp 405	tct Ser	gat Asp	gac Asp	ctt Leu	tgt Cys 410	cag Gln	1252
acc Thr	gat Asp	atg Met	gat Asp 415	gat Asp	ctc Leu	tgc Cys	aac Asn	att Ile 420	gaa Glu	tca Ser	gtc Val	aga Arg	aac Asn 425	aat Asn	gtt Val	1300
ttg Leu	tca Ser	cag Gln 430	tcc Ser	acc Thr	gat Asp	tta Leu	aac Asn 435	aag Lys	agt Ser	ttt Phe	aat Asn	ccc Pro 440	atg Met	tgt Cys	gat Asp	1348
tcc Ser	acg Thr 445	gat Asp	aac Asn	tgg Trp	tct Ser	tgc Cys 450	aag Lys	ttt Phe	gat Asp	gaa Glu	agc Ser 455	cca Pro	aaa Lys	gtg Val	atg Met	1396
aaa Lys 460	agc Ser	aaa Lys	tct Ser	aac Asn	ctg Leu 465	ctt Leu	tct Ser	tac Tyr	caa Gln	gct Ala 470	tct Ser	caa Gln	ctc Leu	caa Gln	act Thr 475	1444
gga Gly	gtt Val	cca Pro	tgt Cys	gat Asp 480	gag Glu	gaa Glu	acc Thr	agc Ser	tta Leu 485	aca Thr	ttt Phe	gct Ala	ggt Gly	ggc Gly 490	tct Ser	1492
tcc Ser	gtt Val	gca Ala	gag Glu 495	gat Asp	gat Asp	tat Tyr	aaa Lys	ggc Gly 500	aca Thr	gag Glu	ttg Leu	aaa Lys	ata Ile 505	aaa Lys	tca Ser	1540
ttt Phe	ttg Leu	gat Asp 510	gag Glu	aag Lys	gct Ala	cag Gln	gat Asp 515	ttg Leu	aaa Lys	agg Arg	ttg Leu	cag Gln 520	acc Thr	cct Pro	ctg Leu	1588
ctt Leu	gaa Glu 525	gaa Glu	ttc Phe	cac His	aat Asn	gct Ala 530	atg Met	aat Asn	Pro CCa	gga Gly	ata Ile 535	ccc Pro	caa Gln	ggt Gly	gca Ala	1636

											tta Leu			Ile		1684
											tca Ser					1732
		Pro									aca Thr					1780
						Thr					gtc Val					1828
aag Lys	aag Lys 605	gga Gly	gta Val	aat Asn	aat Asn	agc Ser 610	cgt Arg	tgt Cys	ttc Phe	tca Ser	gag Glu 615	ata Ile	cgt Arg	cgg Arg	aag Lys	1876
tgg Trp 620	gaa Glu	gaa Glu	gaa Glu	ctc Leu	tat Tyr 625	gaa Glu	gag Glu	ctt Leu	gag Glu	agg Arg 630	cat His	cga Arg	gag Glu	aat Asn	ctg Leu 635	1924
cga Arg	cac His	gct Ala	ggt Gly	gca Ala 640	gga Gly	ggg Gly	aag Lys	act Thr	cca Pro 645	tta Leu	tca Ser	ggc Gly	cac His	aaa Lys 650	gga Gly	1972
tag	tgaa	cggc	:t													1984

<210> 34

<211> 651

<212> PRT

<213> Arabidopsis thaliana

<400> 34

Met Gln Asp Ile Leu Gly Ser Val Arg Arg Ser Leu Val Phe Arg Ser 1 5 10 15

Ser Leu Ala Gly Asp Asp Gly Thr Ser Gly Gly Gly Leu Ser Gly Phe 20 25 30

Val Gly Lys Ile Asn Ser Ser Ile Arg Ser Ser Arg Ile Gly Leu Phe 35 40 45

Ser Lys Pro Pro Pro Gly Leu Pro Ala Pro Arg Lys Glu Glu Ala Pro 50 55 60

Ser Ile Arg Trp Arg Lys Gly Glu Leu Ile Gly Cys Gly Ala Phe Gly 65 70 75 80

Arg Val Tyr Met Gly Met Asn Leu Asp Ser Gly Glu Leu Leu Ala Ile 85 90 95

Lys Gln Val Leu Ile Ala Pro Ser Ser Ala Ser Lys Glu Lys Thr Gln 105 Gly His Ile Arg Glu Leu Glu Glu Glu Val Gln Leu Leu Lys Asn Leu 120 Ser His Pro Asn Ile Val Arg Tyr Leu Gly Thr Val Arg Glu Ser Asp 135 Ser Leu Asn Ile Leu Met Glu Phe Val Pro Gly Gly Ser Ile Ser Ser 150 155 Leu Leu Glu Lys Phe Gly Ser Phe Pro Glu Pro Val Ile Ile Met Tyr 170 Thr Lys Gln Leu Leu Gly Leu Glu Tyr Leu His Asn Asn Gly Ile 185 Met His Arg Asp Ile Lys Gly Ala Asn Ile Leu Val Asp Asn Lys Gly 200 Cys Ile Arg Leu Ala Asp Phe Gly Ala Ser Lys Lys Val Val Glu Leu Ala Thr Val Asn Gly Ala Lys Ser Met Lys Gly Thr Pro Tyr Trp Met Ala Pro Glu Val Ile Leu Gln Thr Gly His Ser Phe Ser Ala Asp Ile 245 250 Trp Ser Val Gly Cys Thr Val Ile Glu Met Ala Thr Gly Lys Pro Pro 265 Trp Ser Glu Gln Tyr Gln Gln Phe Ala Ala Val Leu His Ile Gly Arg Thr Lys Ala His Pro Pro Ile Pro Glu Asp Leu Ser Pro Glu Ala Lys Asp Phe Leu Met Lys Cys Leu His Lys Glu Pro Ser Leu Arg Leu Ser 310 315 Ala Thr Glu Leu Leu Gln His Pro Phe Val Thr Gly Lys Arg Gln Glu 325 330 Pro Tyr Pro Ala Tyr Arg Asn Ser Leu Thr Glu Cys Gly Asn Pro Ile 345 Thr Thr Gln Gly Met Asn Val Arg Ser Ser Ile Asn Ser Leu Ile Arg 360 Arg Ser Thr Cys Ser Gly Leu Lys Asp Val Cys Glu Leu Gly Ser Leu Arg Ser Ser Ile Ile Tyr Pro Gln Lys Ser Asn Asn Ser Gly Phe Gly 390 395

Trp Arg Asp Gly Asp Ser Asp Asp Leu Cys Gln Thr Asp Met Asp Asp

Leu Cys Asn Ile Glu Ser Val Arg Asn Asn Val Leu Ser Gln Ser Thr Asp Leu Asn Lys Ser Phe Asn Pro Met Cys Asp Ser Thr Asp Asn Trp 440 Ser Cys Lys Phe Asp Glu Ser Pro Lys Val Met Lys Ser Lys Ser Asn 455 460 Leu Leu Ser Tyr Gln Ala Ser Gln Leu Gln Thr Gly Val Pro Cys Asp 465 470 Glu Glu Thr Ser Leu Thr Phe Ala Gly Gly Ser Ser Val Ala Glu Asp 490 Asp Tyr Lys Gly Thr Glu Leu Lys Ile Lys Ser Phe Leu Asp Glu Lys 505 Ala Gln Asp Leu Lys Arg Leu Gln Thr Pro Leu Leu Glu Glu Phe His 520 Asn Ala Met Asn Pro Gly Ile Pro Gln Gly Ala Leu Gly Asp Thr Asn 535 Ile Tyr Asn Leu Pro Asn Leu Pro Ser Ile Ser Lys Thr Pro Lys Arg 555 Leu Pro Ser Arg Arg Leu Ser Ala Ile Ser Asp Ala Met Pro Ser Pro 570 Leu Lys Ser Ser Lys Arg Thr Leu Asn Thr Ser Arg Val Met Gln Ser 580 585

Asn Ser Arg Cys Phe Ser Glu Ile Arg Arg Lys Trp Glu Glu Glu Leu

Gly Thr Glu Pro Thr Gln Val Asn Glu Ser Thr Lys Lys Gly Val Asn 595 600 605

Tyr Glu Glu Leu Glu Arg His Arg Glu Asn Leu Arg His Ala Gly Ala 625 630 635 640

Gly Gly Lys Thr Pro Leu Ser Gly His Lys Gly 645 650

<210> 35

<211> 1736

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (1)..(1605)

)> 35												•		
					atg Met										48
				_	cca Pro							-			96
	-	_			gga Gly		_	-			_	_			144
					gtc Val				_	-					192
					cct Pro 70										240
					tgc Cys									Arg	288
					caa Gln										336
	-	_	_	_	acg Thr		_			_		-			384
					tca Ser										432
					gac Asp 150										480
					cga Arg	_	_		_			_			528
					ggg Gly										57 _, 6
					agg Arg										624
					cgg Arg										672

	210					215					220					
aca Thr 225	ggc Gly	aga Arg	atg Met	cag Gln	ctg Leu 230	agt Ser	.atg Met	aac Asn	agc Ser	cgt Arg 235	ttg Leu	cga Arg	gtc Val	gag Glu	agc Ser 240	720
ctc Leu	gtg Val	tcc Ser	gcg Ala	ggc Gly 245	cag Gln	agc Ser	gtg Val	gcg Ala	tca Ser 250	ttc Phe	tgc Cys	ctt Leu	ttc Phe	ctg Leu 255	ata Ile	768
tgc Cys	acg Thr	gcg Ala	ccc Pro 260	tcg Ser	gcg Ala	atg Met	cgg Arg	ctg Leu 265	gtt Val	agc Ser	ctt Leu	ctt Leu	aca Thr 270	ctg Leu	acc Thr	816
cca Pro	agc Ser	atg Met 275	Thr	tac Tyr	cta Leu	aca Thr	tge Cys 280	ggg Gly	ctg Leu	gga Gly	tgg Trp	atg Met 285	Thr	gtc Val	gtc Val	864
gta Val	ctg Leu 290	ccg Pro	gcg Ala	ata Ile	gtg Val	gtc Val 295	cac His	tgt Cys	taț Tyr	atg Met	cgc Arg 300	cga Arg	cat	acg Thr	gaa Glu	912
ggg Gly 305	gga Gly	tgg Trp	cgg Arg	tat Tyr	gcg Ala 310	gca Ala	ctc Leu	gag Glu	gag Glu	cat His 315	aag Lys	acg Thr	gag Glu	ccg Pro	gga Gly 320	960
cga Arg	aat Asn	gaa Glu	aag Lys	atc Ile 325	acc Thr	cgg Arg	agt Ser	aga Arg	cgc Arg 330	aac Asn	tcg Ser	gcg Ala	ttc Phe	ggc Gly 335	GJA aaa	1008
ctg Leu	gtc Val	ggt Gly	cga Arg 340	aat Asn	aaa Lys	aga Arg	cga Arg	aag Lys 345	aag Lys	tcc Ser	aag Lys	gtc Val	tcc Ser 350	Gly	gca Ala	1056
ccg Pro	aca Thr	gcg Ala 355	gtt Val	tac Tyr	aca Thr	gcg Ala	atg Met 360	ttt Phe	ttc Phe	atg Met	ttc Phe	tcc Ser 365	acg Thr	gca Ala	atc Ile	1104
aag Lys	ggg Gly 370	atg Met	gtg Val	gtg Val	tgc Cys	aca Thr 375	atg Met	aaa Lys	aaa Lys	aaa Lys	gtc Val 380	aaa Lys	aaa Lys	agt Ser	gcg Ala	1152
aat Asn 385	cgc Arg	aga Arg	ctc Leu	cgc Arg	cag Gln 390	ttg Leu	ctc Leu	cga Arg	tgg Trp	gcg Ala 395	cga Arg	tac Tyr	cac His	gcg Ala	aac Asn 400	1200
gcg Ala	ttc Phe	ttg Leu	ctc Leu	tgt Cys 405	tct Ser	ctt Leu	gca Ala	tgc Cys	gca Ala 410	cga Arg	ttc Phe	gcg Ala	gca Ala	tcg Ser 415	cga Arg	1248
acg Thr	gtc Val	atc Ile	cat His 420	tgc Cys	agt Ser	att Ile	tac Tyr	cca Pro 425	cgt Arg	ttc Phe	ggc Gly	ccc Pro	tta Leu 430	gcc Ala	acg Thr	1296
gtg Val	acg Thr	gcc Ala 435	ata Ile	tgt Cys	ttg Leu	ata Ile	cta Leu 440	cac His	acg Thr	tgt Cys	acg Thr	tac Tyr 445	cga Arg	cgt Arg	acg Thr	1344

Glu	Ala 450	gac Asp	Thr	Thr	Arg	His 455	Glu	Asn	Asp	Asp	gcc Ala 460	Arg	aag Lys	gtg Val	atg Met	1392
gaa Glu 465	gac Asp	atg Met	gcc Ala	Lys	cga Arg 470	atg Met	gaç Asp	gat Asp	agt Ser	agc Ser 475	agt Ser	GJA aaa	agc Ser	acg Thr	ttg Leu 480	1440
agc Ser	acg Thr	ctc Leu	acg Thr	act Thr 485	gac Asp	gag Glu	acg Thr	tac Tyr	cac His 490	acc Thr	acc Thr	acg Thr	gag Glu	gtg Val 495	acc	1488
gat Asp	ttt Phe	Asp	tca Ser 500	tct Ser	cca Pro	tcg Ser	tgg Trp	gga Gly 505	cga Arg	tgc Cys	tca Ser	tcg Ser	cgg Arg 510	cgc Arg	ccg Pro	1536
ccg Pro	gcg Ala	ctg Leu 515	ctg Leu	gaa Glu	tcg Ser	aca Thr	ttt Phe 520	cgg Arg	cga Arg	tcc Ser	ccg Pro	aga Arg 525	ggg Gly	tcg Ser	acg Thr	1584
			tgg Trp			tag 535	atto	ggag	gtc a	aggaa	cgtt	g ga	accga	acago	J	1635
tgga	ccgg	gtt t	aggg	gcagt	t ga	acggt	aggg	gtt	gccı	gac	cago	ctto	gac (gctcg	gacagc	1695
								•								1776
taaa	aaaa	aac o	caaca	aaaa	aa aa	aaaa	aaac	aaa	aaaa	aaaa	a					1736
<210 <211 <212)> 36 l> 53 2> PI	5 34 RT	dopsi				aaac	aaa	aaaa	aaaa	a			•		1/36
<210 <211 <211 <211	0> 36 l> 53 2> PI 3> A1	6 84 RT rabio	dopsi	is tì	nalia	ana					٠.	Acn	Car	Val	λla	
<210 <211 <211 <211	0> 36 l> 53 2> PI 3> A1	6 84 RT rabio	dopsi	is tì	nalia	ana					٠.	Asp	Ser	Val 15	Ala	
<210 <211 <211 <211 <400 Met	0> 36 1> 53 2> PI 3> Ai 0> 36 Pro	S4 RT cabic	dopsi Pro	is th Lys 5	nalia Met	ana Leu	Pro	Pro	Thr 10	Ala	Arg	_				1/36
<210 <211 <213 <213 <400 Met 1	0> 36 1> 53 2> PI 3> Ai 0> 36 Pro	5 34 RT rabio Pro	Pro Gly 20	Lys 5 Ser	nalia Met Pro	ina Leu Pro	Pro	Pro Pro 25	Thr 10	Ala Pro	Arg Pro	Pro	Ala 30	15	Trp	1/36
<210 <211 <211 <211 <400 Met 1 Gly	0> 36 1> 53 2> PF 3> Ai 0> 36 Pro Thr	34 RT cabic Pro Gly Ala 35	Pro Gly 20 Gly	Lys 5 Ser Glu	Met Pro Gly	Leu Pro Gly	Pro Pro Leu 40	Pro 25 Asp	Thr 10 Pro	Ala Pro Thr	Arg Pro	Pro Pro 45	Ala 30 Pro	15 Arg	Trp Pro	1/36
<210 <211 <211 <400 Met 1 Gly Arg	3> 36 1> 53 2> PF 3> Ar 1> 36 Pro Thr Val	34 RT rabio 5 Pro Gly Ala 35	Pro Gly 20 Gly Asp	Lys 5 Ser Glu Thr	Met Pro Gly Val	Leu Pro Gly Val	Pro Pro Leu 40	Pro 25 Asp	Thr 10 Pro Thr	Ala Pro Thr	Arg Pro Pro Ser 60	Pro Pro 45 Leu	Ala 30 Pro Gly	15 Arg Pro	Trp Pro Ala	1/36
<210 <211 <211 <400 Met 1 Gly Pro 65	0)> 36 l> 53 2> PF 3> An Pro Thr Val Thr 50	6 34 RT Fabio 6 Pro Gly Ala 35 Ala	Pro Gly 20 Gly Asp	Lys 5 Ser Glu Thr	Met Pro Gly Val Pro	Leu Pro Gly Val 55	Pro Leu 40 Ala	Pro 25 Asp Gly	Thr 10 Pro Thr Arg	Ala Pro Thr Thr Thr	Arg Pro Pro Ser 60	Pro 45 Leu	Ala 30 Pro Gly Trp	15 Arg Pro Glu	Trp Pro Ala Ala 80	1/36

Leu Ser Met Arg Pro Thr Ser Ser Pro Thr Arg Arg Ile Asp Pro Gln Gly Ala Arg Arg Ser Ser Val Ser Pro Ala Pro Val Thr Thr Gly Met 135 Ala Thr Ser Arg Thr Asp Asp Thr Leu Ile Glu Ala Glu Thr Gly Arg 150 155 Asp Trp Thr Arg Lys Arg Met Val Arg Lys Leu Leu Lys Ala Arg Ala 170 Lys Asp Tyr Lys Glu Gly Gly Ile Ala Ala Tyr Phe Gly Leu Arg Val Leu Arg Cys Tyr Ser Arg Ile Val Arg Ser Met Lys Arg Pro Gly Asn 200 Leu Lys Phe Thr Cys Arg Arg Asp Val Ala Ile Ala Thr Phe Ser Gly 215 220 Thr Gly Arg Met Gln Leu Ser Met Asn Ser Arg Leu Arg Val Glu Ser 235 Leu Val Ser Ala Gly Gln Ser Val Ala Ser Phe Cys Leu Phe Leu Ile Cys Thr Ala Pro Ser Ala Met Arg Leu Val Ser Leu Leu Thr Leu Thr 265 Pro Ser Met Thr Tyr Leu Thr Cys Gly Leu Gly Trp Met Thr Val Val 280 Val Leu Pro Ala Ile Val Val His Cys Tyr Met Arg Arg His Thr Glu 295 300 Gly Gly Trp Arg Tyr Ala Ala Leu Glu Glu His Lys Thr Glu Pro Gly Arg Asn Glu Lys Ile Thr Arg Ser Arg Arg Asn Ser Ala Phe Gly Gly Leu Val Gly Arg Asn Lys Arg Arg Lys Lys Ser Lys Val Ser Gly Ala 340 345 Pro Thr Ala Val Tyr Thr Ala Met Phe Phe Met Phe Ser Thr Ala Ile Lys Gly Met Val Val Cys Thr Met Lys Lys Lys Val Lys Lys Ser Ala Asn Arg Arg Leu Arg Gln Leu Leu Arg Trp Ala Arg Tyr His Ala Asn 390 395 Ala Phe Leu Leu Cys Ser Leu Ala Cys Ala Arg Phe Ala Ala Ser Arg

Thr Val Ile His Cys Ser Ile Tyr Pro Arg Phe Gly Pro Leu Ala Thr

425

420

Val Thr Ala Ile Cys Leu Ile Leu His Thr Cys Thr Tyr Arg Arg Thr 440 Glu Ala Asp Thr Thr Arg His Glu Asn Asp Asp Ala Arg Lys Val Met 450 455 Glu Asp Met Ala Lys Arg Met Asp Asp Ser Ser Ser Gly Ser Thr Leu 470 Ser Thr Leu Thr Thr Asp Glu Thr Tyr His Thr Thr Thr Glu Val Thr 490 Asp Phe Asp Ser Ser Pro Ser Trp Gly Arg Cys Ser Ser Arg Arg Pro 500 505 Pro Ala Leu Leu Glu Ser Thr Phe Arg Arg Ser Pro Arg Gly Ser Thr 515 520 525 Gly Arg Arg Trp Arg Glu 530 <210> 37 <211> 508 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (18)..(77) <220> <221> CDS <222> (156) . . (314) <220> <221> CDS <222> (374) . . (493) <400> 37 gaagaaaatc tatcatc atg caa gtg gct gac ata tcc tta cag ggc gat Met Gln Val Ala Asp Ile Ser Leu Gln Gly Asp gct aag aag ggt gcc aac ctc ttc aag gtacgaacag agcaaagatg 97 Ala Lys Lys Gly Ala Asn Leu Phe Lys 15 ccgctgaaaa ttctcacggc gcattctatc ccgcagaact tttctgacca ctttgtag 155 acc cgc tgc gct cag tgc cac acc ctg aag gcc ggc gag ggc aac aag Thr Arg Cys Ala Gln Cys His Thr Leu Lys Ala Gly Glu Gly Asn Lys 30

								ttc Phe 45						Ser		251
								aac Asn								299
	gac Asp 70				gtad	egtca	acg (ccaco	egga	ag at	tgaa	aatgt	cco	ecgaç	jacc	354
ctco	gcta	ac a	acgad	cacaç			ı Tyı					Lys			att Ile	406
ccc Pro 85	ggt Gly	acc Thr	aag Lys	atg Met	gcc Ala 90	ttc Phe	ggt Gly	ggt Gly	ctc Leu	aag Lys 95	aag Lys	ccc Pro	aag Lys	Asp	cgc Arg 100	454
								gag Glu		Thr		taa	gcgt	ctt	gct	503
acco	c								•						· · · .	508
<213 <213 <213	D> 38 L> 11 2> PF B> A1	l2 RT cabic	lopsi	is tl	nalia	ana	-					• .				
		•	Ala	Asp 5	Ile	Ser	Leu	Gln	Gly 10	Asp	Ala	Lys	Lys	Gly 15	Ala	
Asn	Leu	Phe	Lys 20	Thr	Arg	Cys	Ala	Gln 25	Cys	His	Thr	Leu	Lys 30	Aľa	Ģly	
Glu	Gly	Asn 35	Lys	Ile	Gly	Pro	Glu 40	Leu	His	Gly	Leu	Phe 45	Gly	Arg	Lys	
Thr	Gly 50	Ser	Val	Ala	Gly	Tyr 55	Ser	Tyr	Thr	Asp	Ala 60	Asn	Lys	Gln	Lys	
Gly 65	Ile	Glu	Trp	Lys	Asp 70		Thr	Leu	Phe	Glu 75	Tyr	Leu	Glu	Asn	Pro 80	•
Lys	Lys	Tyr	Ile	Pro 85	Gly	Thr	Lys	Met	Ala 90	Phe	Gly	Gly	Leu	Lys 95	Lys	
Pro	Lys	Asp	Arg 100	Asn	Asp	Leu	Ile	Thr 105	Phe	Leu	Glu	Glu	Glu 110	Thr	Lys	

```
<210> 39
<211> 5156
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (1)..(609)
<220>
<221> CDS
<222> (686)..(841)
<220>
<221> CDS
<222> (933)..(1040)
<220>
<221> CDS .
<222> (1130)..(1240)
<220>
<221> CDS
<222> (1341) .. (2729)
<220>
<221> CDS
<222> (2772)..(2984)
<220>
<221> CDS
<222> (4112)..(4200)
<220>
<221> CDS
<222> (4241)..(4332)
<220>
<221> CDS
<222> (4478)..(4521)
<220>
<221> CDS
<222> (5088)..(5156)
atg gca ccg aca cca tct tct tca aga tca aat caa act caa tac acc
Met Ala Pro Thr Pro Ser Ser Ser Arg Ser Asn Gln Thr Gln Tyr Thr
                                    10
tta atc aga act cca caa aca aaa caa cgt ctc aat ttc cac tca aaa
Leu Ile Arg Thr Pro Gln Thr Lys Gln Arg Leu Asn Phe His Ser Lys
             20
                                 25
acc cca aac cca gac gga tct aaa gat cca tct cca ccg gag cat cca
                                                                   144
Thr Pro Asn Pro Asp Gly Ser Lys Asp Pro Ser Pro Pro Glu His Pro
         35
                             40
```

gtt Val	gaa Glu 50	gta Val	atc Ile	ggc	cgg Arg	Ile 55	cga Arg	gat Asp	tac Tyr	cct Pro	gac Asp 60	cgg	aaa Lys	gag Glu	aaa Lys	192
tca Ser 65	cct Pro	tcg Ser	atc Ile	tta Leu	caa Gln 70	gtc Val	aac Asn	aca Thr	gat Asp	aat Asn 75	caa Gln	acg Thr	gta Val	cga Arg	gtc Val 80	240
aga Arg	gct Ala	gat Asp	gtt Val	ggg Gly 85	tac Tyr	aga Arg	gac Asp	ttc Phe	aca Thr 90	ctc Leu	gac Asp	ggt Gly	gtt Val	tct Ser 95	ttc Phe	288
tcg Ser	gag Glu	caa Gln	gaa Glu 100	ggt Gly	ctt Leu	gaa Glu	gag Glu	ttc Phe 105	tac Tyr	aag Lys	aag Lys	Phe	ata Ile 110	gaa Glu	gag Glu	336
agg Arg	att Ile	aaa Lys 115	gga Gly	gtg Val	aaa Lys	gtt Val	ggg Gly 120	aat Asn	aaa Lys	tgc Cys	acg Thr	att Ile 125	Met	atg Met	tat Tyr	384
gga Gly	cct Pro 130	act Thr	ggt Gly	gct Ala	gga Gly	aag Lys 135	agt Ser	cat His	act Thr	atg Met	Phe 140	ggt Gly	tgt Cys	ggg Gly	aaa Lys	432
gag Glu 145	cct Pro	ggg Gly	att Ile	gtg Val	tat Tyr 150	cgt Arg	tct Ser	ttg Leu	aga Arg	gat Asp 155	ata Ile	ttg Leu	gga Gly	gat Asp	tct Ser 160	480
gat Asp	caa Gln	gat Asp	ggt Gly	gtt Val 165	act Thr	ttt Phe	gtt Val	caa Gln	gtt Val 170	act Thr	gtt Val	ctt Leu	gag Glu	gtt Val 175	tat Tyr	528
aat Asn	gag Glu	gag Glu	att Ile 180	tat Tyr	gat Asp	ctt Leu	ctt Leu	tcg Ser 185	act Thr	aat Asn	agt Ser	agt Ser	aac Asn 190	aat Asn	tta Leu	576
ggt Gly	att Ile	ggt Gly 195	tgg Trp	cct Pro	aaa Lys	gga Gly	gca Ala 200	agc Ser	act Thr	aag Lys	gtaa	aagtt	tc (tgat	tgata	629
acti	tagi	tat a	acatt	gaat	t gg	gctti	caaag	ggtg	gtgta	actt	tgti	gtt	tg (tac	ag gtg Val	688
agg Arg 205	ctt Leu	gaa Glu	gta Val	atg Met	ggg Gly 210	aaa Lys	aag Lys	gcg Ala	aaa Lys	aac Asn 215	gca Ala	agt Ser	ttt Phe	att Ile	tct Ser 220	736
Gly ggg	aca Thr	gag Glu	gct Ala	ggg Gly 225	aag Lys	att Ile	tct Ser	aaa Lys	gaa Glu 230	att Ile	gtc Val	aaa Lys	gtg Val	gag Glu 235	aaa Lys	784
cgg Arg	aga Arg	att Ile	gtg Val 240	aag Lys	agt Ser	aca Thr	ctt Leu	tgt Cys 245	aac Asn	gaa Glu	aga Arg	agt Ser	tct Ser 250	cgg Arg	agt Ser	832
cac	tgc	att	gtaa	agaad	ega t	ctt	cttga	at to	gatgi	tgtai	t gca	atago	ttt			881

His Cys Ile 255

atgragetta tetetgtttt aacttactag tgtggttgtt tetttttgta g atc $\ensuremath{\text{Ile}}$	•
ctt gat gtg cca act gtt ggg gga aga ttg atg ctt gtt gac atg g Leu Asp Val Pro Thr Val Gly Gly Arg Leu Met Leu Val Asp Met A 260 265 270	gct 986 Ala
ggt tct gaa aat ata gac caa gct ggg cag act gga ttt gaa gct a Gly Ser Glu Asn Ile Asp Gln Ala Gly Gln Thr Gly Phe Glu Ala L 275 280 285	ag 1034 ys
atg caa gtaatgtttc ctctctcaat ttgtttgatt ctactaaagt tattgtagt Met Gln 290	t 1090
atggatatca actgacttat atctctcatt attcaacag act gct aag atc aa Thr Ala Lys Ile As 295	
cag gga aat att gca ctg aag cga gtt gtg gaa tct ata gca aat g Gln Gly Asn Ile Ala Leu Lys Arg Val Val Glu Ser Ile Ala Asn G 300 305 310	
gat tot cat gta coc tit aga gac ago aag otg aco atg ott oto of Asp Ser His Val Pro Phe Arg Asp Ser Lys Leu Thr Met Leu Leu G 315 320 325	ag 1240 ln
gtgaaattct tgttccattg ttttatcttc tggaaaatgt tttacgtgtt gcttgg	tttt 1300
cttgaagata tttagtgttg tttctattct ctgaatgcag gac tct ttt gaa g Asp Ser Phe Glu A 330	
gac aag tca aag att cta atg atc ctg tgt gcg agc ccg gat cca a Asp Lys Ser Lys Ile Leu Met Ile Leu Cys Ala Ser Pro Asp Pro L 335 340 345	ag 1403 ys
gaa atg cac aag act ctc tgt act cta gag tat ggg gca aaa gca a Glu Met His Lys Thr Leu Cys Thr Leu Glu Tyr Gly Ala Lys Ala L 350 355 360 3	ag 1451 ys 65
tgc ata gtt cgt ggg tct cat act cca aac aaa gat aag tat ggg g Cys Ile Val Arg Gly Ser His Thr Pro Asn Lys Asp Lys Tyr Gly G 370 375 380	
gat gag tct gct tct gct gtg att ttg gga tca aga ata gct gcc a Asp Glu Ser Ala Ser Ala Val Ile Leu Gly Ser Arg Ile Ala Ala M 385 390 395	tg 1547 et
gat gag ttc att atc aaa ctc cag tct gag aag aag caa aaa gaa a Asp Glu Phe Ile Ile Lys Leu Gln Ser Glu Lys Lys Gln Lys Glu L 400 405 410	aa 1595 ys
gaa agg aat gag gca caa aag cag ctg aag aag gaa gag gaa g	tt 1643

	Glu	Arg 415	Asn	Glu	Ala	Gln	Lys 420	Gln	Leu	Lys	Lys	Lys 425	Glu	Glu	Glu	Val	
	gct Ala 430	gct Ala	tta Leu	aga Arg	tct Ser	ctt Leu 435	tta Leu	aca Thr	cag Gln	agg Arg	gaa Glu 440	gct Ala	tgt Cys	gct Ala	acc Thr	aat Asn 445	1691
	gaa Glu	gag Glu	gag Glu	ata Ile	aaa Lys 450	gag Glu	aaa Lys	gta Val	aac Asn	gag Glu 455	aga Arg	acc Thr	cag Gln	ctt Leu	ttg Leu 460	aag Lys	1739
	tcg Ser	gaa Glu	cta Leu	gat Asp 465	aag Lys	aaa Lys	ctt Leu	gaa Glu	gaa Glu 470	tgc Cys	cga Arg	aga Arg	atg Met	gct Ala 475	gag Glu	gaa Glu	1787
	ttt Phe	gtt Val	gag Glu 480	atg Met	gag Glu	aga Arg	agg Arg	aga Arg 485	atg Met	gag Glu	gaa Glu	agg Arg	ata Ile 490	gtt Val	cag Gln	cag Gln	1835
•	caa Gln	gag Glu 495	gaa Glu	ctg Leu	gag Glu	atg Met	atg Met 500	agg Arg	aga Arg	cgg Arg	tta Leu	gag Glu 505	gaa Glu	atc Ile	gag Glu	gtt Val	1883
(gag Glu 510	ttc Phe	cgc Arg	cgc Arg	tca Ser	aat Asn 515	gga Gly	gga Gly	agt Ser	gtt Val	gat Asp 520	gaa Glu	act Thr	agt Ser	Gly	ttt Phe 525	1931
	gcc Ala	aaa Lys	aga Arg	ctc Leu	agg Arg 530	agt Ser	ctt Leu	tac Tyr	tct Ser	gat Asp 535	gat Asp	gat Asp	cct Pro	ggt Gly	atg Met 540	gtg Val	1979
:	aag Lys	tca Ser	atg Met	gac Asp 545	ctt Leu	gac Asp	atg Met	ggt Gly	gat Asp 550	cca Pro	gaa Glu	cct Pro	gtc Val	aag Lys 555	caa Gln	gtg Val	2027
•	tgg Trp	gga Gly	gct Ala 560	gtt Val	tca Ser	cac His	caa Gln	tca Ser 565	agc Ser	aac Asn	act Thr	att Ile	agt Ser 570	agc Ser	aac Asn	ttc Phe	2075
	act Thr	aac Asn 575	ctt Leu	ttg Leu	caa Gln	ccg Pro	aag Lys 580	cct Pro	tca Ser	gag Glu	aat Asn	atg Met 585	ctt Leu	aca Thr	cag Gln	atg Met	2123
١												gaa Glu					2171
,	gaa Glu	gaa Glu	gag Glu	gaa Glu	gaa Glu 610	aaa Lys	gtg Val	ata Ile	gtc Val	gag Glu 615	gat Asp	aaa Lys	agc Ser	atc Ile	tgc Cys 620	ttg Leu	2219
	ata Ile	aca Thr	aca Thr	cca Pro 625	atg Met	cct Pro	agt Ser	ttg Leu	aac Asn 630	tct Ser	gaa Glu	ggt Gly	ttg Leu	ggt. Gly 635	aaa Lys	gag Glu	2267
	aac Asn	tgc Cys	ttc Phe	aac Asn	ggt Gly	gca Ala	gat Asp	gac Asp	aag Lys	gaa Glu	tca Ser	gcc Ala	tcg Ser	tct Ser	aga Arg	agg Arg	2315

640		645	650	
ttg aga att caa Leu Arg Ile Gln 655	aac att ttc Asn Ile Phe 660	acc ctt tgt Thr Leu Cys	ggc aat cag aga gag ctg Gly Asn Gln Arg Glu Lev 665	2363
tct caa cac agt Ser Gln His Ser 670	gga cag gag Gly Gln Glu 675	Glu Asp Gln	gcc aat att gca tca cct Ala Asn Ile Ala Ser Pro 680 685	
	-		acg aat aag gcc gaa gca Thr Asn Lys Ala Glu Ala 700	
	Glu Ala Lys		atc tca gtc gat caa agg Ile Ser Val Asp Gln Arg 715	
gaa aac ggt cag Glu Asn Gly Gln 720	cta gat atc Leu Asp Ile	tat gtt aaa Tyr Val Lys 725	tgg gaa aca gct gct gat Trp Glu Thr Ala Ala Asp 730	2555
aac cct cga aag Asn Pro Arg Lys 735	ctc ata aca Leu Ile Thr 740	aca ctg aga Thr Leu Arg	gtt aca aag gat gca aca Val Thr Lys Asp Ala Th 745	a 2603
		Ile Glu Ile	tac ctt gga tct gat aat Tyr Leu Gly Ser Asp Asr 760	1
cag gct ttt acc	ttt ctc aag Phe Leu Lys 770	ctc ggg gta Leu Gly Val 775	ata aac ttg aac caa caa Ile Asn Leu Asn Gln Gln 780	a 2699 1
gca caa aaa gct Ala Gln Lys Ala 785	Phe His Phe		gttatgctct gatcctaaat	2749
gcagttattt caat			a gct caa gtg gca aag ga v Ala Gln Val Ala Lys G s	
aaa gaa tca aca Lys Glu Ser Thr 805	Val Gln Ala	acg agc cta Thr Ser Leu 810	cct ctc tgc aac gga cac Pro Leu Cys Asn Gly His 815	2849
gca tac ctc gcc Ala Tyr Leu Ala 820	act ttg aga Thr Leu Arg	cca gga aag Pro Gly Lys 825	agc tca caa cat aaa agt Ser Ser Gln His Lys Ser 830	2897
			ccc ata gaa aac atg atg Pro Ile Glu Asn Met Met 845	
gaa gtt acc ccc Glu Val Thr Pro 850	e atc tca aaa o Ile Ser Lys 855	gtg aca ccg Val Thr Pro	aac cat caa gttgatgaat Asn His Gln 860	2994

.;«.

tttcatcacc caatctcgta gctcatctca gctccactcc attcatcact ctcagaaga	3054
attagtcgct atgtcttgtt ttctctattc ttcttttgtc tgtccaaagg tagcttttg	a 3114
aagatgtagc agcetttgte tatttetetg tgttgagaaa aaaaaaacte ttatgtacg	a 3174
ccacttttgt agctatatat atgttctacg atgtttcagc agagtggtgt ttatcagaa	3234
gtataactgg tgtttcccaa aggatgctta gttctactta taacatatac ataagtaga	g 3294
agaatgctgc agccacatag agctacttct tacctctctc tgtcattgta acatatgga	c 3354
aaattccaaa agccctattc aattccaacc ccaatatctt tatgatcatc atcataacg	t 3414
gaacaccaaa aacaagggca aaaatttcaa aggctcttaa aaataacaat atcccggaa	g 3474
caaagattac ctgcaactgc aagggaaagc caagccctat tatagaaaag caacttcat	t 3534
agttaagccc tatctctcaa tatgctcaca tgcatgcatt gaccaaatgt cttcttta	t 3594
ctacaggtac tcagtcactt tcttagttac acactagatt aactcaattc ttctgcaac	c 3654
tcattatctc caaagtaaaa gaccactgtt attgatgttt ttatggataa tatatgatg	a 3714
ttcatcttta ttacattagc tgaatacaga acaacaacca attaactcaa ttattttga	a 3774
agatgtatgt agcctgtcta tttctcggtg ttgagaaaaa aaacgctatg tacgaccac	t 3834
ttcagcagtc aaagtgagtg actagagcca tcagcatgga gtgtttttca agttgtaca	a 3894
caagatttgt caacaaagtc taaaactttc ttttattcga ccataatatg actgactag	g 3954
cacgttggtt ttcgatatac agtttaaaag gttggagaag atgactagat gagataggt	t 4014
ttcatatttt acttccacat cgaagtttta gagaacagaa agaggagaaa attgaagta	c 4074
acatgagaca agttacactt taaagcttta ttaacag att ctt tta aaa aca gag Ile Leu Leu Lys Thr Glu 865	_
act gag aga ttg gga gag gca gat tac att aac tct ctt tct ctc tct Thr Glu Arg Leu Gly Glu Ala Asp Tyr Ile Asn Ser Leu Ser Leu Ser 870 875 880	4177
cac ttt ctc atc ttg ttc cca ag gttaaaaaac aattcgagga catgtctttc His Phe Leu Ile Leu Phe Pro Ar 885 890	4230
ctattttcag a gga gag agc cat cag cac cga atg ttg tct ttt cac tct g Gly Glu Ser His Gln His Arg Met Leu Ser Phe His Ser 895 900 905	
cat caa act tct cct tcc cta tct tca ttt cct ctt tcc aga gcc His Gln Thr Ser Pro Ser Leu Ser Ser Phe Pro Leu Leu Ser Arg Ala 910 915 920	4328

gat g gtaaggaget egaagtttet aatggeatee teatgeceag geettgetge Asp A agetgeagat teatagetet gtggaaceeg ttgggttgtg geatgaegtg aaceaettga 4442 aaatagtegg cttgagtggt tetegettgg tteag et gat gag eea ggt etg gtg 4497 la Asp Glu Pro Gly Leu Val 925 ctt gat atc aca cct ctc ttt gag gtacttccat ttcgagactc gtgctgcaaa 4551 Leu Asp Ile Thr Pro Leu Phe Glu 930 935 tgaagccagc aaatcaaaac acacaaactt tctcatgttc tgattcccta cttattctga 4611 gaattacttt ggatcattac aacaagagaa ataacaacac aaactaacca cttccttggc 4671 agaagagggt atatcatcag aagatetgtg tetagagega teaccaagag egeettgget 4731 tgaaacattt cgtctggtga atgcctcaat tgcacctgta aatcttcctc gcaggtcctg 4791 tccgactaaa cagaataggg aaagaagttc tcagtttgag atcttccact attcaacaat 4851 ttaattaaat ctctggacac aaattcaaaa tcttctaagg gaaacaacat atgaatgtta 4911 atatctgaag ggtcaagtga gatagtgcac gtttttcagc acccaaaatt gtcaacactg 4971 tctcataaat ttacaactta aaataaactt tttgatatat ctctttgtat tcgtccctcc 5031 aatataagag acagagaaca tcaatgtacc tgtaggcttt tcagctcttt ctgcag gtg 5090 Val gtc ctg gag ggt cca acg ctg gtc ttg gag ttg gct gtt gta aat gat Val Leu Glu Gly Pro Thr Leu Val Leu Glu Leu Ala Val Val Asn Asp 940 945 aga cac ata gca gga taa 5156 Arg His Ile Ala Gly 955 <210> 40 · <211> 959 <212> PRT <213> Arabidopsis thaliana <400> 40 Met Ala Pro Thr Pro Ser Ser Ser Arg Ser Asn Gln Thr Gln Tyr Thr Leu Ile Arg Thr Pro Gln Thr Lys Gln Arg Leu Asn Phe His Ser Lys 20 25 Thr Pro Asn Pro Asp Gly Ser Lys Asp Pro Ser Pro Pro Glu His Pro 40 Val Glu Val Ile Gly Arg Ile Arg Asp Tyr Pro Asp Arg Lys Glu Lys

	50					55					60				
Ser 65	Pro	Ser	Ile	Leu	Gln 70	Val	Asn	Thr	Asp	Asn 75	Gln	Thr	Val	Arg	Va.
Arg	Ala	Asp	Val	Gly 85	Tyr	Arg	Asp	Phe	Thr 90	Leu	Asp	Gly	Val	Ser 95	Phe
Ser	Glu	Gln	Glu 100	Gly	Leu	Glu	Glu	Phe 105	Tyr	Lys	Lys	Phe	Ile 110	Glu	Glu
Arg	Ile	Lys 115	Gly	Val	Lys	Val	Gly 120	Asn	Lys	Cys	Thr	Ile 125	Met	Met	Туз
Gly	Pro 130	Thr	Gly	Ala	Gly	Lys 135	Ser	His	Thr	Met	Phe 140	Gly	Сув	Gly	Lys
Glu 145	Pro	Gly	Ile	Val	Tyr 150	Arg	Ser	Leu		Asp 155	Ile	Leu	Gly	Asp	Ser 160
Asp	Gln	Asp	Gly	Val 165	Thr	Phe	Val	Gln	Val 170	Thr	Val	Leu	Glu	Val 175	Туз
Asn	Glu	Glu	11e 180	Tyr	Asp	Leu	Leu	Ser 185	Thr	Asn	Ser	Ser	Asn 190		Let
Gly	Ile	Gly 195	Trp	Pro	Lys	Gly	Ala 200	Ser	Thr	Lys	Val	Arg 205	Leu	Glu	Va]
Met	Gly 210	Lys	Lys	Ala	Lys	Asn 215	Ala	Ser	Phe	Ile	Ser 220	Gly	Thr	Glu	Ala
Gly 225	Lys	Ile	Ser	Lys	Glu 230	Ile	Val	Lys	Val	Glu 235	Lys	Arg	Àrg	Ile	Va] 240
Lys	Ser	Thr	Leu	Cys 245	Asn	Glu	Arg	Ser	Ser 250	Arg	Ser	His	Cys	11e 255	Ile
Ile	Leu	Asp	Val 260	Pro	Thr	Val	Gly.	Gly 265	Arg	Leu	Met	Leu	Val 270	Asp	Met
Ala	Gly	Ser 275	Glu	Asn	Ile	Asp	Gln 280	Ala	Gly	Gln	Thr	Gly 285	Phe	Glu	Ala
Lys	Met 290	Gln	Thr	Ala	Lys	11e 295	Asn	Gln	Gly	Asn	Ile 300	Ala	Leu	Lys	Arg
Va1 305	Val	Glu	Ser	Ile	Ala 310	Asn	Gly	Asp	Ser	His 315		Pro	Phe	Arg	Asp 320
Ser	Lys	Leu	Thr	Met 325	Leu	Leu	Gln	Asp	Ser 330	Phe	Glu	Asp		Lys 335	Ser
Lys	Ile	Leu	Met 340	Ile	Leu	Cys	Ala	Ser 345	Pro	Asp	Pro	Lys	Glu 350	Met	His
Lys	Thr	Leu	Cys	Thr	Leu	Glu	Tyr	Gly	Ala	Lys	Ala	Lys	Суз	Ile	Va]

355 360 Arg Gly Ser His Thr Pro Asn Lys Asp Lys Tyr Gly Gly Asp Glu Ser 375 Ala Ser Ala Val Ile Leu Gly Ser Arg Ile Ala Ala Met Asp Glu Phe 390 Ile Ile Lys Leu Gln Ser Glu Lys Lys Gln Lys Glu Lys Glu Arg Asn 410 Glu Ala Gln Lys Gln Leu Lys Lys Lys Glu Glu Glu Val Ala Ala Leu 425 Arg Ser Leu Leu Thr Gln Arg Glu Ala Cys Ala Thr Asn Glu Glu Glu 440 Ile Lys Glu Lys Val Asn Glu Arg Thr Gln Leu Leu Lys Ser Glu Leu 455 Asp Lys Lys Leu Glu Glu Cys Arg Arg Met Ala Glu Glu Phe Val Glu Met Glu Arg Arg Arg Met Glu Glu Arg Ile Val Gln Gln Gln Glu Glu Leu Glu Met Met Arg Arg Arg Leu Glu Glu Ile Glu Val Glu Phe Arg 505 Arg Ser Asn Gly Gly Ser Val Asp Glu Thr Ser Gly Phe Ala Lys Arg Leu Arg Ser Leu Tyr Ser Asp Asp Pro Gly Met Val Lys Ser Met 535 Asp Leu Asp Met Gly Asp Pro Glu Pro Val Lys Gln Val Trp Gly Ala Val Ser His Gln Ser Ser Asn Thr Ile Ser Ser Asn Phe Thr Asn Leu 57.0 Leu Gln Pro Lys Pro Ser Glu Asn Met Leu Thr Gln Met Tyr Pro Asp 585 Arg Val Cys Leu Ser Thr Val Phe Glu Glu Glu Glu Val Glu Glu Glu Glu Glu Lys Val Ile Val Glu Asp Lys Ser Ile Cys Leu Ile Thr Thr 615 Pro Met Pro Ser Leu Asn Ser Glu Gly Leu Gly Lys Glu Asn Cys Phe 625 630 Asn Gly Ala Asp Asp Lys Glu Ser Ala Ser Ser Arg Arg Leu Arg Ile 650 Gln Asn Ile Phe Thr Leu Cys Gly Asn Gln Arg Glu Leu Ser Gln His

			660					665					670		
Ser	Gly	Gln 675	Glu	Glu	Asp	Gln	Ala 680	Asn	Ile	Ala	Ser	Pro 685	Asp	Lys	Lys
Asp	Asn 690	Gln	Phe	Phe	Ser	Ile 695	Thr	Asn	Lys	Ala	Glu 700	Ala	Leu	Ala	Val
G1u 705	Glu	Ala	Lys	Glu	Asn 710	Asn	Ile	Ser	Val	Asp 715	Gln	Arg	Glu	Asn	Gly 720
Gln	Leu	Asp	Ile	Tyr 725	Val	Lys	Trp	Glu	Thr 730	Ala	Ala	Asp	Asn	Pro 735	Arg
Lys	Leu	Ile	Thr 740	Thr	Leu	Arg	Val	Thr 745	Lys :	Asp	Ala		Leu 750	Ala	Asp
Leu	Arg	Lys 755		Ile	Glu	Ile		Leu	Gly	Ser	Asp	Asn 765	Gln	Ala	Phe
Thr	Phe 770	Leu	Lys	Leu	Gly	Val 775	Ile	Asn	Leu	Asn	Gln 780	Gln	Ala	Gln	Lys
Ala 785	Phe	His	Phe	Tyr	Leu 790	Phe	Glu	Pro	Cys	Gly 795	Ala	Gln	Val	Ala	Lys 800
Glu	Lys	Glu	Ser	Thr 805	Val	Gln	Ala	Thr	Ser 810	Leu	Pro	Leu	Cys	Asn 815	Gly
His	Ala	Tyr	Leu 820	Ala	Thr	Leu	Arg	Pro 825	Gly	Lys	Ser	Ser	Gln 830	His	Lys
Ser	Leu	Gln 835	Pro	Ala	Ser	Pro	Leu 840	Pro	Leu	Asn	Pro	Ile 845	Glu	Asn	Met
Met	Glu 850	Val	Thr	Pro	Ile	Ser 855	Lys	Val	Thr	Pro	Asn 860	His	Gln	Ile	Leu
Leu 865	Lys	Thr	Glu	Thr	Glu 870	Arg	Leu	Gly	Glu	Ala 875	Asp	Tyr	Ile	Asn	Ser 880
Leu	Ser	Leu	Ser	His 885	Phe	Leu	Ile	Leu	Phe 890	Pro	Arg	Gly	Glu	Ser 895	His
Gln	His	Arg	Met 900	Leu	Ser	Phe	His	Ser 905	His	Gln	Thr	Ser	Pro 910	Ser	Leu
Ser	Ser	Phe 915	Pro	Leu	Leu	Ser	Arg 920	Ala	Asp	Ala	Asp	Glu 925	Pro	Gly	Leu
Val	Leu 930	Asp	Ile	Thr	Pro	Leu 935	Phe	Glu	Val	Val	Leu 940	Glu	Gly	Pro	Thr
Leu 945	Val	Leu	Glu	Leu	Ala 950	Val	Val	Asn	Asp	Arg 955	His	Ile	Ala	Gly	

```
<210> 41
<211> 6960
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (147)..(327)
<220>
<221> CDS
<222> (405)..(796)
<220>
<221> CDS
<222> (1426)..(1500)
<220>
<221> CDS
<222> (3486)..(3638)
<220>
<221> CDS
<222> (3754)..(3864)
<220>
<221> CDS
<222> (4030)..(4096)
<220>
<221> CDS
<222> (4252)..(4523)
<220>
<221> CDS
<222> (4732)..(4834)
<220>
<221> CDS
<222> (6735)..(6907)
<400> 41
cccaaaaagc ttgacctaac ggctatgttt tctttacttt caccataaat aagcacctct 60
tgaggttgca aacacacaca cacacacaca ctcacttcaa aagagttagt aagaagttgg 120
ggtttgatta acgttttgca tcggag atg ggt ttg gtc atg agg ttt gat ctt 173
                             Met Gly Leu Val Met Arg Phe Asp Leu
tac ctt atg ttt gtg atg ttg atg ggt tta ggg ttt acg ata tca aat
Tyr Leu Met Phe Val Met Leu Met Gly Leu Gly Phe Thr Ile Ser Asn
10
                     15
                                         20
gga tac aag ttc tat gtt ggt ggg aaa gat ggt tgg gtc ccg act cct
Gly Tyr Lys Phe Tyr Val Gly Gly Lys Asp Gly Trp Val Pro Thr Pro
```

				30					35					40		
tcc Ser	gaa Glu	gat Asp	tat Tyr 45	tct Ser	cat His	tgg Trp	tct Ser	cac His 50	cga Arg	aac Asn	cgg Arg	ttt Phe	caa Gln 55	gtc Val	aac Asn	317
	act Thr		c gt	aagi	ctai	t tto	cctcı	tct	ctad	ctata	ata 1	taca	caat	gt		367
gtca	aatai	tta a	atgca	atagı	ta al	ttt	gatti	t tta	acaaç					gcc Ala 65		421
gga Gly	aaa Lys	gat Asp	tca Ser 70	gtg Val	ttg Leu	gag Glu	gtg Val	act Thr 75	gaa Glu	caa Gln	gag Glu	tac Tyr	aac Asn 80	aca Thr	tgc Cys	469
aac Asn	acg Thr	aca Thr 85	cac His	ccc Pro	ctg Leu	act Thr	ser 90	Leu	tca Ser	gac Asp	gga Gly	gac Asp 95	tct Ser	ctc Leu	ttc Phe	517
cta Leu	ctt Leu 100	agc Ser	cac His	tca Ser	ggt Gly	tcc Ser 105	tac Tyr	ttt Phe	ttc Phe	att Ile	agt Ser 110	ggc Gly	aac Asn	tct Ser	caa Gln	565
aac Asn 115	tgt Cys	ctt Leu	aaa Lys	ggt Gly	cag Gln 120	aag Lys	cta Leu	gcc Ala	gtc Val	aag Lys 125	gtc Val	ttg Leu	tcc Ser	acc Thr	gtc Val 130	613
cac His	cac His	agc Ser	cac His	tct Ser 135	cct Pro	cgt Arg	cat His	acc Thr	tct Ser 140	ccc Pro	tcc Ser	ccg Pro	tct Ser	ccg Pro 145	gtc Val	661
cat. His	cag Gln	gag Glu	ttg Leu 150	tct Ser	tcg Ser	ccg Pro	Gly ggg	cct Pro 155	tct Ser	cca Pro	gga Gly	gtg Val	gaa Glu 160	cca Pro	tca Ser	709
tct Ser	gat Asp	tca Ser 165	aac Asn	tct Ser	cgt Arg	gtt Val	cca Pro 170	gct Ala	cca Pro	gga Gly	ccg Pro	gct Ala 175	aca Thr	gct Ala	ccc Pro	757
aat Asn	tcg Ser 180	gcc Ala	ggt Gly	ttg Leu	gtt Val	ggt Gly 185	ccg Pro	ggg Gly	atg Met	gtg Val	gtt Val 190	ctt Leu	gtga	attat	:ga	806
taag	ttct	ct e	jttt	gagg	gg gt	ttat	atat	tgt	cgct	agt	catt	aaat	tt q	gtgag	ggtat	866
taat	tact	ct a	accat	tgaç	gt tt	cata	attta	tgt	gect	ttt	tatt	tgta	itg t	ttga	agcat	926
ctto	taac	cc a	attt	taat	g tt	tccg	gctgt	cto	gttt	ttg	ttct	tact	aa a	agaaa	atatt	986
taag	jatgt	tt t	tttg	jtatt	g at	taga	atgcg	g aat	gttt	tta	tttt	gtgt	tt t	taatt	atgat	1046
caca	ctaa	ata t	gaat	atat	a co	jacga	atat	gta	gagt	tca	cata	gcto	atg	gcaat	aaaac	1106
ttct	ccac	ac a	aact	aaaa	at ct	tgtt	gaaa	cat	ataa	ata	gato	ttat	ac a	acttt	ttgta	1166

catataagaa tggtttgaac aatttaactt taatcaatat attaaaccgg tacaccgaaa 1226. tccaatagag agaatatgtc aaggagttaa caaaaaaaat atactaccgc cgtctgtggg 1286 gatcgaaccc acggcctcgt gggtaaaagc cacgcgctct accactgagc taagacggct 1346 atatgacaaa aaatttaaat tatgttaatt attgtatgtt tttgcagatc aaattaccaa 1406 tgaaatagtt ggtatttag gtt gtt aac tca atc ata aag ccg att gac tct 1458 Val Val Asn Ser Ile Ile Lys Pro Ile Asp Ser 195 200 ttt ttg ttg aag agc ttg cct ctt gtt gtg gat gtg gct gtt 1500 Phe Leu Leu Lys Ser Leu Pro Leu Val Val Asp Val Ala Val 210 gtaagactaa taccagccct tgggtcgaaa gttgaaagtt tgattctgga tctctaatgt 1560 ctctagtatg gacgctcctg tttggaagtc ttttgtttgg aatatgatat agattcataa 1620 aaatgcgggt atctactacc atttgctatt gaccatcaaa aaaacaacaa agtctcttaa 1680 ctatcttaaa attttattag gagattttca tgcgactaga acaagatttt caagcagtgg 1740 atgataagac aaaactgata ggccaacaac ttgatgaaat gggcaatatt atgaaataat 1800 acacaagtat agcttccacc tccaaccacc taaggacctc taataaattt acccaccaaa 1860 ggtggtggga ctccgtcaca gagccgtgcc tcaaggcaaa agaaagaaac attcgcctac 1920 gtcctcaaat ttttgaaaaa aacttaggag catatatttt tacaagataa ctttagtttc 1980 ataggtttaa tattgacaaa tcacttacat ttacctaaat aataaaaata tagaattaaa 2040 aatagaaaaa tattcacaga ataaataaat aaaacagaac aaagcattat aaatttaggt 2100 taaagcattc gatatagaat tggttaaaaa aattaacttt gaatcttttg tcatatgaca 2160 atttattttt gtaaacactt ttacttctat tattataagc atctttgctt gtgaattggg 2220 gcaaatttca tttggccgcc tccggcaacc attgaccttg gcacggctct gctccgtcac 2280 ctcttatatt tgctgcaatg gcacagagaa gagaaattag ttgctggtgt tgatccctaa 2340 tatgtgctag ttcatcatct acatgtccaa atctaaatct catcccttct cctatcgcac 2400 ggacctgcaa gtgtagaaag caaaaacatc aacatatttt aataataatt acaaaacaca 2460 ttaggttett aaaettatea aaaetaatta etteaaaaaa tatetteta aaagttaata 2520 atccataaaa taaattttaa taagctctta ctaattaaac ataagataaa acaatattat 2640 taatttetea acaateaaat gtggatagaa accaaaaaga taaaataaac teggatgtea 2700

taggcccata atccagcctt ttctcaaagc ttaa	acgtaa cgggctcggc ccaaatttgg 276
tgtgttcatc atcttcccca caaaacctaa tttt	gtttct tcagtagtac tgtagcttca 282
gatgcaactc ctcgaaaacc cgtagaaccg gcat	tgagcc aatcgtttac attctctgat 288
tcatatcctt agcgttttca gaaacaaaat ggtg	ggttgg aagaggaatt tgcagactgt 294
tattcgtcaa gttggtagaa gagtgaagaa cagt	cacatt totacagoaa attactetto 300
ttctactcgg aatttagaat cccctttctc acas	aggttga ctttttgatc atttccgaaa 306
tctagtgtgt ttcttagtgg gtctttcaaa gggc	eatgtgt tatctggtct tcgtgtttgt 312
gaattgtgtg tttgagttga gtttttttgc tggt	gattat aggttacttg cagagtctcc 318
tgagaccatc ctactcctcc agaccactgt atca	tcatct acaacaactg gtaatgcatt 324
tgaatcgaca tttcttttgt gttttactga gatt	ggagtt tettgtttee tgatatagea 330
aatttgttgc tgcattgaaa aatcgaattt caaa	atttgg gaagtgagaa tgttgctagt 336
gggagactat atctgttatc catgtgaatt aggc	gaagag actcatcttt tggaactatg 342
cgtctctagt caacttaggg acctgtactt tagg	gtatga aatttcaatt tgggtatgtt 348
Gly Ile Ser Thr Ser Arg Gln Leu 220	g cag gcg agt gaa gag cct gta 353 1 Gln Ala Ser Glu Glu Pro Val 225 230
tca tca cct ttg tca tct cca gct ctg t Ser Ser Pro Leu Ser Ser Pro Ala Leu I 235 240	etg ggt agt gga aaa gaa gaa 357 Leu Gly Ser Gly Lys Glu Glu 245
gag cag aag att atc cca aag cgt cag a Glu Gln Lys Ile Ile Pro Lys Arg Gln L 250 255	aaa gtt cag gct gtc ctc aag 362 Lys Val Gln Ala Val Leu Lys 260
tct ata aag cag gtgtcttctt taactcctag Ser Ile Lys Gln 265	g aacagtttta cttttcagat 367
gatetgetee atttegttta atatttttee atet	caatct agttatataa tgtgcccaac 373
cttgcttgtt ttcag agt cct aag aag gtc Ser Pro Lys Lys Val 270	aac ctg gtt gca gca cta gtc 378 Asn Leu Val Ala Ala Leu Val 275
cgt ggc atg cgt gtt gaa gat gct ttg a Arg Gly Met Arg Val Glu Asp Ala Leu I 280 285	tc caa ttg cag gtc aca gtc 383 le Gln Leu Gln Val Thr Val 290 295
aaa cga gct gca caa act gtg tac cgg g Lys Arg Ala Ala Gln Thr Val Tyr Arg 300	taatctctg agatccgagt 388

ataactttcc tcatctaatg atact	tagca tacaacttgt	tttgttaata caatgcttaa	4004
aggagttaaa tacattatac tgcag	gtt atc cac gct Val Ile His Ala 305	gcc cgg gca aat gct Ala Arg Ala Asn Ala 310	4056
act cat aac cat gga cta gat Thr His Asn His Gly Leu Asp 315 320	cct gac cgt ctc Pro Asp Arg Leu	ctt gtt g gtatgtaaaa Leu Val A 325	4106
ctgattctgg atccctgatt tccttq	gtttt acatttaaaa	agagaacgtg atattttaga	4166
gagttcgccg attggtactt taagg	aagca aacatgatat	gccagaacga tgtatttcat	4226
ctaagcttgt gatatgtgat tgcag		gtt ggg aag gga ctg Val Gly Lys Gly Leu 335	4277
ttt ggg aag aag gta gct tac Phe Gly Lys Lys Val Ala Tyr 340	cat gca aaa gga His Ala Lys Gly 345	aga agc ggg att ata Arg Ser Gly Ile Ile 350	4325
tca ata ccc cgg tgt cgc cta Ser Ile Pro Arg Cys Arg Leu 355	aca gtc ata gtt Thr Val Ile Val 360	aga gag acg act cca Arg Glu Thr Thr Pro 365	4373
gag gaa gaa gct gag att gca Glu Glu Glu Ala Glu Ile Ala 370	agg ctc aaa gtt Arg Leu Lys Val 375	cac aat ttt aag aag His Asn Phe Lys Lys 380	4421
aaa agc aaa cgg gag aga cag Lys Ser Lys Arg Glu Arg Gln 385 390	ctt gta cca cac Leu Val Pro His	aag ctc atc gag aca Lys Leu Ile Glu Thr 395	4469
agt cca ata tgg aac cgc aga Ser Pro Ile Trp Asn Arg Arg 400 405	ggt acc aaa gcc Gly Thr Lys Ala 410	aat cat cgg tcc tca Asn His Arg Ser Ser 415	4517
gag ttg gtacggtcgt ctcactag	ta tetttgttee ego	caattgca acaagagctt	4573
ctctgttatg gtaaattgct ttttt	tttg gttttggttt	gatattgtat tggaactcta	4633
taggacctgt ttgcttcttg tatte	aataa acatgttccc	agagaggaaa cttcacttaa	4693
caaaagcgtc tctgtttttc tccat		g tta aca atc att ttg al Leu Thr Ile Ile Leu 420	4749
gat gta act tgt gtt gga aac Asp Val Thr Cys Val Gly Asn 425 430	atg gaa aaa aat Met Glu Lys Asn	cgt ctg gat aat ttg Arg Leu Asp Asn Leu 435	4797
acg aat caa aac aac att tat Thr Asn Gln Asn Asn Ile Tyr 440 445	cat cat aat ccc His His Asn Pro 450	gaa g gtccataatt Glu G	4844

tttatcagtt tgttccactt cttaatgcaa tttttggata ttaaaagaat aaatgaatga 4904 atatacatat gcattttgtt tgttgagaat atttatttag tcatttattt aagaaattta 4964 tattttaatt ttttattatt aatatgatat ttgttttgtc actatgttac aacataattc 5024 aattttaata tcattataat tgatagtaat aataataaat aacagtcaca ggcccctacc 5084 atcateceaa aatgatteat geaatttagt cateaaatae atacaatett atatacaaaa 5144 gaatcacaca gcatgtataa actaatagta tagaaattcg attaaaaaat actcccaggc 5204 tagttttttc accttccatg aagaatagaa tcataagttt ggaaggaatt agaataagaa 5264 gacgaattcc atacatcttg gaacgtggga tgttgttgtc tgcttccctc accagtttcc 5324 aacaagtaag agetetteae teteteeaae aagettattt eeettteace accateetee 5384 actaatetee ettgtteeaa tatetgeace aettgtetea tetteggaeg eaetetegga 5444 tcaggatgca cacacaacag tcctattctc agagccatct ccacttcctc gaccacgaac 5504 actecatteg cettlattet etegtetaaa ceateaacea etttgtettt etecattagt 5564 ccccatatcc attccactat cccttctctt ccttcctcta ttggcctcct tccacacact 5624 acctccaaca caaacactcc aaagctatac acatcggttt gcgctgatgc tctccctgtc 5684 ttaaccaact caggegeeat ataacceget gttecaacaa catgtgtegt getaaccate 5744 tetttactag tgttetgeaa ettageeaac eeaaaateac etaceetege gtteatatee 5804 ttgtcaagca acacattgct tgactttata tctctatgta acacctttgt ctcccaccct 5864 togtgtagat acaacatooc tgaggotagg totottatoa ototoattot ttootoocaa 5924 ttcaacatct cgttacaatc aaatatccgc ttatcgacac ttccattctc catatactcg 5984 taaatcaata tcagactete teeteettte ttagaccaae ettttagtee aactatatte 6044 ttgtgtctca acctccctaa gctcgagacc tcagctaaga actcactcgt cgcgccaacg 6104 ctctctcgag gactcatcat tattctctta accgcaactt ctttaccttc caacactccc 6164 ctgtacactt tagaattccc tccgtatccg atcatgttct catcggaaaa cccttttgtt 6224 gettecaaaa catettigta tigeacietg tgaggecaat actetgitte ecaatettee 6284 acgteteett etagtetetg eettegaege ettacaaegt agaaacagag gageecaata 6344 acagagacta acaacacaac accactagag accccagcaa tgaagccttt agacttcaaa 6404 acagagtcac ctgacaattt aaacgaaggt agattcctag tgatcaaagc atcaccaatg 6464 gagaaattgg agttactaaa actccatgag agaatcctat ggctctgcac tagttgtcct 6524

gtggaggcag tgaatccaac gaacatatca tcaagtaaga ctccagtgag atttaatgga 6584 atgcttatga gtggtcttat gggctttcta gagctagctc tagccatcgt gacattgatc 6644 gctgacccat taaactcgat ccacgcctga taattctcgc cactgttaag cttcagctcc 6704 gtgaatctct ggccgtctct gcctccatag aa acc tgc agt ttc aga tgc aac lu Thr Cys Ser Phe Arg Cys Asn gga agt gag aga att gac gtc gac gcc gac gtg gtt gtc gtt gat gtc 6805 Gly Ser Glu Arg Ile Asp Val Asp Ala Asp Val Val Val Asp Val 465 470 gtt gaa ctc ttg gtt agc gaa aac atc gaa ttc aac ggc gaa gat tcg 6853 Val Glu Leu Leu Val Ser Glu Asn Ile Glu Phe Asn Gly Glu Asp Ser 480 485 gct att ggg gtc acc gtt att ggt gaa gtt gaa gag gcc gag atg ctg 6901 Ala Ile Gly Val Thr Val Ile Gly Glu Val Glu Glu Ala Glu Met Leu 495 500 aga tga gcttgcggcg gaggtttcgg agaaaggaag gaagacgaag gcgaagccgt 6957 ggc 6960 <210> 42 <211> 508 <212> PRT <213> Arabidopsis thaliana <400> 42 Met Gly Leu Val Met Arg Phe Asp Leu Tyr Leu Met Phe Val Met Leu 10 Met Gly Leu Gly Phe Thr Ile Ser Asn Gly Tyr Lys Phe Tyr Val Gly Gly Lys Asp Gly Trp Val Pro Thr Pro Ser Glu Asp Tyr Ser His Trp 35 40 Ser His Arg Asn Arg Phe Gln Val Asn Asp Thr Leu His Phe Lys Tyr Ala Lys Gly Lys Asp Ser Val Leu Glu Val Thr Glu Gln Glu Tyr Asn 65 Thr Cys Asn Thr Thr His Pro Leu Thr Ser Leu Ser Asp Gly Asp Ser Leu Phe Leu Leu Ser His Ser Gly Ser Tyr Phe Phe Ile Ser Gly Asn 100 Ser Gln Asn Cys Leu Lys Gly Gln Lys Leu Ala Val Lys Val Leu Ser 120

Thr Val His His Ser His Ser Pro Arg His Thr Ser Pro Ser Pro Ser Pro Val His Gln Glu Leu Ser Ser Pro Gly Pro Ser Pro Gly Val Glu 150 155 Pro Ser Ser Asp Ser Asn Ser Arg Val Pro Ala Pro Gly Pro Ala Thr Ala Pro Asn Ser Ala Gly Leu Val Gly Pro Gly Met Val Val Leu Val 185 Val Asn Ser Ile Ile Lys Pro Ile Asp Ser Phe Leu Leu Lys Ser Leu 200 Pro Leu Val Val Asp Val Ala Val Gly Ile Ser Thr Ser Arg Gln Leu Gln Ala Ser Glu Glu Pro Val Ser Ser Pro Leu Ser Ser Pro Ala Leu 230 235 Leu Gly Ser Gly Lys Glu Glu Glu Gln Lys Ile Ile Pro Lys Arg Gln Lys Val Gln Ala Val Leu Lys Ser Ile Lys Gln Ser Pro Lys Lys Val 265 Asn Leu Val Ala Ala Leu Val Arg Gly Met Arg Val Glu Asp Ala Leu Ile Gln Leu Gln Val Thr Val Lys Arg Ala Ala Gln Thr Val Tyr Arg 290 295 Val Ile His Ala Ala Arg Ala Asn Ala Thr His Asn His Gly Leu Asp 310 315 Pro Asp Arg Leu Leu Val Ala Glu Ala Phe Val Gly Lys Gly Leu Phe Gly Lys Lys Val Ala Tyr His Ala Lys Gly Arg Ser Gly Ile Ile Ser Ile Pro Arg Cys Arg Leu Thr Val Ile Val Arg Glu Thr Thr Pro Glu 360 Glu Glu Ala Glu Ile Ala Arg Leu Lys Val His Asn Phe Lys Lys Ser Lys Arg Glu Arg Gln Leu Val Pro His Lys Leu Ile Glu Thr Ser Pro Ile Trp Asn Arg Arg Gly Thr Lys Ala Asn His Arg Ser Ser Glu 405 Leu Val Leu Thr Ile Ile Leu Asp Val Thr Cys Val Gly Asn Met Glu 425

Lys Asn Arg Leu Asp Asn Leu Thr Asn Gln Asn Asn Ile Tyr His His 440 Asn Pro Glu Glu Thr Cys Ser Phe Arg Cys Asn Gly Ser Glu Arg Ile 455 . . . Asp Val Asp Ala Asp Val Val Val Asp Val Val Glu Leu Leu Val 470 475 Ser Glu Asn Ile Glu Phe Asn Gly Glu Asp Ser Ala Ile Gly Val Thr 485 490 Val Ile Gly Glu Val Glu Glu Ala Glu Met Leu Arg 500 505 <210> 43 <211> 729 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (26)..(718) <400> 43 ctgcggcacc ggcgtcggag ttgcg atg ttc gcc aac aag ttc ccg ggc gtc Met Phe Ala Asn Lys Phe Pro Gly Val tac gca gcc act tgt ctc tcc gtc gaa gac gcc gtc aac gct cga tca 100 Tyr Ala Ala Thr Cys Leu Ser Val Glu Asp Ala Val Asn Ala Arg Ser 20 ata agc aat tgc aat gtc ctc gca ttc tcc ggc atc aaa aca tcc ccg Ile Ser Asn Cys Asn Val Leu Ala Phe Ser Gly Ile Lys Thr Ser Pro 35 gaa acc gcc ttg gaa atc ttc gac gct tgg atc aaa act cct ttc aaa Glu Thr Ala Leu Glu Ile Phe Asp Ala Trp Ile Lys Thr Pro Phe Lys - 50 tet eet tgt eet geg tee gga tee gaa eea tgg age tea gtt ate tet 244 Ser Pro Cys Pro Ala Ser Gly Ser Glu Pro Trp Ser Ser Val Ile Ser 65 tee tte etc gae aat tet etc tee gag atg tet cag att gga aag tea Ser Phe Leu Asp Asn Ser Leu Ser Glu Met Ser Gln Ile Gly Lys Ser 80 acc gcc ggc gat tca aca acc aag aag atc gat gaa aca acc gcg tct 340 Thr Ala Gly Asp Ser Thr Thr Lys Lys Ile Asp Glu Thr Thr Ala Ser 100 tgc gta att tgc tgc ttg gcg aag aac aga gag ttc act cca gtg gac

WO 00/08187 PCT/EP99/05652 .

Cys	Val	Ile	Cys	Cys 110	Leu	Ala	Lys	Asn	Arg 115	Glu	Phe	Thr	Pro	Val 120	Asp	
atc Ile	atg Met	ccg Pro	gga Gly 125	ggc Gly	tcg Ser	atg Met	aag Lys	atc Ile 130	gtt Val	aga Arg	gag Glu	acg Thr	ccg Pro 135	acg Thr	tcg Ser	436
gcg Ala	att Ile	gta Val 140	aga Arg	ttc Phe	aaa Lys	gcg Ala	gga Gly 145	agt Ser	gtg Val	gaa Glu	ccg Pro	gcg Ala 150	cat His	cac	cac His	484
aca Thr	ttc Phe 155	ggc Gly	cat	gac Asp	ctt Leu	gta Val 160	gtc Val	ata Ile	aag Lys	gga Gly	aag Lys 165	aaa Lys	agt Ser	gtg Val	tgg Trp	532
aat Asn 170	ctg Leu	agc Ser	aag Lys	aag Lys	gag Glu 175	aga Arg	gct Ala	gat Asp	ctc Leu	gtt Val 180	gac Asp	ggc Gly	gat Asp	tac Tyr	cta Leu 185	580
ttc Phe	act Thr	ccc Pro	gcc Ala	ggt Gly 190	gat Asp	gtt Val	cac His	cga Arg	gtc Val 195	aaa Lys	tat Tyr	cac His	gaa Glu	gac Asp 200	act Thr	628
gag Glu	ttc Phe	ttc Phe	atc Ile 205	Thr	tgg Trp	gat Asp	ggc Gly	cat His 210	tgg Trp	gac Asp	ata Ile	ttc Phe	ctt Leu 215	gac Asp	gaa Glu	676
gac Asp	ctc Leu	gaa Glu 220	act Thr	gca Ala	aag Lys	aaa Lys	gcc Ala 225	atc Ile	gaa Glu	gaa Glu	gaa Glu	gct Ala 230	tga			718
aggt	tgtaa	aac t	=													729
<211 <212	0> 44 l> 23 2> PI 3> Ai	30 RT	dopsi	is th	nalia	ina										
	0> 44 Phe		Asn	Lys 5	Phe	Pro	Gly	Val	Tyr 10	Ala	Ala	Thr	Суз	Leu 15	Ser	
Val	Glu	Asp	Ala 20	Val	Asn	Ala	Arg	Ser 25	Ile	Ser	Asn	Cys	Asn 30	Val	Leu	
Ala	Phe	Ser 35	Gly	Ile	Lys	Thr	Ser 40	Pro	Glu	Thr	Ala	Leu 45	Glu	Ile	Phe	
Asp	Ala 50	Trp	lle	Lys	Thr	Pro 55	Phe	Lys	Ser	Pro	Суs 60	Pro	Ala	Ser	Gly	
Ser 65	Glu	Pro	Trp	Ser	Ser 70	Val	Ile	Ser	Ser	Phe 75	Leu	Asp	Asn	Ser	Leu 80	
Ser	Glu	Met	Ser	Gln 85	Ile	Gly	Lys	Ser	Thr 90	Ala	Gly	Asp	Ser	Thr 95	Thr	

Lys Lys Ile Asp Glu Thr Thr Ala Ser Cys Val Ile Cys Cys Leu Ala 105 Lys Asn Arg Glu Phe Thr Pro Val Asp Ile Met Pro Gly Gly Ser Met 115 120 Lys Ile Val Arg Glu Thr Pro Thr Ser Ala Ile Val Arg Phe Lys Ala 135 Gly Ser Val Glu Pro Ala His His His Thr Phe Gly His Asp Leu Val 145 150 Val Ile Lys Gly Lys Lys Ser Val Trp Asn Leu Ser Lys Lys Glu Arg 170 Ala Asp Leu Val Asp Gly Asp Tyr Leu Phe Thr Pro Ala Gly Asp Val 185 His Arg Val Lys Tyr His Glu Asp Thr Glu Phe Phe Ile Thr Trp Asp 200 Gly His Trp Asp Ile Phe Leu Asp Glu Asp Leu Glu Thr Ala Lys Lys Ala Ile Glu Glu Glu Ala 230 <210> 45 <211>.1203 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (12)..(1193) <400> 45 aggaaagaga a atg act ata agg aac caa cga ttc tct ctt caa caa 50 Met Thr Ile Arg Asn Gln Arg Phe Ser Leu Leu Lys Gln cct ata tcc tcc aca ctt aat cag cat tta gta gat tat cca acc ccg 98 Pro Ile Ser Ser Thr Leu Asn Gln His Leu Val Asp Tyr Pro Thr Pro 20 age aat ett agt tat tgg tgg ggg tte ggt eeg tta get ggt att tgt 146 Ser Asn Leu Ser Tyr Trp Trp Gly Phe Gly Pro Leu Ala Gly Ile Cys 35 40 tta gtc att cag ata gtg act ggc gtt ttt tta gct atg cat tac aca 194 Leu Val Ile Gln Ile Val Thr Gly Val Phe Leu Ala Met His Tyr Thr cct cat gtg gat tta gct ttc aac agc gta gaa cac att atg aga gat

			•													
Pro	His	Val	Asp 65	Leu	Ala	Phe	Asn	Ser 70	Val	Glu	His	Ile	Met 75	Arg	. Asp	
	gaa Glu															290
vai	310	80	GIY	IIp	Dea	neu	85 85	171	Mec	nis	HIG	90	GIY	ALG	Ser	
	ttt										-					338
Met	Phe 95	Leu	iie	vai	vaı	100	Leu	His	He	Phe	Arg 105	GIÀ	Leu	Tyr	H1S	· · ·
gcg	agt	tat	agc	agt	cct	agg	gaa	ttt	gtt	tgg	tgt	ctt	gga	gtt	gta	386
Ala 110	Ser	Tyr	Ser	Ser	Pro 115	Arg	Glu	Phe	Val	Trp 120	Cys	Leu	Gly	Val	Val 125	
110					113					120					143	
	ttc Phe															434
				130					135			- .		140		
	ggt															482
Trp	Gly	Gln	Met 145	Ser	Phe	Trp	Gly	Ala 150	Thr	Val	Ile	Thr	Ser 155	Leu	Ala	
age	gcc	ata	cct	nta	nta	aus.	rat	200	2+2	ata	a c't	taa	ctt	taa	aat	530
Ser	Ala	Ile	Pro	Val	Val	Gly	Asp	Thr	Ile	Val	Thr	Trp	Leu	Trp	Gly	330
		160					165					170				
ggt	ttc Phe	tcc	gtg Val	gac Asn	aat Asn	gcc Ala	acc	tta	aat	cgt	ttt	ttt	agt	ctt	cat	578
GLY	175	Jei	vai	nsp	ASII	180	1111	neu	ASII	ALG	185	FIIE	SET	Dea	ura	
cat	tta	ctc	ccc	ttt	att	tta	gta	ggc	gcc	agt	ctt	ctt	cat	ctg	gcc	626
His 190	Leu	Leu	Pro	Phe	Ile 195	Leu	Val	Gly	Ala	Ser 200	Leu	Leu	His	Leu	Ala 205	
	ttg Leu															674
				210	•	•			215					2 2 0		
atg	gat	aaa	ata	gct	ttt	tac	cct	tat	ttt	tat	gtc	aag	gat	cta	gtt	722
met	Asp	ьуs	225	Ala	Pne	туг	Pro	230	Pne	Tyr	vai	Lys	Asp 235	Leu	Val	
aat	tgg	αta	act	ttt	act	atc	ttt	ttt	tct	átt	taa	att	ttt	tat	act	770
	Trp	Val					Phe					Ile				.,,
		240					245					250				
cct	aat Asn	gtt Val	ttg Leu	gga Glv	cat His	ccc	gac Asp	aat Asn	tat Tvr	ata Tle	cct	gct Ala	aat Asn	ccg	atg Met	818
	255					260			-,-		265					
tcc	acc	ccg	cct	cat	att	gtg	ccg	gaa	tgg	tat	ttc	cta	ccg.	atc	cat	866
Ser 270	Thr	Pro	Pro	His	11e 275	Val	Pro	Glu	Trp	Tyr 280	Phe	Leu	Pro	Ile	His 285	
gcc	att Ile	Leu	cgt Arg	agt Ser	ata Ile	cct Pro	gac Asp	aaa Lys	gcg Ala	gga Gly	ggt Gly	gta Val	gcc Ala	gca Ala	ata Ile	914

290 gca cca gtt ttt ata tgt ctc ttg gct tta cct ttt ttt aaa agt atg 962 Ala Pro Val Phe Ile Cys Leu Leu Ala Leu Pro Phe Phe Lys Ser Met 305 310 tat gtg cgt agt tca agt ttt cga ccg att cac caa gga atg ttt tgg 1010 Tyr Val Arg Ser Ser Ser Phe Arg Pro Ile His Gln Gly Met Phe Trp 320 -325 330 ttg ctt ttg gcg gat tgc tta cta cta ggt tgg atc gga tgt caa cct 1058 Leu Leu Leu Ala Asp Cys Leu Leu Leu Gly Trp Ile Gly Cys Gln Pro 340 gtg gag gct cca ttt gtt act att gga caa att tct cct ttg gtt ttc 1106 Val Glu Ala Pro Phe Val Thr Ile Gly Gln Ile Ser Pro Leu Val Phe 355 360 ttc ttg ttc ttt gcc ata acg ccc att ctg gga cga gtt gga aga gga Phe Leu Phe Phe Ala Ile Thr Pro Ile Leu Gly Arg Val Gly Arg Gly 370 375 att cct aat tct tac acg gat gag act gat cac acc tga tcagtgaaaa 1203 Ile Pro Asn Ser Tyr Thr Asp Glu Thr Asp His Thr 385 <210> 46 <211> 393 <212> PRT <213> Arabidopsis thaliana <400> 46 Met Thr Ile Arg Asn Gln Arg Phe Ser Leu Leu Lys Gln Pro Ile Ser 1 10 Ser Thr Leu Asn Gln His Leu Val Asp Tyr Pro Thr Pro Ser Asn Leu Ser Tyr Trp Gly Phe Gly Pro Leu Ala Gly Ile Cys Leu Val Ile Gln Ile Val Thr Gly Val Phe Leu Ala Met His Tyr Thr Pro His Val 60 Asp Leu Ala Phe Asn Ser Val Glu His Ile Met Arg Asp Val Glu Gly Gly Trp Leu Leu Arg Tyr Met His Ala Asn Gly Ala Ser Met Phe Leu Ile Val Val Tyr Leu His Ile Phe Arg Gly Leu Tyr His Ala Ser Tyr 100 105 Ser Ser Pro Arg Glu Phe Val Trp Cys Leu Gly Val Val Ile Phe Leu 125

Leu	Met 130	Ile	Val	Thr	Ala	Phe 135	Ile	Gly	Tyr	Val	Leu 140	Pro	Trp	Gly	Gln
Met 145	Ser	Phe	Trp	Gly	Ala 150	Thr	Val	Ile	Thr	Ser 155	Leu	Ala	Ser	Ala	11e 160
Pro	Val	Val	Gly	Asp 165	Thr	Ile	Val	Thr	Trp 170	Leu	Trp	Gly	Gly	Phe 175	Ser
Val	Asp	Asn	Ala 180	Thr	Leu	Asn	Arg	Phe 185	Phe	Ser	Leu	His	His 190	Leu	Leu
Pro	Phe	Ile 195	Leu	Val	Gly	Ala	Ser 200	Leu	Leu	His	Leu	Ala 205	Ala	Leu	His
Gln	Tyr 210	Gly	Ser	Asn	Asn	Pro 215	Leu	Gly	Val	His	Ser 220	Glu	Met	Asp	Lys
Ile 225	Ala	Phe	Tyr	Pro	Tyr 230	Phe	Tyr	Val	Lys	Asp 235	Leu	Val	Gly	Trp	Val 240
Ala	Phe	Ala	Ile	Phe 245	Phe	Ser	Ile	Trp	11e 250	Phe	Tyr	Ala	Pro	Asn 255	Val
Leu	Gly	His	Pro 260		Asn	Tyr	Ile	Pro 265	Ala	Asn	Pro	Met	Ser 270	Thr	Pro
Pro	His	Ile 275	Val	Pro	Glu	Trp	Tyr 280	Phe	Leu	Pro	Ile	His 285	Ala	Ile	Leu
Arg	Ser 290	Ile	Pro	Asp	Lys	Ala 295	Gly	Gly	Val	Ala	Ala 300	Ile	Ala	Pro	Val
Phe 305	Ile	Суs	Leu	Leu	Ala 310	Leu	Pro	Phe	Phe	Lys 315	Ser	Met	Tyr	Val	Arg 320
Ser	Ser	Ser	Phe	Arg 325	Pro	Ile	His	Glņ	Gly 330	Met	Phe	Trp	Leu	Leu 335	Leu
Ala	Asp	Суѕ	Leu 340	Leu	Leu	Gly	Trp	Ile 345	Gly	Cys	Gln	Pro	Val 350	Glu	Ala
Pro	Phe	Val 355	Thr	Ile	Gly	Gln	11e 360	Ser	Pro	Leu	Val	Phe 365	Phe	Leu	Phe
Phe	Ala 370	Ile	Thr	Pro	Ile	Leu 375	Gly	Arg	Val	Gly	Arg 380	Gly	Ile	Pro	Asn
Ser 385	Tyr	Thr	Asp	Glu	Thr 390	Asp	His	Thr							

<210> 47 <211> 1194 <212> DNA

<213> Arabidopsis thaliana

<220> <221> CDS <222> (1)(1194)																	
	<400)> 47	7														
	atg Met 1	aga Arg	aaa Lys	gtt Val	tct Ser 5	tcc Ser	gta Val	att	tct Ser	gtc Val 10	gtt Val	gat Asp	ccc Pro	gtt Val	att Ile 15	ttc Phe	48
	cga Arg	gga Gly	aat Asn	tac Tyr 20	gca Ala	gct Ala	aca Thr	ctc Leu	gat Asp 25	gtg Val	tcg Ser	tat Tyr	ccg Pro	gta Val 30	ttc Phe	ccg	96
	caa Gln	aat Asn	aaa Lys 35	gat Asp	ggc Gly	cgt Arg	gca Ala	ctt Leu 40	cag Gln	aaa Lys	gtt Val	ctc Leu	gga Gly 45	acc Thr	att Ile	cgt Arg	144
	aac Asn	gga Gly 50	gat Asp	ttg Leu	gct Ala	gtt Val	tcg Ser 55	gct Ala	cct Pro	aaa Lys	aca Thr	agt Ser 60	ctt Leu	agg Arg	gca Ala	ggt Gly	192
	att Ile 65	ttc Phe	ggt Gly	gaa Glu	ggt Gly	tcc Ser 70	agc. Ser	ttg Leu	gtc Val	gat Asp	cag Gln 75	atg Met	ccc Pro	tgt Cys	aaa Lys	gtt Val 80	240
	tac Tyr	gtg Val	gcg Ala	ttc Phe	cac His 85	aaa Lys	gaa Glu	tca Ser	tac Tyr	tgc Cys 90	tcg Ser	ctt Leu	acc Thr	GJA aaa	cta Leu 95	agc Ser	288
	aaa Lys	cgc Arg	gga Gly	gtc Val 100	gca Ala	ata Ile	aac Asn	gaa Glu	gca Ala 105	agt Ser	ctt Leu	tcc Ser	ctg Leu	gtc Val 110	gga Gly	atc Ile	336
	act Thr	aaa Lys	gtt Val 115	aga Arg	gcc Ala	ccc Pro	gtc Val	gga Gly 120	aat Asn	acc Thr	gtt Val	gga Gly	gcg Ala 125	gaa Glu	gca Ala	acc Thr	384
	gta Val	tac Tyr 130	ata Ile	ggt Gly	agt Ser	cca Pro	aaa Lys 135	cct Pro	tat .Tyr	aca Thr	gag Glu	tgt Cys 140	agt Ser	act Thr	cca Pro	aat Asn	432
	aaa Lys 145	atg Met	tat Tyr	gcg Ala	gtt Val	gca Ala 150	gct Ala	ggt Gly	ttc Phe	aag Lys	gtg Val 155	gca Ala	agt Ser	ttc Phe	gcc Ala	gct Ala 160	480
	agt Ser	acg Thr	tgc Cys	gta Val	cgt Arg 165	ccg Pro	cct Pro	gca Ala	cgt Arg	gca Ala 170	cgt Arg	cgt Arg	acg Thr	ctg Leu	acc Thr 175	gtg Val	528
	acg Thr	tcg Ser	acc Thr	gtg Val 180	acg Thr	ctg Leu	tct Ser	atg Met	gca Ala 185	act Thr	ggt Gly	aaa Lys	tgc Cys	gta Val 190	aat Asn	aca Thr	576
	gga Gly	aac Asn	gaa Glu 195	cca Pro	gta Val	tct Ser	aaa Lys	cct Pro 200	aca Thr	gga Gly	gta Val	cgt Arg	atg Met 205	atg Met	tta Leu	att Ile	624

	ctc Leu 210															672
gcg Ala 225	ata Ile	gtt Val	tcc Ser	cgg Arg	cct Pro 230	gca Ala	aaa Lys	att Ile	ttc Phe	aat Asn 235	agc Ser	gta Val	gga Gly	aat Asn	tta Leu 240	720
	cgt Arg												Asp			768
	gct Ala			-		_					-		_	-	_	816
	aaa Lys		_	_		_			-	_	_					864
	gaa Glu 290						_					_				912
	caa Gln															960
	tgc Cys															1008
	gat Asp															1056
	gat Asp															1104
_	act Thr 370									_	_			_	-	1152
	acg Thr												tga			1194

<210> 48

<211> 397

<212> PRT

<213> Arabidopsis thaliana

<400> 48

Met Arg Lys Val Ser Ser Val Ile Ser Val Val Asp Pro Val Ile Phe

1				5					10					15	
Arg	Gly	Asn	Tyr 20	Ala	Ala	Thr	Leu	Asp 25	Val	Ser	Tyr	Pro	Val 30	Phe	Pro
Gln	Asn	Lys 35	Asp	Gly	Arg	Ala	Leu 40	Gln	Lys	Val	Leu	Gly 45	Thr	Ile	Arg
Asn	Gly 50	Asp	Leu	Ala	Val	Ser 55	Ala	Pro	Lys	Thr	Ser 60	Leu	Arg	Ala	Gly
Ile 65	Phe	Gly	Glu	Gly	Ser 70	Ser	Leu	Val	Asp	Gln 75	Met	Pro	Cys	Lys	Val 80
Tyr	Val	Ala	Phe	His 85	Lys,	Glu	Ser	туг	Cys 90	Ser	Leu	Thr	Gly	Leu 95	Ser
Lys	Arg	Gly	Val 100	Ala	Ile	Asn	Glu	Ala 105	Ser	Leu	Ser	Leu	Val 110	Gly	Ile
Thr	Lys	Val 115	Arg	Ala	Pro	Val	Gly 120	Asn	Thr	Val	Gly	Ala 125	Glu	Ala	Thr
Val	Tyr 130	Ile	Gly	Ser	Pro	Lys 135	Pro	Tyr	Thr	Glu	Cys 140	Ser	Thr	Pro	Asn
Lys 145	Met	Tyr	Ala	Val	Ala 150	Ala	Gly	Phe	Lys	Val 155	Ala	Ser	Phe		Ala 160
Ser	Thr	Cys	Val	Arg 165	Pro	Pro	Ala	Arg	Ala 170	Arg	Arg	Thr	Leu	Thr 175	Val
Thr	Ser	Thr	Val 180	Thr	Leu	Ser	Met	Ala 185	Thr	Gly	Lys	Cys	Val 190	Asn	Thr
Gly	Asn	Glu 195	Pro	Val	Ser	Lys	Pro 200	Thr	Gly	Val	Arg	Met 205	Met	Leu	Ile
Pro	Leu 210	Asp	Ala	Thr	Leu	Ile 215	Lys	Val	Trp	Thr	Gly 220	Glu	Val	Lys	Lys
Ala 225	Ile	Val	Ser	Arg	Pro 230	Ala	Lys	Ile	Phe	Asn 235	Ser	Val	Gly	Asn	Leu 240
Glu	Arg	Pro	Ser	11e 245	Ser	His	Ser	Cys	Gly 250	Gln	Gly	Leu	Asp	Glu 255	Ala
Ala	Ala	Tyr	11e 260	Lys	Gly	Arg	Leu	Ser 265	Pro	Ile	Val	Lys	Ala 270	Glu	Arg
Ile	Lys	Val 275	Leu	Val	Lys	Asp	Glu 280	His	Glu	Glu	Val	Lys 285	Glu	Leu	Leu
Gln	Glu 290	Gly	Tyr	Glu	Glu	Ile 295	Val	Gly	Glu	Ser	Pro 300	Ser	Phe	Asn	Leu
Ala	Gln	Glu	Ala	Trp	Glu	Lys	Ala	Glu	Arg	Arg	Ala	Lys	Gly	Gln	Ser

310

305					310					315					320	
Pro	Cys	Ser	Ala	Ala 325	Lys	Ala	Asn	Leu	Ala 330	Thr	Tyr	Tyr	Phe	Ser 335	Thr	
Gly	Asp	Phe	Glu 340	Lys	Ser	Ile	Lys	Leu 345	Tyr	Glu	Gļu	Pro	Met 350		Leu	,
Lys	Asp	Thr 355	Asp	Lys	Ser	Tyr	Leu 360	Arg	Glu	Arg	Arg	Lys 365	Arg	Val	Glu	· · ·
Ala	Thr 370	Thr	Leu	Arg	Ala	Pro 375	Phe	Val	Val	Gln	Leu 380	Thr	Val	Arg	Ser	٠.
Arg 385	Thr	Thr	Met	Ile	Ala 390	Val	Gly	Glu	Ser	Asn 395	Ala	Asn				
															•	• •
<21	0> 49 1> 61 2> DN	1							•						٠.	•
<213	3> A1	abio	iops:	is th	nalia	ina					,					
)> l> CI 2> (5		(601)						•						6	
<400	1> 49	•														
	0> 49 a ato Met	ato : Ile	gta Val	ctt Leu	tct Ser	· Val	ggt Gly	tco Ser	gct Ala	tct Ser	Sea	tct Ser	ccg Pro	g ato	gtc Val	49
gaaa gtc	Met 1 gtc	ato : Ile	e Val	l Leu gtc	ı Ser	Val	Gly ctt	/ Sex	ttc	Ser 10 tac	Sei) ttc	Ser tct	Pro Gaa	o Ile	Val 15	49 97
gaaa gtc Val	Met Met gtc Val	ttt Phe	tcc Ser	gtc Val 20	gcg Ala	ctt Leu	ctt Leu aat	ctg Leu	ttc Phe 25	tac Tyr	ttc Phe	tct Ser	gaa Glu	act Thr 30	tct Ser	
gtc Val cta Leu	gtc Val gga Gly	ttt Phe gct Ala	tcc Ser cct Pro 35	gtc Val 20 tgt Cys	gcg Ala	ctt Leu atc Ile	ctt Leu aat Asn	ctg Leu ggc Gly 40	ttc Phe 25 ttg Leu	tac Tyr cca Pro	ttc Phe atc Ile	tct Ser gtg Val	gaa Glu agg Arg 45	act Thr 30 aat Asn	e Val 15 tct Ser att Ile	97
gtc Val cta Leu agt Ser	gtc Val gga Gly gac Asp	ttt Phe gct Ala ctt Leu 50	tcc Ser cct Pro 35 cct Pro	gtc Val 20 tgt Cys cag Gln	gcg Ala	ctt Leu atc Ile aac Asn	ctt Leu aat Asn tat Tyr 55	ctg Leu ggc Gly 40 gga Gly	ttc Phe 25 ttg Leu aga Arg	tac Tyr cca Pro	ttc Phe atc Ile ggt Gly	tct Ser gtg Val ctt Leu 60	gaa Glu agg Arg 45 tcc Ser	act Thr 30 aat Asn cac	e Val 15 tct Ser att Ile atg Met	97 145
gtc Val cta Leu agt Ser act	gtc Val gga Gly gac Asp gtt Val 65	ttt Phe gct Ala ctt Leu 50 gct Ala	tcc Ser cct Pro 35 cct Pro	gtc Val 20 tgt Cys cag Gln tcc Ser	gcg Ala ccc Pro gat Asp	ctt Leu atc Ile aac Asn ttg Leu 70	ctt Leu aat Asn tat Tyr 55 cat His	ctg Ctg Leu ggc Gly 40 gga Gly	ttc Phe 25 ttg Leu aga Arg atg	tac Tyr cca Pro cca Pro cca Pro	ttc Phe atc Ile ggt Gly gag Glu 75	tct Ser gtg Val ctt Leu 60 gtt Val	gaa Glu agg Arg 45 tcc Ser gaa Glu	act Thr 30 aat Asn cac His	e Val 15 tct Ser att Ile atg Met tgg Trp	97 145 193

	gaa Glu															385
	gcc Ala															433
aaa Lys	aac Asn 145	acc Thr	ggt Gly	cat His	gag Glu	gac Asp 150	ctg Leu	cag Gln	gtg Val	ttg Leu	gtt Val 155	atc Ile	ata Ile	tct Ser	cgg	481
	cct Pro										Phe					529
gct Ala	gca Ala	agg Arg	ctg Leu	aag Lys 180	ttc Phe	cct Pro	tac Tyr	tat Tyr	tgg Trp 185	gat Asp	gaġ Glu	caa Gln	tgc Cys	att Ile 190	caa Gln	577
	tca Ser						taa	agca	aagt	tee						611
<21:	0> 50 1> 19 2> PF 3> Ar	8 RT	dopsi	is tł	nalia	ana						:				
			•													
	n		•													
<40	0> 50 Ile)					Ser	Ala	Ser 10	Ser	Ser	Pro	Ile	Val 15	Val :	
<40 Met 1	Ile) Val	Leu	Ser 5	Val	Gly			10					15	Val	
<40 Met 1 Val	Ile	Val Ser	Leu Val 20	Ser 5 Ala	Val Leu	Gly Leu	Leu	Phe 25	10 Tyr	Phe	Ser	Glu	Thr	15 Ser	Leu	
<40 Met 1 Val	Ile Phe	Val Ser Pro 35	Leu Val 20 Cys	Ser 5 Ala Pro	Val Leu Ile	Gly Leu Asn	Leu Gly 40	Phe 25 Leu	10 Tyr Pro	Phe Ile	Ser Val	Glu Arg 45	Thr 30 Asn	15 Ser Ile	Leu .	
<400 Met 1 Val Gly	Ile Phe Ala Leu	Val Ser Pro 35	Val 20 Cys Gln	Ser 5 Ala Pro	Val Leu Ile Asn	Gly Leu Asn Tyr 55	Leu Gly 40 Gly	Phe 25 Leu Arg	Tyr Pro	Phe Ile Gly	Ser Val Leu 60	Glu Arg 45 Ser	Thr 30 Asn His	15 Ser Ile Met	Leu Ser Thr	
<400 Met 1 Val Gly Asp	Phe Ala Leu 50	Val Ser Pro 35 Pro	Leu Val 20 Cys Gln Ser	Ser 5 Ala Pro Asp	Val Leu Ile Asn Leu 70	Gly Leu Asn Tyr 55	Leu Gly 40 Gly Gly	Phe 25 Leu Arg	10 Tyr Pro Pro	Phe Ile Gly Glu 75	Ser Val Leu 60 Val	Glu Arg 45 Ser Glu	Thr 30 Asn His	15 Ser Ile Met	Leu Ser Thr Leu 80	
<400 Met 1 Val Gly Asp Val 65 Gln	Phe Ala Leu 50 Ala	Val Ser Pro 35 Pro Gly	Leu Val 20 Cys Gln Ser	Ser 5 Ala Pro Asp Val	Val Leu Ile Asn Leu 70 Gly	Gly Leu Asn Tyr 55 His	Leu Gly 40 Gly Gly Gly	Phe 25 Leu Arg Met	Tyr Pro Pro Lys Pro 90	Phe Ile Gly Glu 75 Ile	Ser Val Leu 60 Val	Glu Arg 45 Ser Glu Arg	Thr 30 Asn His Ile	15 Ser Ile Met Trp Ser 95	Leu Ser Thr Leu 80 Cys	
<40 Met 1 Val Gly Asp Val 65 Gln	Phe Ala Leu 50 Ala Thr	Val Ser Pro 35 Pro Gly Phe	Leu Val 20 Cys Gln Ser Ala Phe 100	Ser 5 Ala Pro Asp Val Pro 85	Val Leu Ile Asn Leu 70 Gly	Gly Leu Asn Tyr 55 His Ser	Leu Gly 40 Gly Gly	Phe 25 Leu Arg Met Thr	Tyr Pro Pro Lys Pro Ser	Phe Ile Gly Glu 75 Ile Gly	Ser Val Leu 60 Val His	Glu Arg 45 Ser Glu Arg	Thr 30 Asn His Ile His	15 Ser Ile Met Trp Ser 95 Leu	Leu Ser Thr Leu 80 Cys	

Asn Thr Gly His Glu Asp Leu Gln Val Leu Val Ile Ile Ser Arg Pro 155 Pro Ile Lys Ile Phe Ile Tyr Glu Asp Trp Phe Met Pro His Thr Ala 170 Ala Arg Leu Lys Phe Pro Tyr Tyr Trp Asp Glu Gln Cys Ile Gln Glu 185 Ser Gln Lys Asp Glu Leu 195 <210> 51 <211> 1398 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1398) <400> 51 atg cct cgt cgt cgt acg tgc tgt cgg cgt gaa ttc ggt ccg aca cag Met Pro Arg Arg Arg Thr Cys Cys Arg Arg Glu Phe Gly Pro Thr Gln cca tgt aga ggc gcg tca atc act gga tct cta cgt gac cgt cga ccg Pro Cys Arg Gly Ala Ser Ile Thr Gly Ser Leu Arg Asp Arg Pro 20 25 acc gct atc ctt atc gga acc ctc acc gct tta ggc ggt gga gtt aga Thr Ala Ile Leu Ile Gly Thr Leu Thr Ala Leu Gly Gly Gly Val Arg tgt ggc tct tgc ccc agt gtc gac cgt tgc gga cac gca agt gcc gcc Cys Gly Ser Cys Pro Ser Val Asp Arg Cys Gly His Ala Ser Ala Ala 50 ata gcg cgt gat agc tgt gcc gtg ttc gca tgg aag cga ggt acg cga Ile Ala Arg Asp Ser Cys Ala Val Phe Ala Trp Lys Arg Gly Thr Arg 65 70 caa gag tac tgg tgc tcg act gaa ccg acc ctt gac tgg ggc ccc ggt 288 Gln Glu Tyr Trp Cys Ser Thr Glu Pro Thr Leu Asp Trp Gly Pro Gly 85 95 ggt gga ccc gac ttc gat tgt gat ggt ggt gac gat ccg ctt ttg Gly Gly Pro Asp Phe Asp Cys Asp Asp Gly Gly Asp Asp Pro Leu Leu 100 105 att caa gat ggc gta aaa gct gcg gag gaa tat gct aaa tct gga aaa Ile Gln Asp Gly Val Lys Ala Ala Glu Glu Tyr Ala Lys Ser Gly Lys 115 120

gtt Val	cca Pro 130	gat Asp	cca Pro	agc Ser	tgt Cys	act Thr 135	gat Asp	aat Asn	gct Ala	gag Glu	ttt Phe 140	caa Gln	gtt Val	gtg Val	ctt Leu	432
											tta Leu					480
											act Thr					528
											ttg Leu					576
act Thr	gat Asp	gtt Val 195	tgt Cys	gac Asp	acc Thr	gtg Val	atc Ile 200	aag Lys	agc Ser	aag Lys	att Ile	gat Asp 205	aac Asn	ttg Leu	tac Tyr	624
gga Gly	tgc Cys 210	cgc Arg	cac His	tca Ser	ctt Leu	tcg Ser 215	gat Asp	ggt Gly	ctc Leu	atg Met	agg Arg 220	gct Ala	act Thr	gat Asp	gtt Val	672
											tac Tyr					720
aag Lys	ggt Gly	tgg Trp	gtt Val	gct Ala 245	gcc Ala	ttg Leu	aag Lys	caa Gln	gct Ala 250	ggt Gly	gca Ala	cgt Arg	gtc Val	atc Ile 255	gtg Val	768
act Thr	gag Glu	atc Ile	ccg Pro 260	caa Gln	atc Ile	tgt Cys	gcc Ala	gtc Val 265	caa Gln	gct Ala	acc Thr	atg Met	gaa Glu 270	Gly	agt Ser	816
tcg Ser	gtc Val	ctt Leu 275	acc Thr	ctt Leu	gag Glu	gat Asp	gtc Val 280	gtt Val	tca Ser	gat Asp	gtt Val	gat Asp 285	cgc Arg	ttc Phe	gtt Val	864
acg Thr	aca Thr 290	acc Thr	ggt Gly	aac Asn	aag Lys	gac Asp 295	ctc Leu	atc Ile	atg Met	gtt Val	gac Asp 300	cac His	atg Met	agg Arg	cga Arg	912
atg Met 305	aag Lys	aac Asn	cag Gln	gcc Ala	ata Ile 310	gtt Val	tgc Cys	aac Asn	att Ile	cga Arg 315	cgt Arg	ttc Phe	gac Asp	aat Asn	gaa Glu 320	960
atc Ile	gac Asp	atg Met	cgc Arg	agt Ser 325	ctc Leu	gag Glu	acc Thr	ttc Phe	cct Pro 330	gga Gly	gtg Val	aag Lys	cgg Arg	atc Ile 335	aca Thr	1008
											gac Asp					1056
atc	att	gtc	cca	gcc	gag	ggg	cgt	ctc	atg	acg	atg	gga	tgc	gcç	act	1104

Ile	Ile	Val 355	Pro	Ala	Glu	Gly	Arg 360	Leu	Met	Thr	Met	Gly 3 6 5	Cys	Ala	Thr	
gga Gly	cac His 370	ccc Pro	agc Ser	ttc Phe	cgg Arg	acg Thr 375	tcc Ser	tgc Cys	tct Ser	ttc Phe	act Thr 380	aac Asn	caa Gln	gtc Val	agt Ser	1152
tct Ser 385	cag Gln	ctc Leu	gag Glu	ttg Leu	tgg Trp 390	cgg Arg	gag Glu	aag Lys	agc Ser	acc Thr 395	ggc Gly	aag Lys	tat Tyr	gag Glu	aag Lys 400	1200
aaa Lys	gtg Val	tac Tyr	gtc Val	ttc Phe 405	cca Pro	aag Lys	cac His	ctt Leu	gag Glu 410	aag Lys	aag Lys	gtt Val	gcc Ala	gcc Ala 415	ctt Leu	1248
cat His	ctc Leu	gta Val	aag Lys 420	ctc Leu	gga Gly	gca Ala	agg Arg	ctc Leu 425	act Thr	aag Lys	ctt Leu	agt Ser	cgg Arg 430	tgc Cys	acg Thr	1296
ttg Leu	ttg Leu	tgc Cys 435	acg Thr	gac Asp	gac Asp	cca Pro	gtt Val 440	gaa Glu	ggt Gly	cgt Arg	aaa Lys	gag Glu 4 4 5	cct Pro	cct Pro	cac His	1344
cgt Arg	gct Ala 450	ggc Gly	agc Ser	cct Pro	gaa Glu	ccg Pro 455	tgc Cys	cag Gln	ctg Leu	cag Gln	ctg Leu 460	acc Thr	gtg Val	ttc Phe	agg Arg	1392
tag	taa							·								1398
465											,					
<21 <21 <21	0> 52 1> 40 2> PI 3> Ai	54 ŘT	iopsi	is t)	nalia	ana						*			3	
<21 <21 <21 <21 <40	1> 40 2> PI 3> Ai 0> 52	54 ET cabic	_									*		•	3	
<21 <21 <21 <21 <40	1> 40 2> PI 3> A	54 ET cabic	_				Cys	Arg	Arg 10	Glu	Phe	Gly	Pro	Thr 15	Gln	
<21 <21 <21 <21 <40 Met	1> 40 2> PI 3> Ai 0> 52	54 RT rabio 2 Arg	Arg	Arg 5	Thr	Cys			10			٠		15		
<21 <21 <21 <40 Met 1	1> 40 2> Pi 3> Ai 0> 52 Pro	54 ET cabic 2 Arg	Arg Gly 20	Arg 5 Ala	Thr Ser	Cys	Thr	Gly 25	10 Ser	Leu	Arg	Asp	Arg	15 Arg	Pro	
<21 <21 <21 <40 Met 1 Pro	1> 4(2> PI 3> Ai 0> 52 Pro	Arg Ile 35	Arg Gly 20 Leu	Arg 5 Ala Ile	Thr Ser Gly	Cys Ile Thr	Thr Leu 40	Gly 25 Thr	10 Ser Ala	Leu Leu	Arg	Asp Gly 45	Arg 30 Gly	15 Arg Val	Pro Arg	
<21 <21 <21 <40 Met 1 Pro	1> 40 2> PI 3> Ai 0> 52 Pro Cys Ala	Arg Ile 35 Ser	Arg Gly 20 Leu Cys	Arg 5 Ala Ile Pro	Thr Ser Gly Ser	Cys Ile Thr Val	Thr Leu 40	Gly 25 Thr	10 Ser Ala Cys	Leu Leu Gly	Arg Gly His 60	Asp Gly 45 Ala	Arg 30 Gly Ser	15 Arg Val	Pro Arg Ala	
<21 <21 <21 <40 Met 1 Pro Thr Cys	1> 40 2> PI 3> An 0> 50 Pro Cys Ala Gly 50	Standard Research Res	Arg Gly 20 Leu Cys	Arg 5 Ala Ile Pro	Thr Ser Gly Ser Cys 70	Cys Ile Thr Val 55	Thr Leu 40 Asp	Gly 25 Thr Arg	10 Ser Ala Cys Ala	Leu Gly Trp 75	Gly His 60 Lys	Asp Gly 45 Ala Arg	Arg 30 Gly Ser	15 Arg Val Ala Thr	Pro Arg Ala Arg 80	

100 105. 110 Ile Gln Asp Gly Val Lys Ala Ala Glu Glu Tyr Ala Lys Ser Gly Lys 115 120 125 Val Pro Asp Pro Ser Cys Thr Asp Asn Ala Glu Phe Gln Val Val Leu 135 Ile Ile Ile Arg Glu Gly Leu Lys Thr Asp Pro Leu Lys Tyr Thr Lys Arg Pro Ser Cys Leu Val Gly Val Ser Glu Glu Thr Thr Thr Gly Val 165 Lys Arg Ser Tyr Gln Met Gln Pro Lys Cys Thr Leu Leu Leu His Ala 185 Thr Asp Val Cys Asp Thr Val Ile Lys Ser Lys Ile Asp Asn Leu Tyr 200 Gly Cys Arg His Ser Leu Ser Asp Gly Leu Met Arg Ala Thr Asp Val 215 Arg Arg Pro Cys Lys Val Ala Leu Val Gly Gly Tyr Gly Asp Val Phe 235 Lys Gly Trp Val Ala Ala Leu Lys Gln Ala Gly Ala Arg Val Ile Val Thr Glu Ile Pro Gln Ile Cys Ala Val Gln Ala Thr Met Glu Gly Ser 265 Ser Val Leu Thr Leu Glu Asp Val Val Ser Asp Val Asp Arg Phe Val 280 Thr Thr Thr Gly Asn Lys Asp Leu Ile Met Val Asp His Met Arg Arg Met Lys Asn Gln Ala Ile Val Cys Asn Ile Arg Arg Phe Asp Asn Glu 315 Ile Asp Met Arg Ser Leu Glu Thr Phe Pro Gly Val Lys Arg Ile Thr 325 Ile Lys Ala Gln Thr Asp Arg Trp Val Phe Arg Asp Thr Asn Arg Gly Ile Ile Val Pro Ala Glu Gly Arg Leu Met Thr Met Gly Cys Ala Thr 360 Gly His Pro Ser Phe Arg Thr Ser Cys Ser Phe Thr Asn Gln Val Ser Ser Gln Leu Glu Leu Trp Arg Glu Lys Ser Thr Gly Lys Tyr Glu Lys 390 395 Lys Val Tyr Val Phe Pro Lys His Leu Glu Lys Lys Val Ala Ala Leu

405 410 415

His Leu Val Lys Leu Gly Ala Arg Leu Thr Lys Leu Ser Arg Cys Thr 420 425 430

Leu Leu Cys Thr Asp Asp Pro Val Glu Gly Arg Lys Glu Pro Pro His
435 440 445

Arg Ala Gly Ser Pro Glu Pro Cys Gln Leu Gln Leu Thr Val Phe Arg 450 455 460

<210> 53

<211> 771

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (1)..(537)

<400> 53

atg ccg cgt aac gtt gct ggt atg tgc gtt gcg tta gaa cga gtc ttc 48
Met Pro Arg Asn Val Ala Gly Met Cys Val Ala Leu Glu Arg Val Phe
1 5 10 15

gac gtc gat gaa att gtc agg tta agg aag agg ttt ttc aag ttg gac 96
Asp Val Asp Glu Ile Val Arg Leu Arg Lys Arg Phe Phe Lys Leu Asp
20 25 30

aga gat tgt tca gga tca gaa ctt gga agt gag ttc atg agt ttg cct 144
Arg Asp Cys Ser Gly Ser Glu Leu Gly Ser Glu Phe Met Ser Leu Pro
35 40 45

caa gtt agt tcg aac cct ctt cgg atg cgt gag atg cgt aat ttc gat 192 Gln Val Ser Ser Asn Pro Leu Arg Met Arg Glu Met Arg Asn Phe Asp 50 60

aat gat tgc gta ggg agt gtg gat ttt atc gag ttc atc aat gga cgt 240 Asn Asp Cys Val Gly Ser Val Asp Phe Ile Glu Phe Ile Asn Gly Arg 65 70 75 80

tcc agt ttc agt act gtc ggg cag aag aat gct aaa ttg aga ttt gca 288 Ser Ser Phe Ser Thr Val Gly Gln Lys Asn Ala Lys Leu Arg Phe Ala 85 90 95

ccg att atc tat gat tgc gat aaa gat gga cct ata tca aac ggt gag
Pro Ile Ile Tyr Asp Cys Asp Lys Asp Gly Pro Ile Ser Asn Gly Glu
100 105 110

tta ttt agg gtg ttg cgt att atg gtt cat gac aat ctg agt gat aat
Leu Phe Arg Val Leu Arg Ile Met Val His Asp Asn Leu Ser Asp Asn
115 120 125

cag ctg cag cag cgt tgc gat tgc acg cgt agt ggc gga gat aat gac 432 Gln Leu Gln Gln Arg Cys Asp Cys Thr Arg Ser Gly Gly Asp Asn Asp

	130					135					140					
														ggt Gly		480
														agc Ser 175		528
gat Asp	_	taa	agti	cagt	igc a	ccgt	gaco	g to	gagco	tgga	a ago	cctga	aacg		•	577
ctga	caaç	acc c	ttaa	agcca	aa aa	aatt	ggct	gaç	ggcct	gat	gcc	ctgag	gat (gccaa	aggct	637
ttt	aggo	ett t	taga	agaaa	aa ag	gcta	aaaa	a aaa	aggct	aga	aaaa	aaagg	gct (cttaç	gcctg	697
ctto	gagco	tg a	agcct	gago	ec to	jatec	gatca	aaa	aaaa	aagg	agco	ettt	tt	tttta	agctaa	757
aaaa	aaaa	ag c	ctaa													771
<211 <212 <213		78 RT cabic	lops	is tl	nalia	ana										
)> 54 Pro		Asn	Val 5	Ala	Gly	Met	Суз	Val	Ala	Leu	Glu	Arg	Val 15	Phe	
Asp	Val	Asp	Glu 20	Ile	Val	Arg	Leu	Arg 25	Lys	Arg	Phe	Phe	Lys 30	Leu	Asp	
Arg	Asp	Cys 35	Ser	Gly	Ser	Glu	Leu 40	Gly	Ser	G1u	Phe	Met 45	Ser	Leu	Pro	
Gln	Val 50	Ser	Ser	Asn	Pro	Leu 55	Arg	Met	Arg	Glu	Met 60	Arg	Asn	Phe	Asp	
Asn 65	Asp	Cys	Val	Gly	Ser 70	Val	Asp	Phe	Ile	Glu 75	Phe	Ile	Asn	Gly	Arg 80	
Ser	Ser	Phe	Ser	Thr 85	Val	Gly	Gln	Lys	Asn 90	Ala	Lys	Leu	Arg	Phe 95	Ala	
Pro	Ile	Ile	Tyr 100	Asp	Cys	Asp	Lys	Asp 105	Gly	Pro	Ile	Ser	Asn 110	Gly	Glu	
Leu	Phe	Arg 115	Val	Leu	Arg	Ile	Met 120	Val	His	Asp	Asn	Leu 125	Ser	Asp	Asn	•
Gln	Leu 130	Gln	Gln	Arg	Cys	Asp 135	Cys	Thr	Arg	Ser	Gly 140	Gly	Asp	Asn	Asp	
Gly 145	Asp	Gly	Arg	Gly	Ala 150	Lys	Asn	Ser	Phe	Glu 155	Glu	Phe	Tyr	Gly	Arg	٠

Leu Pro Ala Thr Val Arg Arg Pro Tyr Arg Thr Leu Val Ser Gly

170 Asp Val <210> 55 <211> 1617 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (10) . . (1557) <400> 55 cgctacggt atg cgt acg tca aga aca gga ttt cgg atg cca ttg ggg ccc 51 Met Arg Thr Ser Arg Thr Gly Phe Arg Met Pro Leu Gly Pro 1 tgg gcg gtg aac ccc tgc ttc att gct tcc tgt tcc tgt ctc ctc gtt Trp Ala Val Asn Pro Cys Phe Ile Ala Ser Cys Ser Cys Leu Leu Val 20 ggc ttc ggc gac gca atc ttc tac gag tcg ttc gcc ggg gat ttt gat Gly Phe Gly Asp Ala Ile Phe Tyr Glu Ser Phe Ala Gly Asp Phe Asp gca cgc tgg att tta tcc ggc tca aag tgt ctc tcg gat tcg gcc aag Ala Arg Trp Ile Leu Ser Gly Ser Lys Cys Leu Ser Asp Ser Ala Lys aat gct ggg ttt gat gat tat gga ctt ctt gtg ggt gaa caa gcc agg Asn Ala Gly Phe Asp Asp Tyr Gly Leu Leu Val Gly Glu Gln Ala Arg aag cct cct ata gtc aag gaa ctt gcc gag tct ctc agt cta aag gac Lys Pro Pro Ile Val Lys Glu Leu Ala Glu Ser Leu Ser Leu Lys Asp gga aga gtt gtt ctt gag tgt gag act cgc ctt gac cat ggc atc gac 339 Gly Arg Val Val Leu Glu Cys Glu Thr Arg Leu Asp His Gly Ile Asp 100 105 tgt gga ggt ccc tgt att aga tat ctt cga acc cag gag agc gga tgg 387 Cys Gly Gly Pro Cys Ile Arg Tyr Leu Arg Thr Gln Glu Ser Gly Trp 115 120 aaa ttt gac agc tcc acc atg ttt ggt gct gct aag tat ggc gcg agg 435 Lys Phe Asp Ser Ser Thr Met Phe Gly Ala Ala Lys Tyr Gly Ala Arg 130 135 agg acc cag ttc ttc ggg ggc cac ccc cag aac cca aac agt ggt gag 483 Arg Thr Gln Phe Phe Gly Gly His Pro Gln Asn Pro Asn Ser Gly Glu

tgt Cys	gtt Val 160	gac Asp	cat His	gat Asp	cac His	aac Asn 165	cag Gln	cgg Arg	gct Ala	tcc Ser	ctc Leu 170	aca Thr	tcg Ser	.gac Asp	aaa Lys	531
gta Val 175	Pro	cgt Arg	ttg Leu	Tyr	act Thr 180	gga Gly	att Ile	ctg Leu	tcg Ser	ccc Pro 185	gaa Glu	aat Asn	gaa Glu	ttc Phe	cag Gln 190	579
atc Ile	ttg Leu	ata Ile	gat Asp	cgg Arg 195	Gly	ttg Leu	gag Glu	acc Thr	aag Lys 200	gcc Ala	aaa Lys	atc Ile	ttc Phe	cct Pro 205	tgt Cys	627
Glu	Asp	Phe	Glu 210	Pro	Pro	Val	Ile	Pro 215	Ser	Lys	Arg	Ser	Pro 220	gat Asp	Asn	675
Pro	Ser	Lys 225	Arg	Thr	Glu	Asp	Ser 230	Asp	Glu	Lys	Ala	Lys. 235	Ile	cca Pro	Gly	723
Pro	Ser 240	Ala	Leu	Lys	Arg	Gln- 245	Glu	Ser	Asp	Glu	Asp 250	Pro	Asn ·	cgg Arg	Glu	771
Ile 255	Leu	His	Glu	Glu	Ala 260	Gly	Arg	Arg	Ser	Ser 265	Asp	Val	Gly	gcc Ala	His 270	819
Ala	Lys	Asp	Gln	Ala 275	His	Glu	Pro	Glu	Pro 280	Lys	His	Trp	Gly	gct Ala 285	Glu	867
Lys	Asp	Gly	Glu 290	Cys	Ala	Pro	Pro	Lys 295	Ile	Glu	Asn	Ala	300	Arg	ggg Gly	915
Ala	Ala	Pro 305	Ser	Cys	Gly	Val	Ser 310	Glu	Arg	Gln	Thr	Lys 315	Ile	agt Ser	Pro	963
Asn	Tyr 320	Lys	Gly	Lys	Pro	Ser 325	Val	Gly	Pro	Asn	Val 330	Tyr	Gln	Gly		1011
Trp 335	Lys	Pro	Arg	Glu	Met 340	Leu	Asn	Pro	Gly	Ser 345	Phe	Gln	Ile	gca Ala	Lys 350	1059
Pro	Ala	Cys	Glu	Pro 355	Ile	Ala	Gly	Ile	Gly 360	Met	Glu	Ile	Arg	aag Lys 365	Gln	1107
ggc Gly	atc Ile	cta Leu	tta Leu 370	gac Asp	act Thr	gtg Val	gtg Val	ggg Gly 375	gtt Val	agg Arg	Gly ggg	gat Asp	aca Thr 380	ggt Gly	gaa Glu	1155

gaa Glu	tat Tyr	ggg Gly 385	gaa Glu	acc Thr	ccg Pro	ttg Leu	aag Lys 390	acc Thr	acg Thr	tgt Cys	acc Thr	gtc Val 395	gag Glu	aag Lys	cac His	1203
agt Ser	ttg Leu 400	cag Gln	gct Ala	caa Gln	gag Glu	gcg Ala 405	aga Arg	acc Thr	cgg Arg	tca Ser	gac Asp 410	gct Ala	ggt Gly	tca Ser	ccc Pro	1251
tac Tyr 415	acc Thr	agg Arg	tac Tyr	gta Val	tct Ser 420	aaa Lys	atc Ile	ccc Pro	ggg Gly	aaa Lys 425	Ala	gat Asp	aat Asn	ccc Pro	ttc Phe 430	1299
tcg Ser	agc Ser	gag Glu	cac His	aaa Lys 435	tgt Cys	aag Lys	aat Asn	ttc Phe	gat Asp 440	ctg Leu	att Ile	gag Glu	gct Ala	gag Glu 445	aaa Lys	1347
cag Gln	tgt Cys	gcc Ala	aat Asn 450	gca Ala	gta Val	atc Ile	ctg Leu	ggt Gly 455	gtt Val	gtg Val	gtt Val	aac Asn	tcc Ser 460	ggt Gly	tca Ser	1395
att Ile	aac Asn	tcc Ser 465	gtt Val	gtg Val	tct Ser	tgg Trp	ggc Gly 470	tac Tyr	aaa Lys	cct Pro	ggc Gly	acg Thr 475	gtg Val	aac Asn	aag Lys	1443
aac Asn	caa Gln 480	gaa Glu	cgc Arg	aga Arg	gca Ala	ccc Pro 485	tcc Ser	cag Gln	cga Arg	cgt Arg	agt Ser 490	agc Ser	gag Glu	att Ile	gaa Glu	1491
gga Gly 495	acc Thr	caa Gln	gac Asp	cga Arg	cga Arg 500	aaa Lys	cag Gln	gat Asp	gtt Val	ggc Gly 505	cga Arg	cgc Arg	caa Gln	gct Ala	gcc Ala 510	1539
	tcg Ser				tga	taat	taaa	atc o	gato	ccgto	c tt	taad	ccc	=		1587
gtto	gttca	aat a	accgt	ttt	t tt	ttat	ttaa	.								1617
<211 <212)> 56 l> 51 2> PF 3> A1	15 RT	lopsi	is tì	nalia	ına										
)> 56 Ara		Ser	Ara	Thr	Glv	Phe	Ara	Met	Pro	I.au	Cly	Pro	Ф	212	
1				5					10					15		
Val	Asn	Pro	Cys 20	Phe	Ile	Ala	Ser	Cys 25	Ser	Cys	Leu	Leu	Vai 30	Gly	Phe	
Gly	Asp	Ala 35	Ile	Phe	Tyr	Glu	Ser 40	Phe	Ala	Gly	Asp	Phe 45	Asp	Ala	Arg	
Trp	Ile 50	Leu	Ser	Gly	Ser	Lys 55	Cys	Leu	Ser	Asp	Ser 60	Ala	Lys	Asn	Ala _.	

Gly Phe Asp Asp Tyr Gly Leu Leu Val Gly Glu Gln Ala Arg Lys Pro Pro Ile Val Lys Glu Leu Ala Glu Ser Leu Ser Leu Lys Asp Gly Arg Val Val Leu Glu Cys Glu Thr Arg Leu Asp His Gly Ile Asp Cys Gly 105 Gly Pro Cys Ile Arg Tyr Leu Arg Thr Gln Glu Ser Gly Trp Lys Phe Asp Ser Ser Thr Met Phe Gly Ala Ala Lys Tyr Gly Ala Arg Arg Thr Gln Phe Phe Gly Gly His Pro Gln Asn Pro Asn Ser Gly Glu Cys Val 150 Asp His Asp His Asn Gln Arg Ala Ser Leu Thr Ser Asp Lys Val Pro 170 Arg Leu Tyr Thr Gly Ile Leu Ser Pro Glu Asn Glu Phe Gln Ile Leu 185 Ile Asp Arg Gly Leu Glu Thr Lys Ala Lys Ile Phe Pro Cys Glu Asp 200 Phe Glu Pro Pro Val Ile Pro Ser Lys Arg Ser Pro Asp Asn Pro Ser 210 215 Lys Arg Thr Glu Asp Ser Asp Glu Lys Ala Lys Ile Pro Gly Pro Ser 235 Ala Leu Lys Arg Gln Glu Ser Asp Glu Asp Pro Asn Arg Glu Ile Leu 250 His Glu Glu Ala Gly Arg Arg Ser Ser Asp Val Gly Ala His Ala Lys 265 Asp Gln Ala His Glu Pro Glu Pro Lys His Trp Gly Ala Glu Lys Asp 280 Gly Glu Cys Ala Pro Pro Lys Ile Glu Asn Ala Lys Arg Gly Ala Ala 290 300 Pro Ser Cys Gly Val Ser Glu Arg Gln Thr Lys Ile Ser Pro Asn Tyr Lys Gly Lys Pro Ser Val Gly Pro Asn Val Tyr Gln Gly Ile Trp Lys 325 Pro Arg Glu Met Leu Asn Pro Gly Ser Phe Gln Ile Ala Lys Pro Ala 345 Cys Glu Pro Ile Ala Gly Ile Gly Met Glu Ile Arg Lys Gln Gly Ile 360

Leu Leu Asp Thr Val Val Gly Val Arg Gly Asp Thr Gly Glu Glu Tyr 370 Gly Glu Thr Pro Leu Lys Thr Thr Cys Thr Val Glu Lys His Ser Leu 390 395 Gln Ala Gln Glu Ala Arg Thr Arg Ser Asp Ala Gly Ser Pro Tyr Thr 405 410 415 Arg Tyr Val Ser Lys Ile Pro Gly Lys Ala Asp Asn Pro Phe Ser Ser 425 Glu His Lys Cys Lys Asn Phe Asp Leu Ile Glu Ala Glu Lys Gln Cys 440 Ala Asn Ala Val Ile Leu Gly Val Val Val Asn Ser Gly Ser Ile Asn 455 460 Ser Val Val Ser Trp Gly Tyr Lys Pro Gly Thr Val Asn Lys Asn Gln Glu Arg Arg Ala Pro Ser Gln Arg Arg Ser Ser Glu Ile Glu Gly Thr 485 Gln Asp Arg Arg Lys Gln Asp Val Gly Arg Arg Gln Ala Ala Ser Ser 505 Pro Arg Arg 515 <210> 57 <211> 1281 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (13)..(1266) <400> 57 geteegeteg et atg agt tgg ega eee egg aag aae gtg eeg atg aaa aea 51 Met Ser Trp Arg Pro Arg Lys Asn Val Pro Met Lys Thr cgg gtg acc agg gac ggt tcg ggg ccc gga aaa acc ggt gtc aca cgc Arg Val Thr Arg Asp Gly Ser Gly Pro Gly Lys Thr Gly Val Thr Arg 15 20 ggg tcg tca ccc atg cga tgg gca tgg aag cgg tgg caa gcc gtc ggg Gly Ser Ser Pro Met Arg Trp Ala Trp Lys Arg Trp Gln Ala Val Gly 30 35 40 gca tcg acg gcc cgc acg tgg ttc ggg aca gag aac cag aaa gga ata Ala Ser Thr Ala Arg Thr Trp Phe Gly Thr Glu Asn Gln Lys Gly Ile

acg Thr	aca Thr	agc Ser	acc Thr 65	cgc Arg	gcg Ala	cgg Arg	cgc Arg	tac Tyr 70	gcg Ala	gtc Val	tcg Ser	gcc Ala	aaa Lys 75	ttc Phe	ccg	243
aga Arg	tta Leu	agt Ser 80	aat Asn	aag Lys	ggc Gly	aaa Lys	gat. Asp 85	tac Tyr	atg Met	cgt Arg	tgc Cys	gtc Val 90	ctc Leu	caa Gln	tac Tyr	291.
acc Thr	gtc Val 95	aaa Lys	aat Asn	gaa Glu	caa Gln	aaa Lys 100	gtt Val	gat Asp	tgt Cys	ggt Gly	ggc Gly 105	tca Ser	tat Tyr	atc Ile	aag Lys	339
tta Leu 110	tta Leu	cct Pro	tcg Ser	aaa Lys	ttg Leu 115	cgc Arg	acg Thr	ggt Gly	gat Asp	ggt Gly 120	gat Asp	ggc Gly	gtg Val	tca Ser	gaa Glu 125	387
tat Tyr	tca Ser	att Ile	atg Met	ttt Phe 130	ggt Gly	cca Pro	gat Asp	tcg Ser	aca Thr 135	ggt Gly	gca Ala	tca Ser	cgt Arg	act Thr 140	gtt Val	435
cgt Arg	cga Arg	gct Ala	cgc Arg 145	aat Asn	tat Tyr	aag Lys	ggt Gly	aaa Lys 150	cgg Arg	cat His	ttg Leu	cgg Arg	aaa Lys 155	aaa. Lys	gaa Glu	483
cag Gln	aat Asn	aaa Lys 160	gtg Val	gaa Glu	aca Thr	gat Asp	caa Gln 165	tta Leu	aca Thr	cat His	cag Gln	tat Tyr 170	act Thr	acg Thr	agt Ser	531
tgg Trp	tca Ser 175	cca Pro	gat Asp	tgg Trp	acc Thr	tac Tyr 180	aac Asn	gtt Val	cta Leu	gta Val	gat Asp 185	aat Asn	aag Lys	gaa Glu	tcg Ser	579
caa Gln 190	gca Ala	ggg Gly	aac Asn	ctt Leu	gcc Ala 195	gac Asp	gac Asp	tgc Cys	gag Glu	tta Leu 200	ctt Leu	cca Pro	cag Gln	aag Lys	cga Arg 205	627
atc Ile	ttc Phe	cga Arg	ccc Pro	agc Ser 210	tgc Cys	cga Arg	aaa Lys	caa Gln	tcċ Ser 215	aaa Lys	cca Pro	gtc Val	acc Thr	tgc Cys 220	gta Val	675
gac Asp	gtc Val	aag Lys	cac His 225	cac His	gcc Ala	ccc Pro	cga Arg	cga Arg 230	aat Asn	gtg Val	aaa Lys	ccc Pro	gcc Ala 235	Gly	cac His	723
gat Asp	gac Asp	att Ile 240	cca Pro	gcg Ala	cga Arg	cgg Arg	acg Thr 245	acg Thr	ccg Pro	gaa Glu	gcg Ala	gtc Val 250	cgg Arg	aaa Lys	ggc Gly	771
cgc Arg	acg Thr 255	aac Asn	gag Glu	cga Arg	ccg Pro	gac Asp 260	cgg Arg	acg Thr	tgg Trp	gcg Ala	acc Thr 265	Gly ggg	acg Thr	acc Thr	cca Pro	819
cgg Arg 270	cca Pro	cgg Arg	cgt Arg	tac Tyr	aag Lys 275	gga Gly	gag Glu	acg Thr	aag Lys	gcc Ala 280	aaa Lys	aag Lys	cac His	cca Pro	cgg Arg 285	867

ccg Pro	gaa Glu	tac Tyr	aaa Lys	ggg Gly 290	acc Thr	tgg Trp	gtc Val	acg Thr	ccg Pro 295	tta Leu	cag Gln	gac Asp	aac Asn	ccc Pro 300	act Thr	915
cca Pro	gcc Ala	ccc Pro	ccg Pro 305	aac Asn	gac Asp	cta Leu	tat Tyr	cta Leu 310	ttc Phe	ttg Leu	gac Asp	ctg Leu	ggt Gly 315	gca Ala	gca Ala	963
Gly	aca Thr	cgg Arg 320	acc Thr	tgg Trp	acc Thr	gtg Val	aaa Lys 325	tcg Ser	ggc Gly	tca Ser	atc Ile	acg Thr 330	aac Asn	aac Asn	atg Met	1011
ata Ile	gtg Val 335	aca Thr	acg Thr	tcc Ser	gtg Val	gaa Glu 340	acc Thr	gcg Ala	acc Thr	gac Asp	ttc Phe 345	tca Ser	gag Glu	aaa Lys	acc Thr	1059
aag Lys 350	gtg Val	gca Ala	aac Asn	acc Thr	acg Thr 355	acc Thr	gag Glu	ctc Leu	aac Asn	gac Asp 360	gga Gly	cgc Arg	gac Asp	gcc Ala	gga Gly 365	1107
acg Thr	Gly	atc Ile	ggt Gly	gcc Ala 370	gag Glu	cgc Arg	cac His	tgt Cys	gct Ala 375	gat Asp	gag Glu	aga Arg	tgg Trp	aaa Lys 380	gag Glu	1155
aca Thr	acg Thr	gta Val	gcc Ala 385	ccc Pro	gat Asp	tgc Cys	gcc Ala	gta Val 390	tcg Ser	gca Ala	gcg Ala	aac Asn	gcc Ala 395	tcg Ser	cga Arg	1203
					gcc Ala											1251
	gga Gly 415			taa	aato	geet	ga 1	tgee1	.		34.					1281
<213 <213	0> 58 l> 4: 2> Pi 3> A	l7 RT	lops	is tì	nalia	ana									•	••
	0> 58 Ser		Ara	Pro	Arg	Lve	Δen	Val	Dro	W o+	Lve	Thr) ra	Wa 1	Th.	
1			9	5	9	2,5	no.	Vai	10	Mec	пуs	1111	Arg	15	1111	
Arg	Asp	Gly	Ser 20	Gly	Pro	Gly	Lys	Thr 25	Gly	Val	Thr _.	Arg	Gly 30	Ser	Ser	•
Pro	Met	Arg 35	Trp	Ala	Trp	Lys	Arg 40	Trp	Gln	Ala	Val	Gly 45	Ala	Ser	Thr	
Ala	Arg 50	Thr	Trp	Phe	Gly	Thr 55	Glu	Asn	Gln	Lys	Gly 60	Ile	Thr	Thr	Ser	
Thr 65	Arg	Ala	Arg	Arg	Tyr 70	Ala	Val	Ser	Ala	Lys 75	Phe	Pro	Arg	Leu	Ser 80	٠

Asn Lys Gly Lys Asp Tyr Met Arg Cys Val Leu Gln Tyr Thr Val Lys 90 Asn Glu Gln Lys Val Asp Cys Gly Gly Ser Tyr Ile Lys Leu Leu Pro Ser Lys Leu Arg Thr Gly Asp Gly Asp Gly Val Ser Glu Tyr Ser Ile 120 Met Phe Gly Pro Asp Ser Thr Gly Ala Ser Arg Thr Val Arg Arg Ala Arg Asn Tyr Lys Gly Lys Arg His Leu Arg Lys Lys Glu Gln Asn Lys 150 155 Val Glu Thr Asp Gln Leu Thr His Gln Tyr Thr Thr Ser Trp Ser Pro 170 Asp Trp Thr Tyr Asn Val Leu Val Asp Asn Lys Glu Ser Gln Ala Gly 180 Asn Leu Ala Asp Asp Cys Glu Leu Leu Pro Gln Lys Arg Ile Phe Arg 200 Pro Ser Cys Arg Lys Gln Ser Lys Pro Val Thr Cys Val Asp Val Lys 215 His His Ala Pro Arg Arg Asn Val Lys Pro Ala Gly His Asp Asp Ile Pro Ala Arg Arg Thr Thr Pro Glu Ala Val Arg Lys Gly Arg Thr Asn Glu Arg Pro Asp Arg Thr Trp Ala Thr Gly Thr Thr Pro Arg Pro Arg 265 Arg Tyr Lys Gly Glu Thr Lys Ala Lys Lys His Pro Arg Pro Glu Tyr 280 Lys Gly Thr Trp Val Thr Pro Leu Gln Asp Asn Pro Thr Pro Ala Pro 290 295 Pro Asn Asp Leu Tyr Leu Phe Leu Asp Leu Gly Ala Ala Gly Thr Arg Thr Trp Thr Val Lys Ser Gly Ser Ile Thr Asn Asn Met Ile Val Thr 325 330 Thr Ser Val Glu Thr Ala Thr Asp Phe Ser Glu Lys Thr Lys Val Ala Asn Thr Thr Thr Glu Leu Asn Asp Gly Arg Asp Ala Gly Thr Gly Ile Gly Ala Glu Arg His Cys Ala Asp Glu Arg Trp Lys Glu Thr Thr Val

Ala 385	Pro	qzA	Cys	Ala	Val 390	Ser	Ala	Ala	Asn	Ala 3 9 5	Ser	Arg	Arg	Thr	Gly 400	
Glu	Leu	Ala	Thr	Pro 405	Val	Thr	Met	Leu	Pro 410	Asp	Pro	Leu	Tyr	Gly 415	Pro	
Glu													•	-		
													•	. •		. · . · .
	> 59															
	l> 41 2> Di				•											
			lopsi	is th	nalia	ana	•									
<220)>														٠.	•
<221	l> CI															
<222	2> (1	.)((411)	•		•							•			
)> 59												•			
aag	gaa	gct	ttt	agc	Ctc	ttc	gac	aaa	gat	ggc	gat	ggt	tgc Cys	atc	aca	48
1	GIU	nia	·	5	Deu	FILE	ASD	цуs	10	GIA	Asp	GIÀ	cys	11e	Thr	
															:	
Thr	Lys	Glu	Leu	Gly	Thr	gct Val	Met	Ara	Ser	Cta Leu	gga Glv	caa Gln	aac Asn	cca	aca Thr	96
	-		.20	_				25					30			
gag	gct	gag	ctc	caa	gac	atg	atc	aac	σασ	att	gat.	gca	gat	gga	aac	144
Glu	Ala	Glu	Leu	Gln	Asp	Met	Ile	Asn	Glu	Val	Asp	Ala	Asp	Gly	Asn	113
		3.5					40					45	-			
ggc	act	atc	gac	ttc	ccc	gag	ttc	ctg	aac	ctg	atg	gct	aag	aag	atg	192
Gly	Thr 50	Ile	Asp	Phe	Pro	Glu 55	Phe	Leu	Asn	Leu	Met 60	Ala	Lys	ŗàs	Met	
aaa	gac	act	gac	tcc	gag	gaa	gag	cta	aaa	gaa	gcc	ttc	agg	gtt	ttc	240
65	АБР	1111	ASD	ser	70	GIU	GIU	Leu	гàг	75	Ala	Phe	Arg	Val	Phe 80	
Asp	Lys	Asp	Gln	Asn	Gly	Phe	Ile	Ser	gct Ala	gct	Glu	cta	cgc Arg	Cat	gtg Val	288
_	-	_		85	-				90				••- 9	95	•	
ato	acc	aat	ctt	aat	gag	ааσ	cta	act	rat	722	maa.	ata	gaa	<i>~~</i>	ata	336
Met	Thr	Asn	Leu	Gly	Glu	Lys	Leu	Thr	Asp	Glu	Glu	Val	Glu	Glu	Met	330
		•	100					105					110			
atc	cgt	gag	gct	gat	gtt	gat	gga	gat	ggt	cag	att	aac	tat	gaa	gag	384
Ile	Arg	Glu	Ala	qaA	Val	Asp	Gly	Asp	Gly	Gln	Ile	Asn	Tyr	Glu	Glu	
		115	•				120					125				
					atg			tga	tttg	gat						417
Pne	Val 130	rys	Ile	Met	Met	Ala 135	Lys									

```
<210> 60
<211> 136
 <212> PRT
 <213> Arabidopsis thaliana
 <400> 60
 Lys Glu Ala Phe Ser Leu Phe Asp Lys Asp Gly Asp Gly Cys Ile Thr
                                     10
 Thr Lys Glu Leu Gly Thr Val Met Arg Ser Leu Gly Gln Asn Pro Thr
             20
                                 25
 Glu Ala Glu Leu Gln Asp Met Ile Asn Glu Val Asp Ala Asp Gly Asn
                      40
 Gly Thr Ile Asp Phe Pro Glu Phe Leu Asn Leu Met Ala Lys Lys Met
                      55
 Lys Asp Thr Asp Ser Glu Glu Glu Leu Lys Glu Ala Phe Arg Val Phe
 Asp Lys Asp Gln Asn Gly Phe Ile Ser Ala Ala Glu Leu Arg His Val
 Met Thr Asn Leu Gly Glu Lys Leu Thr Asp Glu Glu Val Glu Glu Met
                                105
 Ile Arg Glu Ala Asp Val Asp Gly Asp Gly Gln Ile Asn Tyr Glu Glu
                            120
 Phe Val Lys Ile Met Met Ala Lys
    130
 <210> 61
 <211> 6069
 <212> DNA
 <213> Arabidopsis thaliana
 <220>
 <221> CDS
 <222> (34)..(173)
 <220>
 <221> CDS
 <222> (282)..(492)
 <220>
 <221> CDS
 <222> (539)..(1135)
 <220>
```

<221> CDS

<222> (1224)..(1320)

```
<220>
<221> CDS
<222> (1404)..(1585)
<220>
<221> CDS
<222> (1663)..(1778)
<220>
<221> CDS
<222> (1891)..(1993)
<220>
<221> CDS
<222> (2114)..(2266)
<220>
<221> CDS
<222> (2376)..(2522)
<220>
<221> CDS
<222> (2608)..(2808)
<220>
<221> CDS
<222> (3071)..(3235)
<220>
<221> CDS
<222> (3315)..(3419)
<220>
<221> CDS
<222> (3519)..(3656)
<220>
<221> CDS
<222> (3742)..(3936)
<220>
<221> CDS
<222> (4061)..(4187)
<220>
<221> CDS '
<222> (4268)..(4470)
<220>
<221> CDS
<222> (4556)..(4738)
<220>
<221> CDS
<222> (4809)..(4904)
<220>
```

```
<221> CDS
<222> (4991)..(5188)
<220>
<221> CDS
<222> (5509)..(5780)
<220>
<221> CDS
<222> (5879)..(6059).
<400> 61
cagatetact acaatetete tittietteg ggt atg gag gge caa ega gge agt 54
                                     Met Glu Gly Gln Arg Gly Ser
aat tot tog ttg ago tot ggc aat ggc acc gaa gtc gcc acc gac gtt
Asn Ser Ser Leu Ser Ser Gly Asn Gly Thr Glu Val Ala Thr Asp Val
                             15
tot tot tgc ttc tat gtt ccc aat ccc tct gga acc gat ttc gat gcc
                                                                   150
Ser Ser Cys Phe Tyr Val Pro Asn Pro Ser Gly Thr Asp Phe Asp Ala
                         30.
gag tcg tct tct ctt cct cct ct gtaagtette tttgaatttt taaaaacatt
Glu Ser Ser Ser Leu Pro Pro Le
                     45
cactetettg etgetgtete tgttgateet tettetttga aaatttgaaa acattettag 263
tetetegete tgteacag e tee eea get eet caa gtg gea ttg tea att eet 315
                   u Ser Pro Ala Pro Gln Val Ala Leu Ser Ile Pro
gcg gag ctt gcc gcc gcc att ccc ctc atc gat cgc ttc cag gtt gaa
Ala Glu Leu Ala Ala Ala Ile Pro Leu Ile Asp Arg Phe Gln Val Glu
gct ttt ctg cgg cta atg cag aaa caa atc cag tct gct ggg aag cgt
Ala Phe Leu Arg Leu Met Gln Lys Gln Ile Gln Ser Ala Gly Lys Arg
ggc ttc ttc tat tcc aaa aag tcc tct ggc tcc aat gtc cgc gag cgc
Gly Phe Phe Tyr Ser Lys Lys Ser Ser Gly Ser Asn Val Arg Glu Arg
                                   100
ttc aca ttt gag gat atg ctt tgc ttt caa aag gtttttcttt ccccccttt 512
Phe Thr Phe Glu Asp Met Leu Cys Phe Gln Lys
           110
cttccccatt gacaatccat tgactg aat atg tct ctc tcc cct tcc ttc ctt
                             Asn Met Ser Leu Ser Pro Ser Phe Leu
                                     120
cag gat cca atc ccc aca tet etc etc aag att aac age gat etc gte
Gln Asp Pro Ile Pro Thr Ser Leu Leu Lys Ile Asn Ser Asp Leu Val
                                135
```

-	-	_		_	ttg Leu											661
-			-		tct Ser	_			-			-		_		709
	_		_		ttc Phe 180				_		_	_	_			757
_	-			_	caa Gln				_		_				Asp	805
					aaa Lys					_		Leu				853
					aaa Lys											901
_			-		gat Asp	_			-	_	_		-	-		949
_	_			_	aaa Lys 260	•		-	_		Ile		_			997
		•			ggt Gly	_	_	_		-			_			1045
					att Ile	-				_	_				_	1093
			_		gct Ala					_						1135
gta	tctt	ctt	gctt	tctt	tt t	tcat	aatt	t ac	cgct	gatc	ata	ttct	tgt	ccct	ttttct	1195
ctc	actg	cat	tgac	atct	gt t	tcag			_	Gly :			aaa Lys			1247
_	Phe		_		agt Ser 330	-		_	_	_	Lys	_	_		_	1295
					ccc Pro				tatg	cttt	c at	atga	ctgg			1340

cttcgtcata tattgtgaag taatacaaca ttatcgatca tttttctatc tgtgca	ettg 1400
cag ag gaa tat ata gga ttg gat gat aac aag tat att gga gat ctc lu Glu Tyr Ile Gly Leu Asp Asp Asn Lys Tyr Ile Gly Asp Leu 350 355 360	1447
ctc gca gaa ttt aaa gct att aaa gac cga aat aaa gga gag ata cd Leu Ala Glu Phe Lys Ala Ile Lys Asp Arg Asn Lys Gly Glu Ile Le 365 370 375	ca 1495 eu
cac tgc aaa ctg gta ttt aaa aaa aaa tta ttc cga gag tct gat gag His Cys Lys Leu Val Phe Lys Lys Leu Phe Arg Glu Ser Asp G 380 385 390 39	aa 1543 Lu 95
gct gta aca gat ctg atg ttt gtg caa ctt tcg tat gtt caa Ala Val Thr Asp Leu Met Phe Val Gln Leu Ser Tyr Val Gln 400 405	1585
gtgagcattt tcttcattgg tgacatttat ttccacacaa aaggcttgcc tttcgtt	gct 1645
gacacacata tatgcag ctg caa cat gac tat ttg cta gga aac tat cct Leu Gln His Asp Tyr Leu Leu Gly Asn Tyr Pro 410 415 420	
gtt ggg agg gac gat gct gca cag ctt tgt gcc ttg caa att ctt gt Val Gly Arg Asp Asp Ala Ala Gln Leu Cys Ala Leu Gln Ile Leu Va 425 430 435	t 1743
ggg att ggg ttt gtc aat agt cca gag tca tgc at gttagttttc Gly Ile Gly Phe Val Asn Ser Pro Glu Ser Cys Il 440 445	1788
ttaageteeg eeattgaett tattttagtt gteegataet ttattttee aatttte	ctc 1848
cettaacaat atcattteet tteteaatgt atcacatate ag t gat tgg aca t e Asp Trp Thr S 450	
ctt ctt gag cgg ttt ttg cca aga caa ata gca ata acc cga gca aa Leu Leu Glu Arg Phe Leu Pro Arg Gln Ile Ala Ile Thr Arg Ala Ly 455 460 465	ng 1951 vs
cgt gaa tgg gaa ttg gat atc ctt gct cgc tac cgt tca atg Arg Glu Trp Glu Leu Asp Ile Leu Ala Arg Tyr Arg Ser Met 470 475 480	1993
gtaggaatag ttctatgcat gtggattgtc ttcccctttc tagatacctt tggcaaa	itaa 2053
asacccattg asgtgatggc atggtasaat gatatttcgt atgtgtatgt gggcatg	tag 2113
gag aac gtg acc aaa gat gat gca aga caa caa ttt cta cgg ata ct Glu Asn Val Thr Lys Asp Asp Ala Arg Gln Gln Phe Leu Arg Ile Le 485 490 495	:g 2161 :u
aag gca ctg cca tac ggg aat tca gtt ttt ttt agc gta cgc aag at	a 2209

Lys Ala Leu Pro Tyr Gly Asn Ser Val Phe Phe Ser Val Arg Lys Ile 500 505 510	•													
gat gat ccg atc ggt ctt tta cct ggg cga atc att ttg ggt atc aac 225 Asp Asp Pro Ile Gly Leu Leu Pro Gly Arg Ile Ile Leu Gly Ile Asn 515 520 525 530	57													
aaa cgt ggg gttgtctcaa tataaatgtt atacattatg actttaaaaa 230 Lys Arg Gly)6													
aactgttatt gttgtttgga attcaaatct atgttgttgg atttgaattt gttgtttgct														
ttcttgtag gtt cac ttt ttt cga ccg gtt cct aaa gaa tat ctg cac tct 241 Val His Phe Phe Arg Pro Val Pro Lys Glu Tyr Leu His Ser 535 540 545	17													
gct gaa cta cgt gac atc atg caa ttt ggc agc agt aac act gct gtc 246 Ala Glu Leu Arg Asp Ile Met Gln Phe Gly Ser Ser Asn Thr Ala Val 550 555 560	55 .													
ttt ttc aaa atg aga gtc gct ggt gtt ctt cac ata ttt cag ttc gag 251 Phe Phe Lys Met Arg Val Ala Gly Val Leu His Ile Phe Gln Phe Glu 565 570 575	13													
aca aaa cag gtttaaacat cactatttgt ggatcattat attatgaagc 256 Thr Lys Gln 580	52													
aattoottat gagatattoa atttgggtaa ottgtatgtt tgtag gga gaa gaa att 261 Gly Glu Glu Ile 585	19													
tgt gtt gct ttg caa aca cat ata aat gat gtc atg ttg cgt tac 266 Cys Val Ala Leu Gln Thr His Ile Asn Asp Val Met Leu Arg Arg Tyr 590 595 600	57													
tcc aaa gct cga tct gct gcc aat tgc ttg gtt aat gga gat att tct 271 Ser Lys Ala Arg Ser Ala Ala Asn Cys Leu Val Asn Gly Asp Ile Ser 605 610 615	Ļ5													
tgt tgt tct aag ccg caa aat ttt gaa gtg tat gaa aaa cgt ttg caa 276 Cys Cys Ser Lys Pro Gln Asn Phe Glu Val Tyr Glu Lys Arg Leu Gln 620 625 630	5 3													
gat ttg tct aag gct tat gaa gag tcc caa aag aag att gag aag 280 Asp Leu Ser Lys Ala Tyr Glu Glu Ser Gln Lys Lys Ile Glu Lys 635 640 645	8(
gtacacattc taacaaattt cttatttatt cttcaatgta aaattgaata taatagaggg 286	58													
aggctgatct ttgtttaaat acatgaaata acttattgta gttggatttt ttcatggttt 292	85													
ttatgcttgg tagtcttgag atatttcagt atatatcacc ctcctatctt atgttattgt 298	38													
atgtagaatg ttataccatg acctettttg ttttagagtg geatgetgat gaactatteg 304	18													
tatgttttat gttgttgtat ag ttg atg gat gaa caa caa gag aaa aat cag 310	00													

Leu Met Asp Glu Gln Glu Lys Asn Gln

650 655 caa gaa gtt act ctg cgt gaa gag tta gaa gct ata cac aat ggt ttg 3148 Gln Glu Val Thr Leu Arg Glu Glu Leu Glu Ala Ile His Asn Gly Leu 660 665 gag ctt gaa agg aga aaa ttg ttg gag gtt act tta gac cga gat aaa 3196 Glu Leu Glu Arg Arg Lys Leu Leu Glu Val Thr Leu Asp Arg Asp Lys 680 685 ctt agg tca ttg tgt gac gag aag gga acc cct att caa gttagttata Leu Arg Ser Leu Cys Asp Glu Lys Gly Thr Pro Ile Gln 695 -700 acctaacttt tgtctttctt ttgatgcttg gttgaagtta tttaatgatt tattctatat 3305 atgctatag tcc ttg atg tct gaa ctg cga gga atg gaa gca agg ttg gca 3356 Ser Leu Met Ser Glu Leu Arg Gly Met Glu Ala Arg Leu Ala aag tcg ggc aac acc aaa tca agt aaa gag acc aaa tca gaa tta gcc 3404 Lys Ser Gly Asn Thr Lys Ser Ser Lys Glu Thr Lys Ser Glu Leu Ala gaa atg aat aat cag gtgaatatta tgtgtttaaa tctaattcat tgtaatcatt Glu Met Asn Asn Gln 735 gagttgttgt tttttgttcc caattctgct ttcctttgac aatgaatttt aagtcacag ata tta tac aag atc caa aag gag tta gaa gtt cga aat aag gaa ttg Ile Leu Tyr Lys Ile Gln Lys Glu Leu Glu Val Arg Asn Lys Glu Leu 740 745 750 cat gtc gca gtt gat aat tca aag agg ttg ttg agt gaa aac aag ata 3614 His Val Ala Val Asp Asn Ser Lys Arg Leu Leu Ser Glu Asn Lys Ile 760 765 770 ttg gag caa aat ctc aat att gaa aag aag aaa aaa gag gag 3656 Leu Glu Gln Asn Leu Asn Ile Glu Lys Lys Lys Glu Glu · 775 780 gigaatteta tgtattagat ttattgaaga tttcaaattg agaagtatca aatacttgcg 3716 tattgttgac atctcattat ttcag gtt gaa att cat caa aag aga tat gaa Val Glu Ile His Gln Lys Arg Tyr Glu 790 caa gaa aaa aag gtg tta aag ctt cga gtt tct gaa ctt gaa aat aag 3816 Gln Glu Lys Lys Val Leu Lys Leu Arg Val Ser Glu Leu Glu Asn Lys

800

815

ctt gaa gta ctt gct caa gac ttg gat agt gct gag tct acg att gaa Leu Glu Val Leu Ala Gln Asp Leu Asp Ser Ala Glu Ser Thr Ile Glu

805

agt aag aat tot gac atg otg otg ttg caa aat aac ttg aaa gaa ott Ser Lys Asn Ser Asp Met Leu Leu Cln Asn Asn Leu Lys Glu Leu 830 835 840	3912													
gag gag tta aga gaa atg aaa gag gtaatggtac tettttgtet tetteattat 3 Glu Glu Leu Arg Glu Met Lys Glu 845 850	3966													
ttaattttgt ttctgtttga atgatgataa tgtattttcg cgattccaaa ttgaagtaga														
gggatgtgtt tacattccaa tttcattttc ttag gac att gac aga aaa aat gag Asp Ile Asp Arg Lys Asn Glu 855														
caa aca gct gcc att ttg aaa atg caa gga gcc caa ctt gct gag cta Gln Thr Ala Ala Ile Leu Lys Met Gln Gly Ala Gln Leu Ala Glu Leu 860 865 870	4129													
gaa ata ctt tat aag gaa gaa caa gtt tta agg aaa aga tac tat aat Glu Ile Leu Tyr Lys Glu Glu Gln Val Leu Arg Lys Arg Tyr Tyr Asn 875 880 885	4177													
acc ata gaa g gtaacataat gctcaagtat gtacaatgat gttcattgct Thr Ile Glu A 890	4227													
tttaaaaaag aattttacta acatttttat ttgattgtag at atg aaa ggg aag sp Met Lys Gly Lys 895	4281													
att aga gtt tat tgt cga ata aga cct cta aat gaa aaa gag agt tca Ile Arg Val Tyr Cys Arg Ile Arg Pro Leu Asn Glu Lys Glu Ser Ser 900 905 910	4329													
gag agg gaa aaa caa atg ctg aca act gtg gat gag ttt act gtt gaa Glu Arg Glu Lys Gln Met Leu Thr Thr Val Asp Glu Phe Thr Val Glu 915 920 925	4377													
cat gca tgg aaa gac gac aaa aga aag caa cac ata tat gat cgc gta His Ala Trp Lys Asp Asp Lys Arg Lys Gln His Ile Tyr Asp Arg Val 930 935 940 945	4425													
Phe Asp Met Arg Ala Ser Gln Asp Asp Ile Phe Glu Asp Thr Lys 950 955 960	4470													
gtattattga tatgtaactg tgttcattta cctttcatcc tttgttattt tcttgtggtt	4530													
actaacatcg ttttcctttt aacag tat ttg gta cag tcg gct gta gat ggg Tyr Leu Val Gln Ser Ala Val Asp Gly 965	4582													
tat aac gtt tgc atc ttt gca tat ggt caa act ggt tct gga aaa act Tyr Asn Val Cys Ile Phe Ala Tyr Gly Gln Thr Gly Ser Gly Lys Thr 970 980 985	4630													
ttc act ata tat ggg cat gag agc aat cct gga ctc aca cct cga gct	4678													

Phe	Thr	Ile	Tyr	Gly 990	His	Glu	Ser	Asn	Pro 995	Gly	Leu	Thr		Arg 1000	Ala	
		Glu					Leu					Lys		ttt Phe		4726
	Ser			gtaa	atttg	gtt a	atcct 	aata	ig at	gato	gtgat	aaa	aga	ttat		4778
gaca	atcaa	act (gacta	acaa	aa ag	gttai	gcaç			_		Glu			caa Gln	4832
	Thr			Asp					Lys					ttg Leu 1		4880
			Lys		gat Asp			gtat	tgt	gag a	atata	atcta	iţ t	ttaac	ctagg	4934
ttai	taac	ag a	attgi	agad	ca co	rtaaq	gtttq	ato	ttai	tgca	taaa	atat	tt i	tctca	ng gga Gly	4993
atg Met 105	Val	ttt Phe	gta Val	Glu	aat Asn 1060	gtg Val	aca Thr	act Thr	Ile	cct Pro 1065	ata Ile	tca Ser	act Thr	ttg Leu 1	gag Glu 1070	5041
gaa Glu	ctg Leu	cga Arg	Met	att Ile 1075	ctt Leu	gaa Glu	cgg Arg	Gly	tcg Ser 1080	gaa Glu	cga Arg	cga Arg	His	gtt Val 1085	tct Ser	5089
		Asn					Ser					Leu		tta Leu		5137
	Val					Asp					Ser			agg Arg		5185
aag Lys	gtg	acaa	aat 1	cact	tatgt	it ti	tcti	tatt	ga (ctcat	ttat	catt	ttt	cac		5238
agg	attt	agt a	agcal	tttag	gg ga	attti	taagg	g aaa	atag	gagt	ttct	ttag	gat 1	tttca	tgctt	5 298
agt	ctac	cga a	agaa	aaata	at ag	gtaad	catta	a ato	ttgi	ttta	agag	gagat	at	tattt	tacag	5358
															attag	٠
															ctaca	5478
ata	ttct	gaa	tttt	ţgtti	tg t	tatti	tgcag		ı Se					u Ala	ggt Gly	5532

tct gag aga gtt aaa aag tcg ggc tca gct ggt tgc caa ctc ser Glu Arg Val Lys Lys Ser Gly Ser Ala Gly Cys Gln Leu 1130 1135 1140														
gct caa agt atc aac aaa tca ctt tct gca tta ggt gat gtt a Ala Gln Ser Ile Asn Lys Ser Leu Ser Ala Leu Gly Asp Val 1145 1150 1155														
gct tta tct tct ggc aac cag cat att cct tat agg aat cac a Ala Leu Ser Ser Gly Asn Gln His Ile Pro Tyr Arg Asn His 1 1160 1165 1170														
acg atg ttg atg agc gat tca ttg ggc ggc aat gcc aag acg thr Met Leu Met Ser Asp Ser Leu Gly Gly Asn Ala Lys Thr 1180 1185 1														
ttt gtt aat gtg tct cca gcc gaa tca aat ttg gac gag acg Phe Val Asn Val Ser Pro Ala Glu Ser Asn Leu Asp Glu Thr 1195 1200 1205														
tot ott ot gtaagtoatg agttoccata tatatataac ataaatcaaa ta	atgettagt 5830													
gtaaaaatgg ataatccata ttgttttttt ttcctccttt gattccag a tat gca u Tyr Ala 1210														
tcg aga gtg aga acg atc gtg aat gat ccc agc aaa cat ata s Ser Arg Val Arg Thr Ile Val Asn Asp Pro Ser Lys His Ile s 1215 1220 1225														
aaa gag atg gtg cga ttg aag aag ttg gta gca tac tgg aaa t Lys Glu Met Val Arg Leu Lys Lys Leu Val Ala Tyr Trp Lys (1230 1235 1240														
gcc ggt aaa aaa ggt gag gaa gaa gac ttg gtg gat att gag g Ala Gly Lys Lys Gly Glu Glu Glu Asp Leu Val Asp Ile Glu G 1245 1250 1255	gaa gat 6029 Glu Asp 1260													
cgt aca cga aaa gat gag gca gat agt tga agaaagctga c Arg Thr Arg Lys Asp Glu Ala Asp Ser 1265 1270	6070													
<210> 62 <211> 1269 <212> PRT <213> Arabidopsis thaliana														
<pre><400> 62 Met Glu Gly Gln Arg Gly Ser Asn Ser Ser Leu Ser Ser Gly .</pre>	Asn Gly 15													
Thr Glu Val Ala Thr Asp Val Ser Ser Cys Phe Tyr Val Pro 20 25 30	Asn Pro													
Ser Gly Thr Asp Phe Asp Ala Glu Ser Ser Ser Leu Pro Pro	Leu Ser													

		35					40			•					
		35					40					45			
Pro	Ala 50	Pro	Gln	Val	Ala	Leu 55	Ser	Ile	Pro	Ala	Glu 60	Leu	Ala	Ala	Ala
Ile 65	Pro	Leu	Ile	Asp	Arg 70	Phe	Gln	Val	Glu	Ala 75	Phe	Leu	Arg	Leu	Met 80
Gln	Lys	Gln	Ile	Gln 85	Ser	Ala	Gly	Lys	Arg 90	Gly	Phe	Phe	Tyr	Ser 95	
Lys	Ser	Ser	Gly 100	Ser	Asn	Val	Arg	Glu 1 05	Arg	Phe	Thr	Phe	Glu 110	Asp	Met
Leu	Cys	Phe 115	Gln	Lys	Asņ	Met	Ser 120	Leu	Ser	Pro	Ser	Phe 125	Leu	Gln	Asp
Pro	Ile 130	Pro	Thr	Ser	Leu	Leu 135	Lys	Ile	Asn	Ser	Asp 140	Leu	Val	Ser	Arg
Ala 145	Thr	Lys	Leu	Phe	His 150	Leu	Ile	Leu	Lys	Tyr 155	Met	Gly	Val	Asp	Ser 160
Ser	Asp	Arg	Ser	Thr 165	Pro	Pro	Ser	Leu ·	Asp 170	Glu	Arg	Ile	Asp	Leu 175	Val
Gly	Lys	Leu	Phe 180	Lys	Lys	Thr	Leu	Lys 185	Arg	Val	Glu	Leu	Arg 190	Asp	Glu
Leu		Ala 195	Gln	Ile	Ser		Gln 200	Thr	Arg	His	Asn	Pro 205	Asp	Arg	Gln
Tyr	Leu 210	Ile	Lys	Ala	Trp	Glu 215	Leu	Met	Tyr	Leu	Cys 220	Ala	Ser	Ser	Met
Pro 225	Pro	Ser	Lys	Asp	11e 230	Gly	Gly	Tyr	Leu	Ser 235	Glu	Tyr	Ile	His	Asn 240
Val	Ala	His	Asp	Ala 245	Thr	Ile	Glu	Pro	Asp 250	Ala	Gln	Val	Leu	Ala 255	Val
Asn	Thr	Leu	Lys 260	Ala	Leu	Lys	Arg	Ser 265	Ile	Lys	Ala	Gly	Pro 270	Arg	His
Thr	Thr	Pro 275	Gly	Arg	Glu	Glu	Ile 280	Glu	Ala	Leu	Leu	Thr 285	Gly	Arg	Lys
Leu	Thr 290	Thr	Ile	Val	Phe	Phe 295	Leu	Asp	Glu	Thr	Phe 300	Glu	Glu	Ile	Ser
Tyr 305	Asp	Met	Ala	Thr	Thr 310	Val	Ser	Asp	Ala	Val 315	Glu	Leu	Ala	Gly	Thr 320
Ile	Lys	Leu	Ser	Ala 325	Phe	Ser	Ser	Phe	Ser 330	Leu	Phe	Glu	Суз	Arg 335	Lys
Val	Val	Ser	Ser	Ser	Lys	Ser	Ser	Asp	Pro	Gly	Asn	Glu	Glu	Tyr	Ile

340 345 350

Gly Leu Asp Asp Asn Lys Tyr Ile Gly Asp Leu Leu Ala Glu Phe Lys 355 360 365

Ala Ile Lys Asp Arg Asn Lys Gly Glu Ile Leu His Cys Lys Leu Val 370 380

Phe Lys Lys Lys Leu Phe Arg Glu Ser Asp Glu Ala Val Thr Asp Leu 385 390 395 400

Met Phe Val Gln Leu Ser Tyr Val Gln Leu Gln His Asp Tyr Leu Leu 405 410 415

Gly Asn Tyr Pro Val Gly Arg Asp Asp Ala Ala Gln Leu Cys Ala Leu
420 425 430

Gln Ile Leu Val Gly Ile Gly Phe Val Asn Ser Pro Glu Ser Cys Ile 435 440 445

Asp Trp Thr Ser Leu Leu Glu Arg Phe Leu Pro Arg Gln Ile Ala Ile 450 455 460

Thr Arg Ala Lys Arg Glu Trp Glu Leu Asp Ile Leu Ala Arg Tyr Arg 465 470 475 480

Ser Met Glu Asn Val Thr Lys Asp Asp Ala Arg Gln Gln Phe Leu Arg 485 490 495

Ile Leu Lys Ala Leu Pro Tyr Gly Asn Ser Val Phe Phe Ser Val Arg 500 505 510

Lys Ile Asp Asp Pro Ile Gly Leu Leu Pro Gly Arg Ile Ile Leu Gly 515 520 525

Ile Asn Lys Arg Gly Val His Phe Phe Arg Pro Val Pro Lys Glu Tyr 530 540

Leu His Ser Ala Glu Leu Arg Asp Ile Met Gln Phe Gly Ser Ser Asn 555 550 560

Thr Ala Val Phe Phe Lys Met Arg Val Ala Gly Val Leu His Ile Phe 565 570 575

Gln Phe Glu Thr Lys Gln Gly Glu Glu Ile Cys Val Ala Leu Gln Thr 580 585 590

His Ile Asn Asp Val Met Leu Arg Arg Tyr Ser Lys Ala Arg Ser Ala 595 600 605

Ala Asn Cys Leu Val Asn Gly Asp Ile Ser Cys Cys Ser Lys Pro Gln 610 615 620

Asn Phe Glu Val Tyr Glu Lys Arg Leu Gln Asp Leu Ser Lys Ala Tyr 625 630 635 640

Glu Glu Ser Gln Lys Lys Ile Glu Lys Leu Met Asp Glu Gln Glu

645 650 Lys Asn Gln Glu Val Thr Leu Arg Glu Glu Leu Glu Ala Ile His 665 Asn Gly Leu Glu Leu Glu Arg Arg Lys Leu Leu Glu Val Thr Leu Asp 680 Arg Asp Lys Leu Arg Ser Leu Cys Asp Glu Lys Gly Thr Pro Ile Gln Ser Leu Met Ser Glu Leu Arg Gly Met Glu Ala Arg Leu Ala Lys Ser 715 Gly Asn Thr Lys Ser Ser Lys Glu Thr Lys Ser Glu Leu Ala Glu Met **725** . Asn Asn Gln Ile Leu Tyr Lys Ile Gln Lys Glu Leu Glu Val Arg Asn 745 Lys Glu Leu His Val Ala Val Asp Asn Ser Lys Arg Leu Leu Ser Glu 760 Asn Lys Ile Leu Glu Gln Asn Leu Asn Ile Glu Lys Lys Lys Glu 775 Glu Val Glu Ile His Gln Lys Arg Tyr Glu Gln Glu Lys Lys Val Leu Lys Leu Arg Val Ser Glu Leu Glu Asn Lys Leu Glu Val Leu Ala Gln 810 Asp Leu Asp Ser Ala Glu Ser Thr Ile Glu Ser Lys Asn Ser Asp Met 825 Leu Leu Glu Asn Asn Leu Lys Glu Leu Glu Glu Leu Arg Glu Met Lys Glu Asp Ile Asp Arg Lys Asn Glu Gln Thr Ala Ala Ile Leu Lys Met Gln Gly Ala Gln Leu Ala Glu Leu Glu Ile Leu Tyr Lys Glu Glu 875 Gin Val Leu Arg Lys Arg Tyr Tyr Asn Thr Ile Glu Asp Met Lys Gly 885 Lys Ile Arg Val Tyr Cys Arg Ile Arg Pro Leu Asn Glu Lys Glu Ser Ser Glu Arg Glu Lys Gln Met Leu Thr Thr Val Asp Glu Phe Thr Val 920 Glu His Ala Trp Lys Asp Asp Lys Arg Lys Gln His Ile Tyr Asp Arg

Val Phe Asp Met Arg Ala Ser Gln Asp Asp Ile Phe Glu Asp Thr Lys

945 950 955 960

Tyr Leu Val Gln Ser Ala Val Asp Gly Tyr Asn Val Cys Ile Phe Ala 965 970 975

Tyr Gly Gln Thr Gly Ser Gly Lys Thr Phe Thr Ile Tyr Gly His Glu 980 985 990

Ser Asn Pro Gly Leu Thr Pro Arg Ala Thr Lys Glu Leu Phe Asn Ile 995 1000 1005

Leu Lys Arg Asp Ser Lys Arg Phe Ser Phe Ser Leu Lys Ala Tyr Met 1010 1015 1020

Val Glu Leu Tyr Gln Asp Thr Leu Val Asp Leu Leu Leu Pro Lys Ser 025 1030 1035 1040

Ala Arg Arg Leu Lys Leu Glu Ile Lys Lys Asp Ser Lys Gly Met Val 1045 1050 1055

Phe Val Glu Asn Val Thr Thr Ile Pro Ile Ser Thr Leu Glu Glu Leu 1060 1065 1070

Arg Met Ile Leu Glu Arg Gly Ser Glu Arg Arg His Val Ser Gly Thr 1075 1080 1085

Asn Met Asn Glu Glu Ser Ser Arg Ser His Leu Ile Leu Ser Val Val 1090 1095 1100

Ile Glu Ser Ile Asp Leu Gln Thr Gln Ser Ala Ala Arg Gly Lys Leu 105 1110 1115 1120

Ser Phe Val Asp Leu Ala Gly Ser Glu Arg Val Lys Lys Ser Gly Ser 1125 1130 1135

Ala Gly Cys Gln Leu Lys Glu Ala Gln Ser Ile Asn Lys Ser Leu Ser 1140 1145 1150

Ala Leu Gly Asp Val Ile Gly Ala Leu Ser Ser Gly Asn Gln His Ile 1155 1160 1165

Pro Tyr Arg Asn His Lys Leu Thr Met Leu Met Ser Asp Ser Leu Gly 1170 1180

Gly Asn Ala Lys Thr Leu Met Phe Val Asn Val Ser Pro Ala Glu Ser 185 1190 1195 1200

Asn Leu Asp Glu Thr Tyr Asn Ser Leu Leu Tyr Ala Ser Arg Val Arg 1205 1210 1215

Thr Ile Val Asn Asp Pro Ser Lys His Ile Ser Ser Lys Glu Met Val 1220 1225 1230

Arg Leu Lys Lys Leu Val Ala Tyr Trp Lys Glu Gln Ala Gly Lys Lys 1235 1240 1245

Gly Glu Glu Glu Asp Leu Val Asp Ile Glu Glu Asp Arg Thr Arg Lys

1255

1250

1260

Asp Glu Ala Asp Ser 265

<210> 63 <211> 2105 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1947) <400> 63 atg aat aca gat aaa atg acc aag atg gat cta acg ggg tcc aat aac Met Asn Thr Asp Lys Met Thr Lys Met Asp Leu Thr Gly Ser Asn Asn 10 gtg ccc att aat cca ccg acc act aag cgt gat ctt aga cag aat gat 96 Val Pro Ile Asn Pro Pro Thr Thr Lys Arg Asp Leu Arg Gln Asn Asp 25 aat aat aac cct aag agt cat aat agt cat aat agc aat ggg atg act Asn Asn Asn Pro Lys Ser His Asn Ser His Asn Ser Asn Gly Met Thr 40 45 ggt aac agg aac aat aat aat aaa aat gcc ggc gga gtt gaa act agt 192 Gly Asn Arg Asn Asn Asn Lys Asn Ala Gly Gly Val Glu Thr Ser 55 60 aaa aaa gcg cgc tca cga ctg gaa aca cat ccc cga gat aat gag aat 240 Lys Lys Ala Arg Ser Arg Leu Glu Thr His Pro Arg Asp Asn Glu Asn 65 70 aat tac aga cta gct aca agt gcc ggt acg aaa gga ggt gcg cga acc 288 Asn Tyr Arg Leu Ala Thr Ser Ala Gly Thr Lys Gly Gly Ala Arg Thr 85 90 gtt gac gta cca gtc ata tta agt acc cgg gaa tca caa ggc aca cgt 336 Val Asp Val Pro Val Ile Leu Ser Thr Arg Glu Ser Gln Gly Thr Arg 100 105 tca gta aat gca aca agt aaa att aga tgc ccg gat tcc act gca att 384 Ser Val Asn Ala Thr Ser Lys Ile Arg Cys Pro Asp Ser Thr Ala Ile 115 120 tgc gag tgg ttc gcc acg ccc acg gat cct caa aga cca gga gtt tat 432 Cys Glu Trp Phe Ala Thr Pro Thr Asp Pro Gln Arg Pro Gly Val Tyr 130 135 aac cac aag aac ggc gac aaa aac aac aga gat acc ggg aac att aat Asn His Lys Asn Gly Asp Lys Asn Asn Arg Asp Thr Gly Asn Ile Asn 150 155

																•
acc Thr	gtt Val	agc Ser	agt Ser	cta Leu 165	Met	gat Asp	aat Asn	gct Ala	agg Arg 170	ggt Gly	ccg Pro	aac Asn	ccg Pro	cga Arg 175	tct Ser	528
Gly	att Ile	tca Ser	ata Ile 180	ccg Pro	aca Thr	cca Pro	acc Thr	tct Ser 185	aga Arg	caa Gln	tcc Ser	cca Pro	agt Ser 190	gag Glu	aca Thr	576
cct Pro	cca Pro	gat Asp 195	cca Pro	ctg Leu	cag Gln	aat Asn	cct Pro 200	aat Asn	aat Asn	tat Tyr	act Thr	agg Arg 205	tat Tyr	cat His	aat Asn	624
gat Asp	aaa Lys 210	aac Asn	agc Ser	aag Lys	aat Asn	agt Ser 215	aac Asn	aga Arg	aac Asn	tac Tyr	aat Asn 220	aag Lys	aga Arg	aat Asn	aag Lys	672
aac Asn 225	tcg Ser	acg Thr	acc Thr	ttt Phe	aat Asn 230	aac Asn	tcg Ser	gac Asp	ctt Leu	cct Pro 235	ggt Gly	cat His	aat Asn	aga Arg	agc Ser 240	720
tcc Ser	cct Pro	gcg Ala	att Ile	aat Asn 245	gca Ala	gta Val	aaa Lys	tca Ser	gca Ala 250	tca Ser	aat Asn	cga Arg	tca Ser	tct Ser 255	gct Ala	768
ata Ile	ggt Gly	agt Ser	cga Arg 260	aac Asn	agt Ser	gat Asp	tta Leu	aac Asn 265	aat Asn	gct Ala	gct Ala	aat Asn	gat Asp 270	gaa Glu	cgc Arg	816
cat His	tac Tyr	gct Ala 275	aga Arg	tcg Ser	gga Gly	aca Thr	tat Tyr 280	cag Gln	ata Ile	aac Asn	gct Ala	gta Val 285	Thr	gta Val	ctt Leu	864
aga Arg	gta Val 290	tta Leu	gga Gly	aga Arg	gga Gly	gca Ala 295	cġg Arg	cgt Arg	gat Asp	gta Val	aag Lys 300	tca Ser	gca Ala	tat Tyr	cat His	912
ggc Gly 305	acc Thr	tgt Cys	ggt Gly	aca Thr	ggt Gly 310	ccc Pro	cgg Arg	atg Met	aaa Lys	gtg Val 315	ata Ile	aca Thr	ttg Leu	gct Ala	gtt Val 320	960
caa Gln	gag Glu	aat Asn	att Ile	aga Arg 325	aac Asn	cga Arg	att Ile	ata Ile	ttg Leu 330	gag Glu	cta Leu	cgg Arg	aca Thr	tta Leu 335	cac His	1008
aag Lys	acc Thr	tct Ser	tat Tyr 340	caa Gln	tat Tyr	atc Ile	gtt Val	ccg Pro 345	tat Tyr	tat Tyr	gat Asp	ggg Gly	atc Ile 350	tat Tyr	aca Thr	1056
gag Glu	ggc Gly	tca Ser 355	att	ttc Phe	att Ile	cgg Arg	atg Met 360	gtg Val	gaa Glu	ctt Leu	gga Gly	tgg Trp 365	gta Val	acg Thr	aat Asn	1104
atc Ile	atg Met 370	aac Asn	aaa Lys	acg Thr	gcg Ala	acc Thr 375	ata Ile	cgt Arg	gcg Ala	ccg Pro	gtt Val 380	ttg Leu	ggt Gly	acg Thr	atg Met	1152
gca	ttt	cta	gtg	tta	caa	ggt	cgg	att	tac	gtt	cac	aga	aag	ttc	gat	1200

Ala 385	Phe	Leu	Val	Leu	Gln 390	Gly	Arg	Ile	Tyr	Val 395	His	Arg	Lys	Phe	Asp 400	
											gat Asp					1248
											gta Val	Ser				1296
											gag Glu					1344
											att Ile 460					1392
ata Ile 465	aca Thr	cgt Arg	gta Val	tca Ser	tgc Cys 470	gca Ala	atc Ile	GJA aaa	aga Arg	ttc Phe 475	cct Pro	tat Tyr	gct Ala	tgt Cys	aat Asn 480	1440
											cag Gln					1488
									_		gaa Glu		_	_	_	1536
											tta Leu					1584
											gat Asp 540					1632
											aac Asn		_	_	_	1680
											gtt Val					1728.
											aaa Lys					1776
											tcg Ser					1824
											gct Ala					1872

610 615 620 aat cac gaa ttt gta aag aaa tat caa aag tac aat cgt gaa aaa tgg Asn His Glu Phe Val Lys Lys Tyr Gln Lys Tyr Asn Arg Glu Lys Trp 625 630 635 acc gca gat tta caa agg tgg caa taa aaatcgcctt cacgcctgat 1967 Thr Ala Asp Leu Gln Arg Trp Gln 645 egetgaeget egaegeetge ecceageetg eagetegeee agetegeeca ggetegeeca 2027 gcctgcccac cagcctgccc caccgctcca cgcctaaata ataaaaattt ttaaaaaaaa 2087 aaaaaaaa aaaccgct 2105 <210> 64 <211> 648 <212> PRT <213> Arabidopsis thaliana <400> 64 Met Asn Thr Asp Lys Met Thr Lys Met Asp Leu Thr Gly Ser Asn Asn 10 Val Pro Ile Asn Pro Pro Thr Thr Lys Arg Asp Leu Arg Gln Asn Asp Asn Asn Pro Lys Ser His Asn Ser His Asn Ser Asn Gly Met Thr Gly Asn Arg Asn Asn Asn Lys Asn Ala Gly Gly Val Glu Thr Ser Lys Lys Ala Arg Ser Arg Leu Glu Thr His Pro Arg Asp Asn Glu Asn 75 Asn Tyr Arg Leu Ala Thr Ser Ala Gly Thr Lys Gly Gly Ala Arg Thr 85 Val Asp Val Pro Val Ile Leu Ser Thr Arg Glu Ser Gln Gly Thr Arg Ser Val Asn Ala Thr Ser Lys Ile Arg Cys Pro Asp Ser Thr Ala Ile 115 120 Cys Glu Trp Phe Ala Thr Pro Thr Asp Pro Gln Arg Pro Gly Val Tyr Asn His Lys Asn Gly Asp Lys Asn Asn Arg Asp Thr Gly Asn Ile Asn

Thr Val Ser Ser Leu Met Asp Asn Ala Arg Gly Pro Asn Pro Arg Ser

Gly Ile Ser Ile Pro Thr Pro Thr Ser Arg Gln Ser Pro Ser Glu Thr

170

145

180 185 190 Pro Pro Asp Pro Leu Gln Asn Pro Asn Asn Tyr Thr Arg Tyr His Asn 195 200 205 Asp Lys Asn Ser Lys Asn Ser Asn Arg Asn Tyr Asn Lys Arg Asn Lys Asn Ser Thr Thr Phe Asn Asn Ser Asp Leu Pro Gly His Asn Arg Ser 230 Ser Pro Ala Ile Asn Ala Val Lys Ser Ala Ser Asn Arg Ser Ser Ala 245 250 Ile Gly Ser Arg Asn Ser Asp Leu Asn Asn Ala Ala Asn Asp Glu Arg 260 265 His Tyr Ala Arg Ser Gly Thr Tyr Gln Ile Asn Ala Val Thr Val Leu Arg Val Leu Gly Arg Gly Ala Arg Arg Asp Val Lys Ser Ala Tyr His Gly Thr Cys Gly Thr Gly Pro Arg Met Lys Val Ile Thr Leu Ala Val 305 310 315 Gln Glu Asn Ile Arg Asn Arg Ile Ile Leu Glu Leu Arg Thr Leu His Lys Thr Ser Tyr Gln Tyr Ile Val Pro Tyr Tyr Asp Gly Ile Tyr Thr Glu Gly Ser Ile Phe Ile Arg Met Val Glu Leu Gly Trp Val Thr Asn 360 Ile Met Asn Lys Thr Ala Thr Ile Arg Ala Pro Val Leu Gly Thr Met Ala Phe Leu Val Leu Gln Gly Arg Ile Tyr Val His Arg Lys Phe Asp 385 390 Lys Cys Pro Ser Lys Arg Asp Ile Lys Pro Ser Asp Ile Leu Val Asn Asn Glu Gly Arg Ala Lys Ile Ala Gly Phe Gly Val Ser Gly Gln Leu 420 425 Gln His Thr Leu Ser Lys Asp Val Thr Ser Val Glu Ser Pro Glu Arg Arg Ser Gly Arg Ser Tyr Gly Phe Asp Arg Asp Ile Trp Ser Asp Gly 455 Ile Thr Arg Val Ser Cys Ala Ile Gly Arg Phe Pro Tyr Ala Cys Asn Tyr Pro Gln Gln Leu Pro Gln Ala Ser Gln His Gln Leu Gln Gln Gln

				485					490					495		•
Gln	Gln	Lys	Arg 500	Pro	Ala	Leu	Gln	Pro 505	Lys	Gln	Glu	Gln	Pro 510		Val	
Glu	Lys	Нis 515	Arg	Leu	Gln	Ile	Pro 520	Arg	Gln	Asn.	Leu	Ala 525	Val	Tyr	Asn	
Ser	Asn 530	His	Asp	Ile	Trp	Asn 535	Asn	Arg	Asn	Arg	Asp 540	Lys	Tyr	Ile	Ile	·
Ser 545	Asn	Asn	Pro	Asn	Asn 550	Arg ,	Asn	Asp	Asn	Asn 555	Asn	Thr	Val	Cys	Asp 560	
Leu	Ser	Ser	Gly	Glu 565	Leu	Gly	Glu	Ser	Arg 570	Glu	Val	Val	Pro	Asp 575		
Ile	Gly		Glu 580	Val	Leu	Leu	qzA	Ser 585	Ile	Val	Lys	Glu	Glu 590	Val	Arg	
Met	Glu	Pro 595	Ser	Thr	Val	Ser	Lys 600	Glu	Phe	Arg	Ser	Ile 605	Ile	Ser	G1u	
Cys	Leu 610	Arg	Asn	Asp	Ala	Thr 615	Glu	Arg	Gln	Thr	Ala 620	Ser	Asn	Leu	Val	
Asn 625	His	Glu	Phe	Val	Lys 630	Lys	Tyr	Gln	Lys	Tyr 635	Asn	Arg	Glu	Lys	Trp 640	
Thr	Ala	Asp	Leu	Gln 645	Arg	Trp	Gln						٠			
					-		-					:	•			
<21	0> 65 l> 92 2> DN	0							٠.							
	3> A1		lopsi	s th	nalia	ına		•								
	0> L> CI 2> (2		. (907	7) [^]					·							
<400	0> 65	5														
	agtt		ggco	gtcg	gg at	tca	atg Met 1	gaa Glu	gga Gly	tta Leu	gct Ala 5	atc Ile	agá Arg	gca Ala	tct Ser	52
cga Arg 10	ccg Pro	tcg Ser	gtt Val	ttc Phe	tgt Cys 15	tct Ser	att Ile	cca Pro	ggt Gly	ctc Leu 20	ggc Gly	ggc Gly	gat Asp	tcc Ser	cac His 25	100

cga aaa cct cca agt gac ggt ttc ctc aag ctg cct gcg tcg tct att Arg Lys Pro Pro Ser Asp Gly Phe Leu Lys Leu Pro Ala Ser Ser Ile 30 35 40

ccg gcg gac agc cga aaa tta gta gcg aat tct act tcc ttt cat cca

196

Pro	Ala	Asp	Ser 45	Arg	Lys	Leu	Val	Ala 50		Ser	Thr	Ser	Phe 55	His	Pro	
atc Ile	tca Ser	gcc Ala 60	gtt Val	aac Asn	gtc Val	tct Ser	gct Ala 65	cáa Gln	gct Ala	tcc Ser	ctc Leu	acc Thr 70	gct Ala	gat Asp	ttt Phe	244
ccc Pro	gcc Ala 75	ctt Leu	tca Ser	gaa Glu	act Thr	ata Ile 80	ctg Leu	aaa Lys	gag Glu	gga Gly	aga Arg 85	aat Asn	aac Asn	gga Gly	aaa Lys	292
gag Glu 90	aaa Lys	gca Ala	gag Glu	aac Asn	atc Ile 95	gtg Val	tgg Trp	cac His	gag Glu	agt Ser 100	tcg Ser	atá Ile	tgc Cys	aga Arg	tgc Cys 105	340
gac Asp	aga Arg	caa Gln	caa Gln	ctt Leu 110	ctt Leu	caa Gln	caa Gln	aag Lys	ggt Gly 115	tgt Cys	gtc Val	gtt Val	tgg Trp	atc Ile 120	act Thr	388
ggt Gly	ctc Leu	agt Ser	ggt Gly 125	tca Ser	ggg	aaa Lys	agc Ser	act Thr 130	gtt Val	gct Ala	tgt Cys	gca Ala	cta Leu 135	agt Ser	aaa Lys	436
gca Ala	ttg Leu	ttt Phe 140	gaa Glu	aga Arg	ggc Gly	aaa Lys	ctt Leu 145	act Thr	tac Tyr	aca Thr	ctc Leu	gac Asp 150	ggc Gly	gac Asp	aat Asn	484
gtc Val	cgt Arg 155	cac His	ggc Gly	ctt Leu	aac Asn	cgt Arg 160	gac Asp	ctc Leu	act Thr	ttc Phe	aaa Lys 165	gca Ala	gag Glu	cac His	cgc Arg	532
acc Thr 170	gaa Glu	aac Asn	att Ile	aga Arg	aga Arg 175	att Ile	ggt Gly	gag Glu	gtg Val	gct Ala 180	aag Lys	ttg Leu	ttt Phe	gct Ala	gac Asp 185	580
gtc Val	gga Gly	gtc Val	att Ile	tgt Cys 190	ata Ile	gca Ala	agt Ser	ttg Leu	att Ile 195	tct Ser	ccg Pro	tac Tyr	cgg	aga Arg 200	gac Asp	628
aga Arg	gac Asp	gcg Ala	tgc Cys 205	cgg Arg	tcc Ser	ttg Leu	tta Leu	cct Pro 210	gac Asp	ggc	gat Asp	ttc Phe	gtc Val 215	gag Glu	gtc Val	676
ttc Phe	atg Met	gac Asp 220	gtt Val	cct Pro	ctt Leu	cat His	gtg Val 225	tgc Cys	gag Glu	tcg Ser	aga Arg	gat Asp 230	cca Pro	aag Lys	GJA aaa	724
ttg Leu	tac Tyr 235	aag Lys	ctt Leu	gca Ala	cgt Arg	gca Ala 240	ggc Gly	aaa Lys	atc Ile	aaa Lys	ggc Gly 245	ttc Phe	act Thr	gga Gly	atc Ile	772
gac Asp 250	gac Asp	cct Pro	tac Tyr	gag Glu	gca Ala 255	cca Pro	gtg Val	aat Asn	tgc Cys	gag Glu 260	gta Val	gtg Val	ctg Leu	aaa Lys	cac His 265	820
aca Thr	gga Gly	gac Asp	gac Asp	gag Glu	tcg Ser	tgt Cys	tcg Ser	cca Pro	cgt Arg	cag Gln	atg Met	gct Ala	gag Glu	aac Asņ	atc Ile	868

270

275

280

atc tct tac ctg caa aac aaa ggt tat ctt gag ggc taa gtcaaagtcg 917 Ile Ser Tyr Leu Gln Asn Lys Gly Tyr Leu Glu Gly 285 290

gaa

920

<210> 66

<211> 293

<212> PRT

<213> Arabidopsis thaliana

<400> 66

Met Glu Gly Leu Ala Ile Arg Ala Ser Arg Pro Ser Val Phe Cys Ser

1 5 10 15

Ile Pro Gly Leu Gly Gly Asp Ser His Arg Lys Pro Pro Ser Asp Gly 20 25 30

Phe Leu Lys Leu Pro Ala Ser Ser Ile Pro Ala Asp Ser Arg Lys Leu 35 40

Val Ala Asn Ser Thr Ser Phe His Pro Ile Ser Ala Val Asn Val Ser 50 55 60

Ala Gln Ala Ser Leu Thr Ala Asp Phe Pro Ala Leu Ser Glu Thr Ile
65 70 75 80

Leu Lys Glu Gly Arg Asn Asn Gly Lys Glu Lys Ala Glu Asn Ile Val 85 90 95

Trp His Glu Ser Ser Ile Cys Arg Cys Asp Arg Gln Gln Leu Leu Gln 100 105 110

Gln Lys Gly Cys Val Val Trp Ile Thr Gly Leu Ser Gly Ser Gly Lys 115 120 125

Ser Thr Val Ala Cys Ala Leu Ser Lys Ala Leu Phe Glu Arg Gly Lys 130 135 140

Leu Thr Tyr Thr Leu Asp Gly Asp Asn Val Arg His Gly Leu Asn Arg 145 150 155 160

Asp Leu Thr Phe Lys Ala Glu His Arg Thr Glu Asn Ile Arg Arg Ile 165 170 175

Gly Glu Val Ala Lys Leu Phe Ala Asp Val Gly Val Ile Cys Ile Ala 180 185 190

Ser Leu Ile Ser Pro Tyr Arg Arg Asp Arg Asp Ala Cys Arg Ser Leu 195 200 205

Leu Pro Asp Gly Asp Phe Val Glu Val Phe Met Asp Val Pro Leu His 210 215 220

Val Cys Glu Ser Arg Asp Pro Lys Gly Leu Tyr Lys Leu Ala Arg Ala 230 235 Gly Lys Ile Lys Gly Phe Thr Gly Ile Asp Asp Pro Tyr Glu Ala Pro Val Asn Cys Glu Val Val Leu Lys His Thr Gly Asp Asp Glu Ser Cys 260 265 Ser Pro Arg Gln Met Ala Glu Asn Ile Ile Ser Tyr Leu Gln Asn Lys 280 Gly Tyr Leu Glu Gly 290 <210> 67 <211> 1257 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (13)..(1245) <400> 67 aattactcaa to atg ggg att tgc ttg agt gct cag gtc aaa gct gag agc 51 Met Gly Ile Cys Leu Ser Ala Gln Val Lys Ala Glu Ser tca gga gcg agt acg aag tat gac gcc aaa gat ata gga agt ctt ggg Ser Gly Ala Ser Thr Lys Tyr Asp Ala Lys Asp Ile Gly Ser Leu Gly 15 20 age aag get teg tet gtg tet gta aga eea age eet ega aet gag ggt Ser Lys Ala Ser Ser Val Ser Val Arg Pro Ser Pro Arg Thr Glu Gly 35 gag atc tta cag tct cca aat ctc aag agt ttt agc ttt gct gag ctt 195 Glu Ile Leu Gln Ser Pro Asn Leu Lys Ser Phe Ser Phe Ala Glu Leu 50 aaa tca gca acc agg aat ttt aga cca gac agt gtg ctt ggt.gaa ggt Lys Ser Ala Thr Arg Asn Phe Arg Pro Asp Ser Val Leu Gly Glu Gly gga ttc ggt tgt gtt ttc aaa gga tgg att gat gag aag tct ctc act 291 Gly Phe Gly Cys Val Phe Lys Gly Trp Ile Asp Glu Lys Ser Leu Thr gcc tca aga cca ggc acg ggt ttg gtt att gcc gtc aaa aag ctt aac 339 Ala Ser Arg Pro Gly Thr Gly Leu Val Ile Ala Val Lys Lys Leu Asn 95 100 105 caa gat ggt tgg caa ggt cac cag gag tgg ctg gct gaa gtg aat tac 387 Gln Asp Gly Trp Gln Gly His Gln Glu Trp Leu Ala Glu Val Asn Tyr

110	115	120	125
ctt ggt cag ttt to Leu Gly Gln Phe Se 13	r His Arg His	ctt gtg aag ctg att Leu Val Lys Leu Ile 135	ggt tat tgc 435 Gly Tyr Cys 140
cta gag gat gag ca Leu Glu Asp Glu Hi 145	c cgt ctt ctt s Arg Leu Leu	gtt tac gag ttc atg Val Tyr Glu Phe Met 150	cct cgg ggt 483 Pro Arg Gly 155
		aga ggt ttg tac ttc Arg Gly Leu Tyr Phe 170	Gln Pro Leu
tct tgg aaa ctt cg Ser Trp Lys Leu Ar 175	g ttg aaa gtt g Leu Lys Val 180	gct ctt ggt gct gca Ala Leu Gly Ala Ala 185	aag gga ctt 579 a Lys Gly Leu
gct ttt ctt cac ag Ala Phe Leu His Se 190	t tcc gag aca r Ser Glu Thr 195	aga gtg ata tac cga Arg Val Ile Tyr Arg 200	a gat ttc aag 627 y Asp Phe Lys 205
act tot aat atc of Thr Ser Asn Ile Le 21	u Leu Asp Ser	gag tac aac gca aag Glu Tyr Asn Ala Lys 215	g ctt tct gat 675 B Leu Ser Asp 220
ttt ggg ttg gct aa Phe Gly Leu Ala Ly 225	g gat ggg cca s Asp Gly Pro	ata ggt gat aaa agt Ile Gly Asp Lys Ser 230	cat gtc tct 723 His Val Ser 235
		tat gca gct cct gas Tyr Ala Ala Pro Glu 250	ı Tyr Leu Ala
		gat gtc tat agc ttc Asp Val Tyr Ser Phe 265	
ctt ctg gag ctg tt Leu Leu Glu Leu Le 270	g tot ggt cgt u Ser Gly Arg 275	cga gca gtg gac aag Arg Ala Val Asp Lys 280	g aac cgc cca 867 s Asn Arg Pro 285
	n Leu Val Glu	tgg gct aaa cca tac Trp Ala Lys Pro Tyr 295	_
aaa aga aag ata tt Lys Arg Lys Ile Ph 305	c cga gtc att ne Arg Val Ile	gat aat cgt ctt cag Asp Asn Arg Leu Glr 310	g gac cag tac 963 n Asp Gln Tyr 315
		gct act ctg tct ctg Ala Thr Leu Ser Leu 330	ı Arg Cys Leu
		aac atg agc gag gtt Asn Met Ser Glu Val 345	

ctc Leu 350	gaa Glu	cac His	att Ile	cag Gln	tct Ser 355	tta Leu	aat Asn	gct Ala	gct Ala	ata Ile 360	gga Gly	gga Gly	aat Asn	atg Met	gat Asp 365	1107
aaa Lys	aca Thr	gat Asp	aga Arg	aga Arg 370	atg Met	cgt Arg	agg. Arg	aga Arg	agt Ser 375	gac Asp	agt Ser	gtt Val	gtc Val	agc Ser 380	aaa Lys	1155.
aaa Lys	gtg Val	aat Asn	gca Ala 385	ggt Gly	ttt Phe	gct Ala	cga Arg	cag Gln 390	act Thr	gct Ala	gtt Val	ggċ Gly	agt Ser 395	aca Thr	gtt Val	1203
gtt Val	gct Ala	tat Tyr 400	cct Pro	cgc Arg	cca Pro	tca Ser	gcc Ala 405	tcg Ser	cca Pro	ctġ Leu	tat Tyr	gtt Val 410	tga			1245
atag	gggtt	caa a	ıc İ					•					•			1257
<211 <212	0> 68 l> 41 2> PF 3> Ar	LO RT	lopsi	is th	nalia	ana										
	> 68									,			-			
Met 1	Gly	Ile	Cys	Leu 5	Ser	Ala	Gln	Val	Lys 10	Ala	Glu	Ser :	Ser	Gly 15		
Ser	Thr	Lys	Tyr 20	Asp	Ala	Lys	Asp	Ile 25	Gly	Ser	Leu	Gly	Ser 30	Lys	Ala	-
Ser	Ser	Val 35	Ser	Val	Arg	Pro	Ser 40	Pro	Arg	Thr	Glu	Gly 45	Glu	Ile	Leu	
Gln	Ser 50	Pro	Asn	Leu	Lys	Ser 55	Phe	Ser	Phe	Ala	Glu 60	Leu	Lys	Ser	Ala	
Thr 65	Arg	Asn	Phe	Arg	Pro 70	Asp	Ser	Val	Leu	Gly 75	Glu	Gly	Gly	Phe	Gly 80	
Cys	Val	Phe	Lys	Gly 85	Trp	Ile	Asp	Glu	Lys 90	Ser	Leu	Thr	Ala	Ser 95	Arg	. •
Pro	Gly	Thr	Gly 100	Leu						Lys					Gly	-
Trp	Gln	Gly 115	His	Gln	Glu	Trp	Leu 120	Ala	Glu	Val	Asn	Tyr 125	Leu	Gly	Gln	
Phe	Ser 130	His	Arg	His	Leu	Val 135	Lys	Leu	Ile	Gly	Tyr 140	Cys	Leu	Glu	Asp	
Glu 145	His	Arg	Leu	Leu	Val 150	Tyr	Glu	Phe	Met	Pro 155	Arg	Gly	Ser	Leu	Glu 160	
Asn	His	Leu	Phe	Arg	Arg	Gly	Leu	Tyr	Phe	Gln	Pro	Leu	Ser	Trp	Lys	

175

Leu Arg Leu Lys Val Ala Leu Gly Ala Ala Lys Gly Leu Ala Phe Leu 180 185 190

His Ser Ser Glu Thr Arg Val Ile Tyr Arg Asp Phe Lys Thr Ser Asn 195 200 205

Ile Leu Leu Asp Ser Glu Tyr Asn Ala Lys Leu Ser Asp Phe Gly Leu 210 215 220

Ala Lys Asp Gly Pro Ile Gly Asp Lys Ser His Val Ser Thr Arg Val 225 230 235 240

Met Gly Thr His Gly Tyr Ala Ala Pro Glu Tyr Leu Ala Thr Gly His 245 250 255

Leu Thr Thr Lys Ser Asp Val Tyr Ser Phe Gly Val Val Leu Leu Glu 260 265 270

Leu Leu Ser Gly Arg Arg Ala Val Asp Lys Asn Arg Pro Ser Gly Glu 275 280 285

Arg Asn Leu Val Glu Trp Ala Lys Pro Tyr Leu Val Asn Lys Arg Lys 290 295 300

Ile Phe Arg Val Ile Asp Asn Arg Leu Gln Asp Gln Tyr Ser Met Glu 305 310 315 320

Glu Ala Cys Lys Val Ala Thr Leu Ser Leu Arg Cys Leu Thr Thr Glu 325 330 335

Ile Lys Leu Arg Pro Asn Met Ser Glu Val Val Ser His Leu Glu His $340 \hspace{1cm} 345 \hspace{1cm} 350$

Ile Gln Ser Leu Asn Ala Ala Ile Gly Gly Asn Met Asp Lys Thr Asp 355 360 365

Arg Arg Met Arg Arg Arg Ser Asp Ser Val Val Ser Lys Lys Val Asn 370 380

Ala Gly Phe Ala Arg Gln Thr Ala Val Gly Ser Thr Val Val Ala Tyr 385 390 395 400

Pro Arg Pro Ser Ala Ser Pro Leu Tyr Val

<210> 69

<211> 3240 -

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (69)..(236)

```
<220>
. <221> CDS
 <222> (420)..(506)
 <220>
 <221> CDS
 <222> (581)..(822)
 <220>
 <221> CDS
 <222> (907) .. (1126)
 <220>
 <221> CDS
 <222> (1276) .. (1355)
 <220>
 <221> CDS
 <222> (1442)..(1526)
 <220>
 <221> CDS
 <222> (1684)..(1815)
 <220>
 <221> CDS
 <222> (1911)..(2024)
 <220>
 <221> CDS
 <222> (2196)..(2243)
<220>
 <221> CDS
 <222> (2734)..(2818)
<220>
 <221> CDS
<222> (2928)..(2984)
<220>
<221> CDS
<222> (3079)..(3191)
<400> 69
ctttcgtgtg aacttccgtc catatcctta gctctttgtt tggtatttac atttcataca 60
gacgcaaa atg cta gag aaa aaa tta gct gct gca gaa gtc tct gag gaa 110
         Met Leu Glu Lys Lys Leu Ala Ala Ala Glu Val Ser Glu Glu
                            5
gag caa aat aac ttg cta aag gat ttg gag atg aag gaa act gaa tat
Glu Gln Asn Asn Leu Leu Lys Asp Leu Glu Met Lys Glu Thr Glu Tyr
 15
                                          25
atg cgc cgt cag agg cat aaa atg gga gct gat gac ttt gag cca ttg
```

Met	Arg	Arg	Gln	Arg 35	His	Lys	Met	Gly	Ala 40	Asp	Asp	Phe	Glu	Pro 45	Leu	
		att Ile								gtaa	acato	etc (:ttt	ataga	it .	256
cata	gtct	gt t	acto	tgtt	t, to	tcag	gccto	tca	ttgg	gcat	gcat	cato	ett (gäaat	gttct	316
ctgt	gato	jca t	cctt	ctto	ja aa	ggto	ttct	tag	gcca	attt	tttt	taco	ac a	agcța	atttt	376
tcaa	aaaa	igt a	tggo	atgo	t aa	tttt	tete	; ttt	ctct	ttg	cag			atc Ile		431
agg Arg	gag Glu	aag Lys	gga Gly	aca Thr 65	ggc Gly	aat Asn	gtc Val	tat Tyr	gca Ala 70	atg Met	aag Lys	aag Lys	ctt Leu	aag Lys 75	aaa Lys	479
tct Ser	gag Glu	atg Met	ctt Leu 80	cgc Arg	aga Arg	ggc Gly	cag Gln	gta Val 85	ttta	aatt	cc t	tcaa	igtg(gc .		526
ttto	gtt	ga	attt	gttt	a gt	:t g gt	tgat	gtg	gaatg	gtgg	aato	tgat	tt _. 1	cag	gtg Val	583
gaa Glu	cat His	gta Val	aaa Lys 90	gca Ala	gag Glu	aga Arg	aat Asn	tta Leu 95	ctt Leu	gca Ala	gaa Glu	gtt Val	gat Asp 100	agc Ser	aat Asn	631
tgc Cys	att Ile	gtc Val 105	aaa Lys	ctg Leu	tat Tyr	tgt Cys	tct Ser 110	ttc Phe	caa Gln	gat Asp	gaa Glu	gag Glu 115	tac Tyr	ttg Leu	tat Tyr	679
ctc Leu	ata Ile 120	atg Met	gag Glu	tat Tyr	tta Leu	cct Pro 125	ggt Gly	ggg Gly	gat Asp	atg Met	atg Met 130	act Thr	tta Leu	ctt Leu	atg Met	727
agg Arg 135	aaa Lys	gac Asp	acc Thr	ctc Leu	act Thr 140	gaa Glu	gac Asp	gag Glu	gcc Ala	agg Arg 145	ttt Phe	tat Tyr	att Ile	Gly	gaa Glu 150	775
act Thr	gtc Val	ctg Leu	gct Ala	att Ile 155	gag Glu	tcc Ser	att Ile	cat His	aag Lys 160	Cac	aac Asn	tac Tyr	att Ile	cac His 165	ag Ar	822
gtca	agtga	aag c	agaa	tata	at ga	ttta	agtto	tag	ctcc	cat	tgt	attt	tg t	tcta	aacgt	882
ctt	tttt	ct o	caat	gtga	at ac) Asp			g cta 1 Lev		934
gac Asp	aaa Lys	gac	ggc Gly	cac His 180	atg Met	aaa Lys	ttg Leu	tca Ser	gat Asp 185	ttt Phe	gga Gly	tta Leu	tgt Cys	aaa Lys 190	cca Pro	982
tta	gac	tgt	agt	aat	ctt	caa	gag	aaa	gac	ttt	aca	gtt	gca	aga	aac	1030

Leu Ası	Cys	Ser 195	Asn	Leu	Gln	Glu	Lys 200		Phe	Thr	Val	Ala 205	Arg	Asn	
gtt agt Val Se	ggg Gly 210	Ala	tta Leu	caa Gln	agt Ser	gat Asp 215	ggt Gly	cgc Arg	cct Pro	gtg Val	gcg Ala 220	aca Thr	aga Arg	ege Arg	1078
acc cas Thr Glr 225	Gln	gag Glu	caa Gln	tta Leu	cta Leu 230	aac Asn	tgg Trp	cag Gln	aga Arg	aat Asn 235	aga Arg	agg Arg	atg Met	ctt Leu	1126
gtaagtt	tca	ctta	ttcci	tc at	ctti	tct	CC	agaga	atgt	ggag	gtagi	tcc i	acag	tatcca	1186
gtatatt	tcg	ttati	tgaa	ag ca	aati	ctc	cea	attga	atat	agad	catc	tat (gttag	gatatg	1246
acttact	agg	ttaa	ggtc	at ta	actti	cag							act Thr		1299
gac tat Asp Ty	att Ile 250	Ala	cca Pro	gaa Glu	gtt Val	ctg Leu 255	ttg Leu	aaa Lys	aaa Lys	gga Gly	tat Tyr 260	gga Gly	atg Met	gaa Glu	1347
tgt gat Cys Asp 269	Tr	gtag	gtgaa	ag co	caac	ctati	cc1	tatti	tgtg.	gtc	ttga	att 1	tctti	tggtgt	1405
aaataaa	itaa	tatg	ggtga	aa ta	aatci	tgaq	g ati	tag				eu G		cc att la Ile	1460
atg tat Met Tyr	gaa Glu 275	Met	ctt Leu	gtg Val	ggg Gly	ttt Phe 280	ccg Pro	ccc Pro	ttt Phe	tat [.] Tyr	tca Ser 285	gat Asp	gac Asp	cca Pro	1508
atg aca Met Thi 290	Thr				gtaa	atta	atc d	catto	ctt	tt to	gaato	cttt	C	٠	1556
attttaa	tat	tgaa	ggca	ga ct	ggc	gatti	t caa	agtc	ttac	atti	taati	ttt a	agtct	ttttg	1616
tatctc	ttg	gtaa	ttct	aa to	gtgga	aaacı	t tac	cctc	ttct	cgat	ttcat	tta (tctt	cccct	1676
tatgca	ata Ile 295	Val	aat Asn	tgg Trp	aga Arg	aat Asn 300	tac Tyr	ttg Leu	aaa Lys	ttc Phe	cca Pro 305	gat Asp	gag Glu	gtt Val	1725
aga cta Arg Lei 310	Ser	cca Pro	gaa Glu	gcc Ala	aag Lys 315	gat Asp	ctt Leu	att Ile	tgt Cys	agg Arg 320	ctt Leu	tta Leu	tgc Cys	aat Asn	1773
gtt gaa Val Glu 325	caa Gln	agg Arg	ctt Leu	gga Gly 330	Thr	aaa Lys	gga Gly	gca Ala	gat Asp 335	gaa Glu	att Ile	aag Lys		•	1815
atatta	ata	catt	attc	aa ci	ttta	agatı	t caa	aagti	tece	ttai	rata:	ana 1	tcatt	ratata	1879

ggc aca gaa tog gga aaa ttg tat caa atg aaa gct gcc ttt att ccc fly Thr Glu Trp Gly Lys Leu Tyr Gln Met Lys Ala Ala Phe Ile Pro 345 350 350 360 360 360 360 360 360 360 375 360 360 360 360 375 375 375 375 375 375 375 375 375 375	caattettaa aaaegatttg actggtttet tteag ggt eac eet tgg ttt aga Gly His Pro Trp Phe Arg 340	1928
glaacacact gatactatca gctaatgatg tctatagtga aatattggtg caatatatgc 2084 caccaaatga tgtggcatga tgtatatact gaaatattgg tatcacagat gattittatg 2144 ctcctgataa ggaaaataat gtatactctt ctttgattcc ttctggaaca g act gac 2201 Thr Asp aag caa gtt cca aag tca gcc aag tca ggt cca tgg aga aag 2243 Lys Gln Val Pro Lys Ser Ala Lys Ser Gly Pro Try Arg Lys 380 gtacagcata agcactgact ttttggcatt atgtaccatc aagcttttt ttttatcta 2303 atagaagagt gatcatactt caaaatttat ctataagtg gttccttgag atatgttgtt 2363 ctttgatgat actacagacg tagcttaaaa tattacatgc aacaaagagc tcagaatgat 2423 gaaattggct cagtttctgt cacaggcgtt tctatctttg tactatatc acaaaaacgt 2483 gattcactct tttaggttca aattttctta tggtaattta gaatttggag ctgattggga 2543 tgctactaac agaattatgt tgttaatctg ccagttctgc atgttgacgt gtgttagatg 2603 aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt 2663 tatgtcatga accaaaagga ttcttgtgaa tttcataaca tgacgctggc ttctttttt 2723 tcttcccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g 2818 Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 410 415 qtaattcact taaccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg 2935 la Glu Leu C G aag aag aag aag aac aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	Gly Thr Glu Trp Gly Lys Leu Tyr Gln Met Lys Ala Ala Phe Ile Pro	1976
caccaaatga tgtggcatga tgtatatact gaaatattgg tatcacagat gattttatg 2144 ctcctgataa ggaaaataat gtatactctt ctttgattcc ttctggaaca g act gac 2201 Thr Asp aag caa gtt cca aag tca gcc aag tca ggt cca tgg aga aaag Lys Gln Val Pro Lys Ser Ala Lys Ser Gly Pro Try Arg Lys 380 385 390 gtacagcata agcactgact ttttggcatt atgtaccatc aagcttttt tttttatcta 2303 atagaagagt gatcatactt caaaatttat ctataagtgg gttccttgag atatgttgtt 2363 ctttgatgat actacagacg tagcttaaaa tattacatgc aacaaagagc tcagaatgat 2423 gaaattggct cagtttctgt cacaggcgtt tctatcttg tactatattc acaaaaacgt 2483 gattcactct tttaggttca aattttctta tggtaattta gaatttggag ctgattggga 2543 tgctactaac agaattatgt tgttaatctg ccagttctgc atgttgacg tgtgttagatg 2603 aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt 2663 tatgtcatga accaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt 2723 tcttctccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act 2772 Met Leu Ser Ser Lys Asp 11e Asn Phe Val Gly Tyr Thr 395 400 tac aag aac gaa atc gta aat gat gac caa ata cca ggg ata g 2818 Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 qtaattcact taacccccct tccgttgctg aggaagagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg 2935 Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	Gin Val Asn Asp Glu Leu Asp Thr Gln Asn Phe Glu Lys Phe Glu Glu	2024
ang can get can ang tea get ang tea get can get can get can get can get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get can ang tea get get can ang tea get get get ang tea get get get get get get get get get get	gtaacacact gatactatca gctaatgatg tctatagtga aatattggtg caatatatgc	2084
aag caa gtt cca aag tca gcc aag tca ggt cca tgg aga aag 2243 Lys Gln Val Pro Lys Ser Ala Lys Ser Gly Pro Trp Arg Lys 380 gtacagcata agcactgact ttttggcatt atgtaccatc aagcttttt ttttatcta 2303 atagaagagt gatcatactt caaaatttat ctataagtgg gttccttgag atatgttgtt 2363 ctttgatgat actacagacg tagcttaaaa tattacatgc aacaaagagc tcagaatgat 2423 gaaattggct cagtttctgt cacaggcgtt tctatctttg tactatattc acaaaaacgt 2483 gattcactct tttaggttca aatttctta tggtaattta gaatttggag ctgattggga 2543 tgctactaac agaattatgt tgttaatctg ccagttctgc atgttgagg tggttagatg 2603 aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt 2663 tatgtcatga accaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt 2723 tcttctccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 gtaattcact taaccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg 2935 la Glu Leu G aag aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Sys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	caccaaatga tgtggcatga tgtatatact gaaatattgg tatcacagat gatttttatg	2144
Lys Gln Val Pro Lys Ser Ala Lys Ser Gly Pro Trp Arg Lys 380 385 390 gtacagcata agcactgact tittggcatt atgtaccatc aagctittit tittatcta 2303 atagaagagt gatcatacti caaaatitat ciataagtgg gitccitigag atatgtigit 2363 cittgatgat actacagacg tagcitaaaa taitacatge aacaaagagc tcagaatgat 2423 gaaatiggct cagittctgi cacaggcgit ictatcitig tactatatic acaaaaacgi 2483 gattcactci titaggitca aatiticita iggiaatita gaatitggag cigatiggga 2543 tgctactaac agaatiatgi iggiaatci cagiticige atgitgacgi gigitagatg 2603 aatcactat cittiiggac caacatgata taacitagaa ccigiticigi caatagaati 2663 taigicatga accaaaagga tictiggaa titcataaca igacgciggc titcitiit 2723 tcitcicaga accaaaagga tictiggaa titcataaca igacgciggc titcitiit 2723 tcitcicaga atg cic ica ica aaa gac att aac tit git ggi tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 405 tac aag aac gia gaa atc gia aat gat gac caa ata cca ggg ata g 2818 Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420 gtaattcact taacccccct tccgitigcig aggaagaagc aacaatacta gattacctig 2878 tgattatcat cgcatgitig cigcattigt aatitigitii attgigcag ct gag tig 2935 la Glu Leu G aag aag aag ag aat aag cca aaa ag ccg tct att aaa tct ctc tit g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G		2201
atagaagagt gatcatactt caaaatttat ctataagtgg gttccttgag atatgttgtt 2363 ctttgatgat actacagacg tagettaaaa tattacatge aacaaagage teagaatgat 2423 gaaattgget cagtttetgt cacaggegtt tetatetttg tactatatte acaaaaacgt 2483 gattcactet tttaggttea aatttetta tggtaattta gaatttggag etgattggga 2543 tgctactaac agaattatgt tgttaatetg ecagttetge atgttgacgt gtgttagatg 2603 aatcacttat etttttggac caacatgata taacttagaa ectgttetgt eaatagaatt 2663 tatgtcatga accaaaagga ttettgtgaa ttteataaca tgaegetgge tttettttt 2723 teteteeag atg ete tea tee aaa gae att aac ttt gtt ggt tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 tac aag aac gta gaa ate gta aat gat gae caa ata cea ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420 gtaatteact taacceccet teegttgetg aggaagaage aacaatacta gattacettg 2878 tgattateat egeatgttg etgeattgt aatttgttt attgtgeag et gag ttg 1a Glu Leu G aag aag aag aag age aat aag cea aaa agg eeg tet att aaa tet ete ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	Lys Gln Val Pro Lys Ser Ala Lys Ser Gly Pro Trp Arg Lys	2243
gaaattggct cagtttetgt cacaggcgtt tetatetttg tactatatte acaaaacgt 2483 gaattagget cagtttetgt cacaggcgtt tetatetttg tactatatte acaaaaacgt 2483 gatteactet tetaggttea aattteetta tggtaattta gaatttggag etgattggga 2543 tgctactaac agaattatgt tgttaatetg ceagttetge atgttgacgt gtgttagatg 2603 aateacttat etttttggac caacatgata taacettagaa cetgttetgt caatagaatt 2663 tatgteatga aceaaaagga teetgtgaa teteataaca tgacgetgge tetettett 2723 teteteecag atg etc tea tee aaa gac att aac tet get ggt tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 tac aag aac gta gaa ate gta aat gat gac caa ata cea ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420 gtaatteact taaceeeeet teegttgetg aggaagaage aacaatacta gattacettg 2878 tgattateat egeatgtttg etgeatttgt aattegttt attgtgeag et gag teg 12935 1a Glu Leu 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	gtacagcata agcactgact ttttggcatt atgtaccatc aagctttttt tttttatcta	2303
gaaattggct cagtttctgt cacaggcgtt tctatctttg tactatattc acaaaaacgt 2483 gattcactct tttaggttca aattttctta tggtaattta gaatttggag ctgattggga 2543 tgctactaac agaattatgt tgttaatctg ccagttctgc atgttgacgt gtgttagatg 2603 aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt 2663 tatgtcatga accaaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt 2723 tcttctccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 405 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420 gtaattcact taacccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg 1 a Glu Leu	atagaagagt gatcatactt caaaatttat ctataagtgg gttccttgag atatgttgtt	2363
gattcactct tttaggttca aattttctta tggtaattta gaatttggag ctgattggga 2543 tgctactaac agaattatgt tgttaatctg ccagttctge atgttgacgt gtgttagatg 2603 aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt 2663 tatgtcatga accaaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt 2723 tcttctccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 gtaattcact taacccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg 1a Glu Leu G aag aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	ctttgatgat actacagacg tagcttaaaa tattacatgc aacaaagagc tcagaatgat	2423
tgctactaac agaattatgt tgttaatctg ccagttctgc atgttgacgt gtgttagatg 2603 aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt 2663 tatgtcatga accaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt 2723 tcttctccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 405 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g 2818 Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420 gtaattcact taaccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg 2935 la Glu Leu G aag aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	gaaattggct cagtttctgt cacaggcgtt tctatctttg tactatattc acaaaaacgt	2483
aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt 2663 tatgtcatga accaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt 2723 tcttctccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g 2818 Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 gtaattcact taaccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg la Glu Leu G aag aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	gattcactct tttaggttca aattttctta tggtaattta gaatttggag ctgattggga	2543
tatgtcatga accaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt 2723 tcttctccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act 2772 Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420 gtaattcact taacccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg I a Glu Leu G aag aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	tgctactaac agaattatgt tgttaatctg ccagttctgc atgttgacgt gtgttagatg	2603
tcttctccag atg ctc tca tcc aaa gac att aac ttt gtt ggt tat act Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 2818 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420 gtaattcact taacccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg Ia Glu Leu G aag aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	aatcacttat ctttttggac caacatgata taacttagaa cctgttctgt caatagaatt	2663
Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr 395 400 2818 tac aag aac gta gaa atc gta aat gat gac caa ata cca ggg ata g Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 415 420 gtaattcact taacccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgttt attgtgcag ct gag ttg Ia Glu Leu G aag aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	tatgtcatga accaaaagga ttcttgtgaa tttcataaca tgacgctggc tttcttttt	2723
Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A 410 gtaattcact taacccccct tccgttgctg aggaagaagc aacaatacta gattaccttg 2878 tgattatcat cgcatgtttg ctgcatttgt aatttgtttt attgtgcag ct gag ttg la Glu Leu G aag aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	Met Leu Ser Ser Lys Asp Ile Asn Phe Val Gly Tyr Thr	2772
tgattatcat cgcatgtttg ctgcatttgt aatttgtttt attgtgcag ct gag ttg la Glu Leu G aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln Ile Pro Gly Ile A	2818
aag aag aag agc aat aag cca aaa agg ccg tct att aaa tct ctc ttt g 2984 Lys Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	gtaattcact taaccccct tccgttgctg aggaagaagc aacaatacta gattaccttg	2878
Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	la Glu Leu	2935
	Lys Lys Ser Asn Lys Pro Lys Arg Pro Ser Ile Lys Ser Leu Phe G	

gtaaatcatc tgtttgtatg ctatttgtaa aatcaagatg attacgatcc atgtttgatt 3044 ctctctaacc aaactgtgga aactaaatta acag aa gac gaa aca tct ggt ggg lu Asp Glu Thr Ser Gly Gly aca aca acc cac caa gga agc ttt ttg aat cta cta ccg acg cag att 3146 Thr Thr Thr His Gln Gly Ser Phe Leu Asn Leu Leu Pro Thr Gln Ile 450 455 gaa gat cca gag aaa gaa ggt agt aag tcg agc tca tcc ggg tga 3191 Glu Asp Pro Glu Lys Glu Gly Ser Lys Ser Ser Ser Ser Gly 470 atttcatttg acacattgca cagcctgaac cagaagactc ttgttatat 3240 <210> 70 <211> 476 <212> PRT <213> Arabidopsis thaliana <400> 70 Met Leu Glu Lys Lys Leu Ala Ala Ala Glu Val Ser Glu Glu Glu Gln Asn Asn Leu Leu Lys Asp Leu Glu Met Lys Glu Thr Glu Tyr Met Arg Arg Gln Arg His Lys Met Gly Ala Asp Asp Phe Glu Pro Leu Thr Met Ile Gly Lys Gly Ala Phe Gly Glu Val Arg Ile Cys Arg Glu Lys Gly Thr Gly Asn Val Tyr Ala Met Lys Lys Leu Lys Lys Ser Glu Met Leu Arg Arg Gly Gln Val Val Glu His Val Lys Ala Glu Arg Asn Leu Leu Ala Glu Val Asp Ser Asn Cys Ile Val Lys Leu Tyr Cys Ser Phe Gln Asp Glu Glu Tyr Leu Tyr Leu Ile Met Glu Tyr Leu Pro Gly Gly Asp 120 Met Met Thr Leu Leu Met Arg Lys Asp Thr Leu Thr Glu Asp Glu Ala Arg Phe Tyr Ile Gly Glu Thr Val Leu Ala Ile Glu Ser Ile His Lys 145 155 His Asn Tyr Ile His Arg Asp Ile Lys Pro Asp Asn Leu Leu Leu Asp Lys Asp Gly His Met Lys Leu Ser Asp Phe Gly Leu Cys Lys Pro Leu

180

185

190

- Asp Cys Ser Asn Leu Gln Glu Lys Asp Phe Thr Val Ala Arg Asn Val 195 200 205
- Ser Gly Ala Leu Gln Ser Asp Gly Arg Pro Val Ala Thr Arg Arg Thr 210 220
- Gln Gln Glu Gln Leu Leu Asn Trp Gln Arg Asn Arg Arg Met Leu Ala 225 230 235 240
- Tyr Ser Thr Val Gly Thr Pro Asp Tyr Ile Ala Pro Glu Val Leu Leu 245 250 255
- Lys Lys Gly Tyr Gly Met Glu Cys Asp Trp Trp Ser Leu Gly Ala Ile 260 265 270
- Met Tyr Glu Met Leu Val Gly Phe Pro Pro Phe Tyr Ser Asp Asp Pro 275 280 285
- Met Thr Thr Cys Arg Lys Ile Val Asn Trp Arg Asn Tyr Leu Lys Phe 290 295 300
- Pro Asp Glu Val Arg Leu Ser Pro Glu Ala Lys Asp Leu Ile Cys Arg 305 310 315 320
- Leu Leu Cys Asn Val Glu Gln Arg Leu Gly Thr Lys Gly Ala Asp Glu 325 330 335
- Ile Lys Gly His Pro Trp Phe Arg Gly Thr Glu Trp Gly Lys Leu Tyr 340 345 350
- Gln Met Lys Ala Ala Phe Ile Pro Gln Val Asn Asp Glu Leu Asp Thr 355 360 365
- Gln Asn Phe Glu Lys Phe Glu Glu Thr Asp Lys Gln Val Pro Lys Ser 370 375 380
- Ala Lys Ser Gly Pro Trp Arg Lys Met Leu Ser Ser Lys Asp Ile Asn 385 390 390 395 400
- Phe Val Gly Tyr Thr Tyr Lys Asn Val Glu Ile Val Asn Asp Asp Gln 405 415
- Ile Pro Gly Ile Ala Glu Leu Lys Lys Ser Asn Lys Pro Lys Arg
 420 425 430
- Pro Ser Ile Lys Ser Leu Phe Glu Asp Glu Thr Ser Gly Gly Thr Thr 435 440 445
- Thr His Gln Gly Ser Phe Leu Asn Leu Leu Pro Thr Gln Ile Glu Asp 450 460
- Pro Glu Lys Glu Gly Ser Lys Ser Ser Ser Ser Gly 465 470 475

```
<210> 71
<211> 979
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (28) ... (843)
<400> 71
acgaaaacca ccgttagcta taggctg atg ata tgt agg atc cga ctc ggg tcg 54
                              Met Ile Cys Arg Ile Arg Leu Gly Ser
atg aac ggt gac gaa tgc gcg aac gtt gcg acg tgc tgg gtt act tct
Met Asn Gly Asp Glu Cys Ala Asn Val Ala Thr Cys Trp Val Thr Ser
                     15
                                         20
cta gct tgt gta gtt gac gcc gga cga tat acg aaa aag gta tcc cac
Leu Ala Cys Val Val Asp Ala Gly Arg Tyr Thr Lys Lys Val Ser His
gac cgg cga acg agg tgg ccc gcc tgg aaa gca cga cgg gat cgt cat
                                                                   198
Asp Arg Arg Thr Arg Trp Pro Ala Trp Lys Ala Arg Arg Asp Arg His
                                 50
agt gtc cga agt gat agc ggc cta gac agt cat gca ctt gaa ggt gga
Ser Val Arg Ser Asp Ser Gly Leu Asp Ser His Ala Leu Glu Gly Gly
                             65 ·
aaa cga cgt gag tca tgc gta tca cta gct cac gaa cga gat tat gca
Lys Arg Arg Glu Ser Cys Val Ser Leu Ala His Glu Arg Asp Tyr Ala
                         80
                                             85
cta acg gca cgg tgg gat cgt agc att gca atg acg gat gac acg aac
Leu Thr Ala Arg Trp Asp Arg Ser Ile Ala Met Thr Asp Asp Thr Asn
                     95
                                        100
cca caa acc caa cgt aaa ttt gag aaa cat act cgg gat gta gaa gct
                                                                   390
Pro Gln Thr Gln Arg Lys Phe Glu Lys His Thr Arg Asp Val Glu Ala
                110
                                    115
gtt cga ttt tct cca cga gat cgt cta att gta tct gcg ggt gca gat
                                                                   438
Val Arg Phe Ser Pro Arg Asp Arg Leu Ile Val Ser Ala Gly Ala Asp
            125
ggg gta att gca gta tgt ccg gtt gct ggt gaa tgt gat gat gac gat
Gly Val Ile Ala Val Cys Pro Val Ala Gly Glu Cys Asp Asp Asp
        140
                            145
gcc cgt gat ggt cat gaa gat tgt gtt agt agt att tgc ttt tca cca
                                                                   534
Ala Arg Asp Gly His Glu Asp Cys Val Ser Ser Ile Cys Phe Ser Pro
tca cta gaa cac ccg atc ctc ttt tct ggt agt tgt atc tac ttt att
Ser Leu Glu His Pro Ile Leu Phe Ser Gly Ser Cys Ile Tyr Phe Ile
```

					175				. ,	180				٠.	185	
aaa Lys	gtg Val	tgg Trp	Asn	gtc Val 190	aat Asn	gga Gly	aag Lys	aaa Lys	tgt Cys 195	agg Arg	acg Thr	ccg Pro	cta Leu	aaa Lys 200	aag Lys	630
cat His	agt Ser	aàt Asn	ccc Pro 205	gta Val	tct Ser	aca Thr	cgg Arg	aca Thr 210	cag Gln	tca Ser	gaa Glu	gag Glu	gga Gly 215	agg Arg	cta Leu	678
tgt Cys	gca Ala	aaa Lys 220	ggt Gly	ggt Gly	aaa Lys	agc Ser	ggt Gly 225	gca Ala	cgg Arg	cta Leu	cta Leu	ccc Pro 230	gat Asp	cta Leu	agt Ser	726
act Thr	cag Gln 235	gaa Glu	caa Gln	cta Leu	ccc Pro	aaa Lys 240	att Ile	aat Asn	caa Gln	gaa Glu	aac Asn 245	cct Pro	att Ile	aat Asn	caa Gln	774
att Ile 250	gct Ala	ttt Phe	tca Ser	cct Pro	agt Ser 255	ccg Pro	ttc Phe	gtc Val	gtc Val	acg Thr 260	tgc Cys	caa Gln	acg Thr	gaa Glu	aga Arg 265	822
tcc Ser	cta Leu	tct Ser	caa Gln	acg Thr 270	tgg Trp	tga	ccgt	gca	ccg (gcac	ggtga	aa aa	aagto	cgaco	3	873
ggat	cgac	cg a	accga	aaago	c to	gctco	gctgg	g aca	aaaa	aaag	agct	ttt	tag g	gcctt	ttcgct	933
tttl	ttga	aag a	aaaa	aaggo	et co	rcgaa	aaaa	a aaa	aaaaa	-+					٠.	979
										- ccg	aaaı	.ca				,,,
<21:	0> 72 L> 27 2> PI	71 RT								-ccg		-ca			· .	,
<21: <21: <21:	l> 27 2> PI 3> Ai	71 RT cabic		is tì						ccg		.ca			· .	,
<211 <211 <211 <400	l> 27 2> PI 3> Ai 0> 72	71 RT rabio	lopsi	is tì	nalia	ana		·					Glu	Cys 15		
<21: <21: <21: <400 Met	l> 27 2> PI 3> Ai 0> 72 Ile	71 RT cabic 2 Cys	lops: Arg	is th	nalia Arg	ina Leu	Gly	Ser	Met	Asn	Gly	Asp	•		•	
<21: <21: <21: <400 Met 1	l> 27 2> PI 3> Al 0> 72 Ile Val	71 RT rabio 2 Cys Ala	Arg Thr	is the Ile 5	nalia Arg Trp	ana Leu Val	Gly	Ser Ser 25	Met 10 Leu	Asn Ala	Gly Cys	Asp Val	Val	15	Ala	
<211 <211 <211 <400 Met 1 Asn	1> 27 2> PF 3> A1 0> 72 Ile Val	71 RT cabic Cys Cys Ala Tyr 35	Arg Thr 20	is th Ile 5 Cys Lys	alia Arg Trp Lys	ina Leu Val	Gly Thr Ser 40	Ser Ser 25 His	Met 10 Leu Asp	Asn Ala Arg	Gly Cys Arg	Asp Val Thr 45	Val 30 Arg	15 Asp	Ala Pro	
<211 <211 <211 <400 Met 1 Asn Gly	1> 27 2> PI 3> A1 3> A1 0> 72 11e Val Arg 50	71 RT Cabic Cys Ala Tyr 35	Arg Thr 20 Thr	is the standard stand	Arg Trp Lys	Leu Val Val Asp 55	Gly Thr Ser 40 Arg	Ser Ser 25 His	Met 10 Leu Asp	Asn Ala Arg Val	Gly Cys Arg Arg	Asp Val Thr 45 Ser	Val 30 Arg	15 Asp Trp	Ala Pro Gly	
<21: <21: <21: <400 Met 1 Asn Gly Ala	1> 27 2> PF 3> An 0> 72 11e Val Arg 50 Asp	71 RT Cabic P Cys Ala Tyr 35 Lys	Arg Thr 20 Thr Ala	is the standard stand	Arg Trp Lys Arg Leu 70	Leu Val Val Asp 55 Glu	Gly Thr Ser 40 Arg	Ser 25 His His	Met 10 Leu Asp Ser	Asn Ala Arg Val Arg 75	Gly Cys Arg 60	Asp Val Thr 45 Ser Glu	Val 30 Arg Asp	15 Asp Trp Ser	Ala Pro Gly Val 80	

```
Glu Lys His Thr Arg Asp Val Glu Ala Val Arg Phe Ser Pro Arg Asp
                           120
Arg Leu Ile Val Ser Ala Gly Ala Asp Gly Val Ile Ala Val Cys Pro
    130
                       135
Val Ala Gly Glu Cys Asp Asp Asp Asp Ala Arg Asp Gly His Glu Asp
                                155
Cys Val Ser Ser Ile Cys Phe Ser Pro Ser Leu Glu His Pro Ile Leu
               165
                                   170
Phe Ser Gly Ser Cys Ile Tyr Phe Ile Lys Val Trp Asn Val Asn Gly
                    185
           180
Lys Lys Cys Arg Thr Pro Leu Lys Lys His Ser Asn Pro Val Ser Thr
                        · 200
Arg Thr Gln Ser Glu Glu Gly Arg Leu Cys Ala Lys Gly Gly Lys Ser
                       215
Gly Ala Arg Leu Leu Pro Asp Leu Ser Thr Gln Glu Gln Leu Pro Lys
                   230
Ile Asn Gln Glu Asn Pro Ile Asn Gln Ile Ala Phe Ser Pro Ser Pro
                               250
Phe Val Val Thr Cys Gln Thr Glu Arg Ser Leu Ser Gln Thr Trp
                               265
<210> 73
<211> 1260
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (101) .. (155)
<220>
<221> CDS
<222> (254)..(660)
<220>
<221> CDS
<222> (750)..(1193)
<400> 73
gctcaattat gtttacaaca ttgttgtaat ttcaaaactt cataagaatt tctctgataa 60
taaagaaaaa gotggagtag aactatttta aagtgtcatc atg aag aga cta agc
                                          Met Lys Arg Leu Ser
```

Sei	c tca c Ser	gat Asp	Ser	atg Met 10	tgt Cys	Gjy	cta Leu	atc Ile	tcc Ser 15	act Thr	tct Ser	aca Thr	g g A	ttct	tatta	165
CC	atctt	tgt	tctt	tcta	ct t	tttg	ctaa	t gt	caga	caaa	acc	catg	tga	tect	ttette	225
act	ttcc	act	gttt	cttt	ta t	tgac		sp S					hr T		at gaa sp Glu	
Gl	g agt n Ser	cca Pro 30	aga Arg	Gly	tac Tyr	gga Gly	agt Ser 35	aat Asn	tac Tyr	caa Gln	tct Ser	atg Met 40	ctt Leu	gaa Glu	ggt Gly	327
tac Ty:	gat Asp 45	Glu	gat Asp	gct Ala	aca Thr	cta Leu 50	atc Ile	gag Glu	gaa Glu	tat Tyr	tcc Ser 55	ggc	aac Asn	cac	cac His	375
Cac His	atg Met	ggt Gly	cta Leu	tcg Ser	gag Glu 65	aag Lys	aag Lys	aga Arg	aga Arg	tta Leu 70	aaa Lys	gtt Val	gac Asp	caa Gln	gtc Val 75	423
aaa Lys	gct Ala	ctt Leu	gag Glu	aag Lys 80	aat Asn	ttc Phe	gaa Glu	ctt Leu	gag Glu .85	aat Asn	aaa Lys	ctc Leu	gaa Glu	cct Pro 90	gag Glu	471
agg Arg	aaa Lys	act Thr	aaa Lys 95	Leu	gca Ala	caa Gln	gag Glu	ctt Leu 100	gga Gly	ctt Leu	caa Gln	cct Pro	cgt Arg 105	caa Gln	gta Val	519
gct	gtt Val	tgg Trp 110	ttt Phe	cag Gln	aac Asn	cgt Arg	cgt Arg 115	gca Ala	cgg Arg	tgg Trp	Lys	aca Thr 120	aaa Lys	cag Gln	ctt Leu	567
gaa	aaa Lys 125	gat Asp	tac Tyr	ggt Gly	gtt Val	ctt Leu 130	aag Lys	ggt Gly	caa Gln	tac Tyr	gat Asp 135	tct Ser	ctc Leu	cgc Arg	cac His	615
aat Asr 140	ttc Phe	gat Asp	tct Ser	ctc Leu	cgc Arg 145	cgt Arg	gac Asp	aat Asn	gat Asp	tcc Ser 150	ctt Leu	ctc Leu	caa Gln	gag Glu		660
gta	caata	att a	agaga	actt	a aa	accat	aaaa	a · att	gaaa	actt	caga	agaco	gaa a	aatgo	caaaaa	720
ggt	ttga	ttt (taaa	agtti	t to	ggttg	JCag	att Ile 155	agt Ser	aaa Lys	atc Ile	aaa Lys	gct Ala 160	aag Lys	gta Val	773
aac Asn	ggt Gly	gaa Glu 165	gaa Glu	gat Asp	aac Asn	aac Asn	aac Asn 170	aac Asn	aaa Lys	gct Ala	att Ile	acg Thr 175	gag Glu	ggt Gly	gtt Val	821
aag Lys	gaa Glu 180	gag Glu	gaa Glu	gtt Val	cac His	aag Lys 185	acg Thr	.gat Asp	tcg Ser	att Ile	cct Pro 190	tcg Ser	tct Ser	cct Pro	ctg Leu	869
cag	ttt	cta	gaa	cat	tcc	tct	ggt	ttt	aac	tac	cgg	cga	agc	ttc	act	917

195	Phe	Leu	Glu	His	Ser 200	Ser	Gly	Phe	Asn	Tyr 205	Arg	Arg	Ser	Phe	Thr 210	
gac Asp	ctc Leu	cgt Arg	gac Asp	Leu 215	cta Leu	ccg Pro	aat Asn	tcc Ser	acc Thr 220	Val	gtc Val	gag Glu	gct Ala	gga Gly 225	Ser	965
tcc Ser	gat Asp	agt Ser	tgc Cys 230	gat Asp	tca Ser	agc Ser	gcc Ala	gtt Val 235	ctt Leu	aac Asn	gac Asp	gaa Glu	aca Thr 240	agt Ser	tct Ser	1013
gat Asp	aac Asn	gga Gly 245	aga Arg	ttg Leu	acg Thr	ccg Pro	cct Pro 250	gtg Val	acg Thr	gtt Val	act Thr	ggc Gly 255	ggg Gly	agt Ser	ttc Phe	1061
tta Leu	cag Gln 260	ttt Phe	gtg Val	aaa Lys	aca Thr	gag Glu 265	caa Gln	aca Thr	gag Glu	gat Asp	cac His 270	gag Glu	gat Asp	ttt Phe	cta Leu	1109
agc Ser 275	ggt Gly	gaa Glu	gaa Glu	gct Ala	tgt Cys 280	ggt Gly	ttc Phe	ttc Phe	tcc Ser	gat Asp 285	gaa Glu	cag Gln	ccg	ccg Pro	tca Ser 290	1157
ctt Leu	cat His	tgg Trp	tac Tyr	tct Ser 295	gct Ala	tca Ser	gat Asp	cat His	tgg Trp 300	act Thr	tga	gaat	tgti	tta	·	1203
tca	aatt	ggt g	gctct	gtt	a gt	ctca	atgo	g gaa	aaca	agag	aaga	ıgggc	caa a	aggto	gga	1260
									•							
<21:	0> 74 1> 3(2> PI 3> A1)1 ?T	lopsi	.s tì	nalia	ına		. · .								
<21: <21: <21:	l> 3(2> Pi 3> Ai)1 RT cabic	lopsi	.s tì	nalia	ına		· • .								
<21: <21: <21: <40:	1> 3(2> PI 3> A1 0> 74	01 RT cabic					Asp	Ser	Met 10	Cys	Gly	Leu	Ile	Ser 15	Thr	
<21: <21: <21: <40: Met	1> 3(2> PI 3> Ai 0> 74 Lys	01 RT rabio I Arg	Leu	Ser 5	Ser	Ser			10	٠						
<21: <21: <21: <400 Met 1 Ser	1> 3(2> PI 3> Ai 0> 74 Lys)1 RT rabid Arg Asp	Leu Ser 20	Ser 5 Phe	Ser Gly	Ser Tyr	Thr	Thr 25	10 Asp	Glu	Gln	Ser	Pro 30	15	Gly	
<21: <21: <21: <400 Met 1 Ser	1> 3(2> PF 3> Ar 0> 76 Lys Thr	O1 Crabic I Arg Asp Ser 35	Leu Ser 20 Asn	Ser 5 Phe Tyr	Ser Gly Gln	Ser Tyr Ser	Thr Met 40	Thr 25 Leu	10 Asp Glu	Glu Gly	Gln Tyr	Ser Asp 45	Pro 30 Glu	15 Arg	Gly Ala	
<21: <21: <21: <400 Met 1 Ser Tyr	1 > 3(2 > PI 2 > PI 3 > A1 0 > 7(Lys Thr Gly Leu 50	O1 RT rabid Arg Asp Ser 35	Leu Ser 20 Asn	Ser 5 Phe Tyr Glu	Ser Gly Gln Tyr	Ser Tyr Ser Ser 55	Thr Met 40 Gly	Thr 25 Leu Asn	Asp Glu His	Glu Gly His	Gln Tyr His 60	Ser Asp 45 Met	Pro 30 Glu Gly	15 Arg Asp	Gly Ala Ser	
<21: <21: <21: <400 Met 1 Ser Tyr Thr Glu 65	1 > 30 2 > PI 3 > A1 0 > 70 Lys Thr Gly Leu 50 Lys	O1 RT rabio Arg Asp Ser 35 Ile	Leu Ser 20 Asn Glu Arg	Ser 5 Phe Tyr Glu	Ser Gly Gln Tyr Leu 70	Ser Tyr Ser Ser 55	Thr Met 40 Gly Val	Thr 25 Leu Asn	Asp Glu His	Glu Gly His Val 75	Gln Tyr His 60 Lys	Asp 45 Met	Pro 30 Glu Gly Leu	15 Arg Asp Leu	Gly Ala Ser Lys 80	

Asn Arg Arg Ala Arg Trp Lys Thr Lys Gln Leu Glu Lys Asp Tyr Gly 120 Val Leu Lys Gly Gln Tyr Asp Ser Leu Arg His Asn Phe Asp Ser Leu Arg Arg Asp Asn Asp Ser Leu Leu Gln Glu Ile Ser Lys Ile Lys Ala 150 Lys Val Asn Gly Glu Glu Asp Asn Asn Asn Lys Ala Ile Thr Glu 165 170 Gly Val Lys Glu Glu Glu Val His Lys Thr Asp Ser Ile Pro Ser Ser 185 Pro Leu Gln Phe Leu Glu His Ser Ser Gly Phe Asn Tyr Arg Arg Ser 200 Phe Thr Asp Leu Arg Asp Leu Leu Pro Asn Ser Thr Val Val Glu Ala Gly Ser Ser Asp Ser Cys Asp Ser Ser Ala Val Leu Asn Asp Glu Thr 230 . 235 Ser Ser Asp Asn Gly Arg Leu Thr Pro Pro Val Thr Val Thr Gly Gly 250 Ser Phe Leu Gln Phe Val Lys Thr Glu Gln Thr Glu Asp His Glu Asp 260 Phe Leu Ser Gly Glu Glu Ala Cys Gly Phe Phe Ser Asp Glu Gln Pro 280 285 Pro Ser Leu His Trp Tyr Ser Ala Ser Asp His Trp Thr 290 295 <210> 75 <211> 1122 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (22)..(1122) acgtagctaa agtccgtttg a atg aac caa cgt gct gac cgt gac cgt gct Met Asn Gln Arg Ala Asp Arg Asp Arg Ala age teg ate egt tgg ttt gee aac ega tta gtg agt ggt age etg tta Ser Ser Ile Arg Trp Phe Ala Asn Arg Leu Val Ser Gly Ser Leu Leu 15 ttg tgt gct aac gcc tac agt cgt cgt act ccc gcg tcc ggg gcc gca 147

Leu	Cys	Ala	Asn 30	Ala	Tyr	Ser	Arg	Arg 35		Pro	Ala	Ser	Gly 40	Ala	Ala	
tta Leu	cag Gln	cag Gln 45	atg Met	aac Asn	cgt Arg	gcc Ala	agt Ser 50	cag Gln	tca Ser	gtg Val	aat Asn	tac Tyr 55	cga Arg	cga Arg	cgt Arg	195
gag Glu	ctg Leu 60	tca Ser	tta Leu	atc	agc Ser	ggc Gly 65	cgg Arg	aaa Lys	cag Gln	ggt Gly	gtc Val 70	Gln	tct Ser	ctg Leu	ggt Gly	243
tat Tyr 75	aga Arg	ctt Leu	gca Ala	cgc Arg	ctc Leu 80	gat Asp	aac Asn	cgc Arg	gct Ala	ctt Leu 85	gca Ala	caa Gln	ttg Leu	ttg Leu	cac His 90	291
agg Arg	gat Asp	ggc Gly	cag Gln	ccc Pro 95	gag Glu	gaa Glu	gtg Val	gta Val	cag Gln 100	cgc Arg	ggc Gly	aat Asn	gaa Glu	atc Ile 105	agc Ser	339
tat Tyr	ttc Phe	gaa Glu	acg Thr 110	gga Gly	ctt Leu	gaa Glu	ccg Pro	acc Thr 115	acg Thr	ctt Leu	aga Arg	cgt Arg	gtg Val 120	cgc Arg	gat Asp	387
tgt Cys	gtt Val	gtt Val 125	gcc Ala	gct Ala	ctg Leu	cca Pro	acc Thr 130	gtt Val	atc Ile	tat Tyr	acc Thr	gga Gly 135	ttc Phe	aaa Lys	cgt Arg	435
gtt Val	tct Ser 140	cct Pro	tac Tyr	tac Tyr	gaa Glu	ttt Phe 145	atc Ile	tcc Ser	gtc Val	ggg Gly	cgc Arg 150	Thr	agg Arg	gtt Val	gct Ala	483
gat Asp 155	cgt Arg	ctt Leu	agc Ser	Glu	gtc Val 160	acg Thr	caa Gln	gtg Val	gtt Val	ccc Pro 165	cga Arg	gat Asp	gat Asp	aca Thr	cgc Arg 170	531
tac Tyr	gtc Val	tac Tyr	atc Ile	gtg Val 175	tgg Trp	cgg Arg	gaa Glu	tcc Ser	gaa Glu 180	cga Arg	tcg Ser	aaa Lys	tta Leu	gag Glu 185	gcg Ala	579
cgg Arg	Gly	gat Asp	ctc Leu 190	cgt Arg	gat Asp	cgc Arg	gat Asp	ggt Gly 195	gaa Glu	acg Thr	ctg Leu	Glu	aag Lys 200	ttt Phe	cgc Arg	627
gtg Val	att	gct Ala 205	ttt Phe	aac Asn	gtc Val	acg Thr	ctg Leu 210	gat Asp	atc Ile	agc Ser	agc Ser	agt Ser 215	atg Met	gag Glu	ccg Pro	675
ctg Leu	gcg Ala 220	aag Lys	gga Gly	gat Asp	ttg Leu	ccg Pro 225	ccg Pro	ttg Leu	ctt Leu	gct Ala	gtt Val 230	cct Pro	gta Val	ggt Gly	gaa Glu	723
caa Gln 235	gct Ala	aga Arg	ttc Phe	agc Ser	ttg Leu 240	acg Thr	cca Pro	acc Thr	tgg Trp	ttg Leu 245	cca Pro	cag Gln	ggt Gly	cgt Arg	agc Ser 250	771
gat Asp	gtt Val	tcc Ser	agt Ser	agt Ser	cga Arg	cgt Arg	ggg Gly	cta Leu	ccg Pro	cgg Arg	atg Met	gac Asp	aaa Lys	gtg Val	cct Pro	819

255 260 265 atc gaa tcc cgt ctc tcg acc gac gga gta ttc agc ttc tcg gta aac 867 Ile Glu Ser Arg Leu Ser Thr Asp Gly Val Phe Ser Phe Ser Val Asn 270 275 gtt aac ggc gct acg cca tcg agg tgg gat cag atg ttg cgc acc gga 915 Val Asn Gly Ala Thr Pro Ser Arg Trp Asp Gln Met Leu Arg Thr Gly 285 290 cgc agg ccc gtc agt aga agc gta cgt gat gtc gcc gaa aac acc att Arg Arg Pro Val Ser Arg Ser Val Arg Asp Val Ala Glu Asn Thr Ile 300 305 ggc ggt gaa ctg ccg ccg cgt agc tgc tcg cga ccc gat ccg ttg acc Gly Gly Glu Leu Pro Pro Arg Ser Cys Ser Arg Pro Asp Pro Leu Thr 320 325 get gae ege ege ege tge get age etg age etg ece age etg eca get 1059 Ala Asp Arg Arg Cys Ala Ser Leu Ser Leu Pro Ser Leu Pro Ala 335 340 cga cag ccc tcc caa acg gag aaa cgc att gtc gag aat att aag tac Arg Gln Pro Ser Gln Thr Glu Lys Arg Ile Val Glu Asn Ile Lys Tyr 355 ggg gca gcg cca tga 1122 Gly Ala Ala Pro 365 <210> 76 <211> 366 <212> PRT <213> Arabidopsis thaliana <400> 76 Met Asn Gln Arg Ala Asp Arg Asp Arg Ala Ser Ser Ile Arg Trp Phe Ala Asn Arg Leu Val Ser Gly Ser Leu Leu Leu Cys Ala Asn Ala Tyr Ser Arg Arg Thr Pro Ala Ser Gly Ala Ala Leu Gln Gln Met Asn Arg 40 Ala Ser Gln Ser Val Asn Tyr Arg Arg Glu Leu Ser Leu Ile Ser 55 Gly Arg Lys Gln Gly Val Gln Ser Leu Gly Tyr Arg Leu Ala Arg Leu Asp Asn Arg Ala Leu Ala Gln Leu Leu His Arg Asp Gly Gln Pro Glu Glu Val Val Gln Arg Gly Asn Glu Ile Ser Tyr Phe Glu Thr Gly Leu 105

Glu Pro Thr Thr Leu Arg Arg Val Arg Asp Cys Val Val Ala Ala Leu 120 Pro Thr Val Ile Tyr Thr Gly Phe Lys Arg Val Ser Pro Tyr Tyr Glu 130 135 140 Phe Ile Ser Val Gly Arg Thr Arg Val Ala Asp Arg Leu Ser Glu Val 150 155 Thr Gln Val Val Pro Arg Asp Asp Thr Arg Tyr Val Tyr Ile Val Trp 165 170 Arg Glu Ser Glu Arg Ser Lys Leu Glu Ala Arg Gly Asp Leu Arg Asp 185 Arg Asp Gly Glu Thr Leu Glu Lys Phe Arg Val Ile Ala Phe Asn Val 195 200 Thr Leu Asp Ile Ser Ser Ser Met Glu Pro Leu Ala Lys Gly Asp Leu 215 Pro Pro Leu Leu Ala Val Pro Val Gly Glu Gln Ala Arg Phe Ser Leu 235 Thr Pro Thr Trp Leu Pro Gln Gly Arg Ser Asp Val Ser Ser Ser Arg 245 250 Arg Gly Leu Pro Arg Met Asp Lys Val Pro Ile Glu Ser Arg Leu Ser 265 Thr Asp Gly Val Phe Ser Phe Ser Val Asn Val Asn Gly Ala Thr Pro 275 Ser Arg Trp Asp Gln Met Leu Arg Thr Gly Arg Arg Pro Val Ser Arg 295 300 Ser Val Arg Asp Val Ala Glu Asn Thr Ile Gly Gly Glu Leu Pro Pro 310 315 Arg Ser Cys Ser Arg Pro Asp Pro Leu Thr Ala Asp Arg Arg Cys 325 330 Ala Ser Leu Ser Leu Pro Ser Leu Pro Ala Arg Gln Pro Ser Gln Thr 345 Glu Lys Arg Ile Val Glu Asn Ile Lys Tyr Gly Ala Ala Pro 360

<210> 77

<211> 1650

<212> DNA

<213> Arabidopsis thaliana

<220>

```
<221> CDS
<222> (21)..(203)
<220>
<221> CDS
<222> (291)..(482)
<220>
<221> CDS
<222> (633)..(838)
<220>
<221> CDS
<222> (1044)..(1605)
<400> 77
attcagagaa gaactcaccg atg agt atg gat ttt tca cct ttg tta acg gtt 53
                      Met Ser Met Asp Phe Ser Pro Leu Leu Thr Val
                                       . 5
ctt gag gga gat ttc aac aag gat aat act tct tct gca aca gaa att
                                                                   101
Leu Glu Gly Asp Phe Asn Lys Asp Asn Thr Ser Ser Ala Thr Glu Ile
             15
                                 20
gat act tta gag aac tta gat gac act agg cag ata agt aaa gga aaa
Asp Thr Leu Glu Asn Leu Asp Asp Thr Arg Gln Ile Ser Lys Gly Lys
         30
cet eeg agg cae etc aca age agt get act agg etg eag ett gea gee
                                                                   197
Pro Pro Arg His Leu Thr Ser Ser Ala Thr Arg Leu Gln Leu Ala Ala
                         50
                                            , 55
aat gcg gtaatatact tgaccctgct ttttctttt ccttttcttt gttacaatgg
                                                                   253
gattcgaatg atgtaactgg tttctgtttg tgcgcag gat gtg gat gtt tgt aac
                                         Asp Val Asp Val Cys Asn
ttg gtt atg aag tca ctt gat gac aaa tca gag ttt cta cct gta tac
                                                                   356
Leu Val Met Lys Ser Leu Asp Asp Lys Ser Glu Phe Leu Pro Val Tyr
                                                 80
cga tca gga agt tgt gct gag caa ggg gca aaa cag ttc atg gaa gat
                                                                   404
Arg Ser Gly Ser Cys Ala Glu Gln Gly Ala Lys Gln Phe Met Glu Asp
                         90
gaa cac att tgc atc gat gat ctt gtt aat cat ctt ggt gca gct att
                                                                   452
Glu His Ile Cys Ile Asp Asp Leu Val Asn His Leu Gly Ala Ala Ile
                    105
                                        110
caa tgc tct tct ctt gga gcc ttc tat ggg gtgagtttat cttccaatct
                                                                   502
Gln Cys Ser Ser Leu Gly Ala Phe Tyr Gly
                120
```

tacccaaaga agcataaaag caattcacta geetgattet tetttettet eetetttgt 562

	522
cctttggcag gta ttt gat ggc cac ggt ggc aca gat gca gca cac ttt 6 Val Phe Asp Gly His Gly Gly Thr Asp Ala Ala His Phe 130 135	571
gtt aga aag aac att ctg aga ttc att gta gag gac tcc tcc ttc cca 7 Val Arg Lys Asn Ile Leu Arg Phe Ile Val Glu Asp Ser Ser Phe Pro 140 145 150	719
cta tgc gta aag aaa gca att aag agt gct ttc tta aaa gct gat tat 7 Leu Cys Val Lys Lys Ala Ile Lys Ser Ala Phe Leu Lys Ala Asp Tyr 155 160 165 170	767
gaa ttt gca gat gat tct tct ctt gac atc tct tct ggg acc act gcg 8 Glu Phe Ala Asp Asp Ser Ser Leu Asp Ile Ser Ser Gly Thr Thr Ala 175 180 185	815
ctt aca gct ttt att ttt gga cg gtaagagcat ttaaattcgt atttatgaac 8 Leu Thr Ala Phe Ile Phe Gly Ar 190	868
ttgggaaget atatatgtta teacetgtat aateateaat aettateagg ttgeetgtgt 9	28
gtataagata gagaataagg cttagtgtaa agacttatgt aacgggctgt tttaccatgt 9	88
ttctttgtag ttttgatgtg attttgaata gaattgctac tttctttctt tacag g g	044
agg ttg ata att gca aat gct ggt gat tgc cga gca gta ctg ggg aga 1 Arg Leu Ile Ile Ala Asn Ala Gly Asp Cys Arg Ala Val Leu Gly Arg 195 200 205 210	092
aga ggt agg gca att gag ttg tcc aaa gat cac aaa cca aac tgc aca 1 Arg Gly Arg Ala Ile Glu Leu Ser Lys Asp His Lys Pro Asn Cys Thr 215 220 225	140
223	
	188
gcc gag aaa gta aga ata gaa aag tta ggt gga gtt gtg tat gac ggt 1 Ala Glu Lys Val Arg Ile Glu Lys Leu Gly Gly Val Val Tyr Asp Gly 230 235 240	188 236
gcc gag aaa gta aga ata gaa aag tta ggt gga gtt gtg tat gac ggt 1 Ala Glu Lys Val Arg Ile Glu Lys Leu Gly Gly Val Val Tyr Asp Gly 230 235 240 tac ctc aac ggg caa cta tca gtt gca cgt gcc att gga gac tgg cac Tyr Leu Asn Gly Gln Leu Ser Val Ala Arg Ala Ile Gly Asp Trp His 245 250 255	
gcc gag aaa gta aga ata gaa aag tta ggt gga gtt gtg tat gac ggt 1 Ala Glu Lys Val Arg Ile Glu Lys Leu Gly Gly Val Val Tyr Asp Gly 230 tac ctc aac ggg caa cta tca gtt gca cgt gcc att gga gac tgg cac Tyr Leu Asn Gly Gln Leu Ser Val Ala Arg Ala Ile Gly Asp Trp His 245 250 255 atg aaa ggt ccc aaa ggc tct gct tgt ccg cta agc cca gag cca gag Met Lys Gly Pro Lys Gly Ser Ala Cys Pro Leu Ser Pro Glu Pro Glu 260 265 270	236

gct Ala	agg Arg	aag Lys	gaa Glu 310	ctg Leu	atg Met	att Ile	cat His	aat Asn 315	gat Asp	cca Pro	gag Glu	aga Arg	tgc Cys 320	tct Ser	aga Arg	1428
gag Glu	ctt Leu	gtg Val 325	agg Arg	gag Glu	gcc Ala	ctt Leu	aaa Lys 330	cgg Arg	aat Asn	aca Thr	tgt Cys	gac Asp 335	aat Asn	ttg Leu	aca Thr	1476
gtg Val	att Ile 340	gtt Val	gtg Val	tgc Cys	ttc Phe	tct Ser 345	ccg Pro	gat Asp	cct Pro	cca Pro	cag Gln 350	Arg	ata Ile	gag Glu	atc Ile	1524
cga Arg 355	atg Met	cag Gln	tca Ser	cgg Arg	gtg Val 360	agg Arg	cgg Arg	agc Ser	ata Ile	tct Ser 365	gcg Ala	gaa Glu	ggg ggg	tta Leu	aac Asn 370	1572
cta Leu	ctc Leu	aaa Lys	ggc	gtg Val 375	ctc Leu	gat Asp	ggc Gly	tat Tyr	ccg Pro 380	tga	gcat	gtt	atg (tgta	acgtta	1625
ctt	tgtga	aga d	ctati	gcca	aa gt	tag					٠					1650
<21:	0> 78 1> 38 2> P1 3> A1	30 RT	lops	is tl	nalia	ana										
	0> 78 Ser		Asp	Phe 5	Ser	Pro	Leu	Leu	Thr 10	Val	Leu	Glu	Gly	Asp 15	Phe	
Asn	Lys	Asp	Asn 20	Thr	Ser	Ser	Ala	Thr 25	Glu	Ile	Asp	Thr	Leu 30	Glu	Asn	
Leu	Asp	Asp 35	Thr	Arg	Gln	Ile	Ser 40	Lys	Gly	Lys	Pro	Pro 45	Arg	His	Leu	
Thr	Ser 50	Ser	Ala	Thr	Arg	Leu 55	Gln	Leu	Ala	Ala	Asn 60	Ala	Asp	Val	Asp	
Val 65	Cys	Asn	Leu	Val	Met 70	Lys	Ser	Leu	Asp	Asp 75	Lys	Ser	Glu	Phe	Leu 80	
Pro	Val	Tyr	Arg	Ser 85	Gly	Ser	Cys	Ala	Glu 90	Gln	Gly	Ala	Lys	Gln 95	Phe	
Met	Glu	Asp	Glu 100	His	Ile	Cys	Ile	Asp 105	Asp	Leu	Val	Asn	His 110	Leu	Gly	
Ala	Ala	Ile 115	Gln	Cys	Ser	Ser	Leu 120	Gly	Ala	Phe	Tyr	Gly 125	Val	Phe	Asp	
Gly	His 130	Gly	Gly	Thr	Asp	Ala 135	Ala	His	Phe	Val	Arg 140	Lys	Asn	Ile	Leu	

Arg Phe Ile Val Glu Asp Ser Ser Phe Pro Leu Cys Val Lys Lys Ala 145 150 155 Ile Lys Ser Ala Phe Leu Lys Ala Asp Tyr Glu Phe Ala Asp Asp Ser 170 Ser Leu Asp Ile Ser Ser Gly Thr Thr Ala Leu Thr Ala Phe Ile Phe 180 185 Gly Arg Arg Leu Ile Ile Ala Asn Ala Gly Asp Cys Arg Ala Val Leu 200 Gly Arg Arg Gly Arg Ala Ile Glu Leu Ser Lys Asp His Lys Pro Asn 215 Cys Thr Ala Glu Lys Val Arg Ile Glu Lys Leu Gly Gly Val Val Tyr 235 . Asp Gly Tyr Leu Asn Gly Gln Leu Ser Val Ala Arg Ala Ile Gly Asp 250 Trp His Met Lys Gly Pro Lys Gly Ser Ala Cys Pro Leu Ser Pro Glu 260 -265 Pro Glu Leu Gln Glu Thr Asp Leu Ser Glu Asp Asp Glu Phe Leu Ile Met Gly Cys Asp Gly Leu Trp Asp Val Met Ser Ser Gln Cys Ala Val 295 Thr Ile Ala Arg Lys Glu Leu Met Ile His Asn Asp Pro Glu Arg Cys 310 315 Ser Arg Glu Leu Val Arg Glu Ala Leu Lys Arg Asn Thr Cys Asp Asn 330 Leu Thr Val Ile Val Val Cys Phe Ser Pro Asp Pro Pro Gln Arg Ile 340 Glu Ile Arg Met Gln Ser Arg Val Arg Arg Ser Ile Ser Ala Glu Gly 360 Leu Asn Leu Leu Lys Gly Val Leu Asp Gly Tyr Pro 375

<210> 79 <211> 589 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (18)..(575) <400> 79

atct	ttt	tcc (gata	act	atg Met 1	gct Ala	gag Glu	gaa Glu	atc Ile 5	aag Lys	aat Asn	gtt Val	cct Pro	gaa Glu 10	cag Gln	50
gag Glu	gtg Val	cca Pro	aag Lys 15	gta Val	gca Ala	aca Thr	gag Glu	gaa Glu 20	Ser	tcg Ser	gca Ala	gag Glu	gtt Val 25	Thr	gat Asp	98
cgt Arg	gga Gly	ttg Leu 30	ttc Phe	gat Asp	ttc Phe	ttg Leu	gga Gly 35	Lys	aag Lys	aaa Lys	gac Asp	gaa Glu 40	Thr	aaa Lys	cca Pro	146
gag Glu	gag Glu 45	act Thr	ccg Pro	atc	gct Ala	tca Ser 50	Glu	ttt Phe	gag Glu	cag Gln	aag Lys 55	Val	cat His	att	tca Ser	194
gag Glu 60	ccg Pro	gag Glu	cca Pro	gag Glu	gtt Val 65	aaa Lys	cac His	gaa Glu	agt Ser	Ctt Leu 70	Leu	gaa Glu	aag Lys	ctt Leu	cac His 75	242
cga Arg	agc Ser	gac Asp	agt Ser	tct Ser 80	Ser	agc Ser	tcc Ser	tca Ser	agt Ser 85	gag Glu	gaa Glu	gaa Glu	ggt Gly	tca Ser 90	gat Asp	-290
ggt Gly	gag Glu	aag Lys	agg Arg 95	aag Lys	aag Lys	aag Lys	aag Lys	gag Glu 100	aag Lys	aag Lys	aag Lys	cca Pro	act Thr 105	act Thr	gaa Glu	338
gtt Val	gag Glu	gta Val 110	aag Lys	gag Glu	gaa Glu	gag Glu	aag Lys 115	Lys	Gly	ttt Phe	atg Met	gag Glu 120	aag Lys	ttg Leu	aaa Lys	386
gag Glu	aag Lys 125	ctt Leu	cct Pro	gga Gly	cac	aag Lys 130	aaa Lys	cct Pro	gaa Glu	gac Asp	ggt Gly 135	Ser	gcc Ala	gtc Val	gct Ala	434
gcg Ala 140	gca Ala	ccg Pro	gtg Val	gtt Val	gtt Val 145	Pro	cct Pro	cct Pro	gtg Val	gaa Glu 150	gaa Glu	gcg Ala	cat His	cca Pro	gtg Val 155	482
gag Glu	aag Lys	aaa Lys	ggg Gly	att Ile 160	ctt Leu	gag Glu	aag Lys	att Ile	aag Lys 165	gag Glu	aag Lys	ctt Leu	cca Pro	gga Gly 170	tac Tyr	530
cac His	cct Pro	aag Lys	acc Thr 175	acc Thr	gta Val	gag Glu	gag Glu	gag Glu 180	aag Lys	aaa Lys	gat Asp	aaa Lys	gaa Glu 185	taa		575
gaag	atta	itc a	ttaa	ì				•								590
	> 80 > 18															

<212> PRT <213> Arabidopsis thaliana

<400> 80

Met Ala Glu Glu Ile Lys Asn Val Pro Glu Gln Glu Val Pro Lys Val · 10 . Ala Thr Glu Glu Ser Ser Ala Glu Val Thr Asp Arg Gly Leu Phe Asp Phe Leu Gly Lys Lys Lys Asp Glu Thr Lys Pro Glu Glu Thr Pro Ile Ala Ser Glu Phe Glu Gln Lys Val His Ile Ser Glu Pro Glu Pro Glu Val Lys His Glu Ser Leu Leu Glu Lys Leu His Arg Ser Asp Ser Ser 70 Ser Ser Ser Ser Glu Glu Glu Gly Ser Asp Gly Glu Lys Arg Lys 90 Lys Lys Lys Glu Lys Lys Pro Thr Thr Glu Val Glu Val Lys Glu 105 Glu Glu Lys Lys Gly Phe Met Glu Lys Leu Lys Glu Lys Leu Pro Gly 115 His Lys Lys Pro Glu Asp Gly Ser Ala Val Ala Ala Ala Pro Val Val 135 Val Pro Pro Pro Val Glu Glu Ala His Pro Val Glu Lys Lys Gly Ile 150 Leu Glu Lys Ile Lys Glu Lys Leu Pro Gly Tyr His Pro Lys Thr Thr 165 . 170 Val Glu Glu Lys Lys Asp Lys Glu 180 <210> 81 <211> 1376 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (20)..(1366) <400> 81

gag gtt gcg gcg agg cta gcg gct gag gac ttg cat gac att aac aaa 10 Glu Val Ala Ala Arg Leu Ala Ala Glu Asp Leu His Asp Ile Asn Lys 15 20 25

agcaatcgag aaaaaagca atg gcg tca gac aaa caa aag gcg gag aga gcc

tcc ggt ggt gct gat gtc aca atg tat aag gtg acg gag aga aca act 148

Met Ala Ser Asp Lys Gln Lys Ala Glu Arg Ala

Ser	Gly	Gly 30	Ala	Asp	Val	Thr	Met 35		Lys	Val	Thr	Glu 40		Thr	Thr	•
gaa Glu	cat His 45	cca Pro	ccg Pro	gag Glu	caa Gln	gat Asp 50	agg Arg	ccc Pro	ggt Gly	gtg Val	ata Ile 55	Gly	tca Ser	gtg Val	ttc	196
agg Arg 60	gct Ala	gtc Val	caa Gln	gga Gly	acg Thr 65	tat Tyr	gag Glu	cat His	gcg Ala	aga Arg 70	gac Asp	gct Ala	gta Val	gtt Val	gga Gly 75	244
aaa Lys	acc Thr	cac His	gaa Glu	gcg Ala 80	gct Ala	gag Glu	tct Ser	acc Thr	aaa Lys 85	gaa Glu	gga Gly	gct Ala	cag Gln	ata Ile 90	gct Ala	292
tca Ser	gag Glu	aaa Lys	gcg Ala 95	gtt Val	gga Gly	gca Ala	aag Lys	gac Asp 100	gca Ala	acc Thr	gtc Val	gag Glu	aaa Lys 105	gct Ala	aag Lys	340
gaa Glu	acc Thr	gct Ala 110	gat Asp	tat Tyr	act Thr	gcg Ala	gag Glu 115	aag Lys	gtg Val	ggt Gly	gag Glu	tat Tyr 120	aaa Lys	gac Asp	tat Tyr	388
acg Thr	gtt Val 125	gat Asp	aaa Lys	gct Ala	aaa Lys	gag Glu 130	gct Ala	aag Lys	gac Asp	aca Thr	act Thr 135	gca Ala	gag Glu	aag Lys	gcg Ala	436
aag Lys 140	gag Glu	act Thr	gct Ala	aat Asn	tat Tyr 145	act Thr	gcg Ala	gat Asp	aag Lys	gcg Ala 150	gtg Val	gaa Glu	gca Ala	aag Lys	gat Asp 155	484
aag Lys	acg Thr	gcg Ala	gag Glu	aag Lys 160	att Ile	ggt Gly	gag Glu	tac Tyr	aaa Lys 165	gac Asp	tat Tyr	gcg	gtg Val	gat Asp 170	aag Lys	532
gca Ala	gta Val	gaa Glu	gct Ala 175	aaa Lys	gat Asp	aag Lys	aca Thr	gcg Ala 180	gag Glu	aag Lys	gcg Ala	aag Lys	gag Glu 185	act Thr	tcg Ser	580
aat Asn	tat Tyr	acg Thr 190	gcg Ala	gat Asp	aag Lys	gct Ala	aaa Lys 195	gag Glu	gct Ala	aag Lys	gac Asp	aag Lys 200	acg Thr	gct Ala	gag Glu	628
aag Lys	gtt Val 205	ggt Gly	gag Glu	tat Tyr	aag Lys	gat Asp 210	tac Tyr	acg Thr	gtg Val	gac Asp	aag Lys 215	gcc Ala	gtg Val	gaa Glu	gct Ala	676
agg Arg 220	gat Asp	tac Tyr	aca Thr	gcg Ala	gag Glu 225	aag Lys	gct Ala	att Ile	gaa Glu	gca Ala 230	aag Lys	gat Asp	aag Lys	aca Thr	gct Ala 235	724
gag Glu	aag Lys	act Thr	gga Gly	gag Glu 240	tat Tyr	aag Lys	gac Asp	tat Tyr	acg Thr 245	gtg Val	gag Glu	aag Lys	gcg Ala	acg Thr 250	gag Glu	772
ggg	aaa Lys	gat Asp	gtt Val	acg Thr	gtg Val	agt Ser	aag Lys	cta Leu	gga Gly	gag Glu	ctg Leu	aag Lys	gat Asp	agt Ser	gcc Ala	820

			255					260		•			265			
gtt Val	gag Glu	aca Thr 270	gcg Ala	aag Lys	aga Arg	gct Ala	atg Met 275	ggt Gly	ttc Phe	ttg Leu	tcg Ser	ggg Gly 280	aag Lys	aca Thr	gag Glu	868
gag Glu	gcc Ala 285	aaa Lys	gga Gly	aaa Lys	gct Ala	gtg Val 290	gag Glu	acc Thr	aaa Lys	gat Asp	act Thr 295	gcc Ala	aag Lys	gaa Glu	aac Asn	916
Met 300	Glu	ГÄЗ	Ala	Gly	Glu 305	Val	Thr	Arg	Gln	aag Lys 310	Met	Glu	Glu	Met	Arg 315	964
ttg Leu	gaa Glu	ggt Gly	aaa Lys	gag Glu 320	ctc Leu	aaa Lys	gaa Glu	gaa Glu	gct Ala 325	gga Gly	gca Ala	aaa Lys	gcc Ala	caa Gln 330	gag · Glu	1012
gca Ala	tct Ser	caa Gln	aag Lys 335	act Thr	agg Arg	gag Glu	agt Ser	act Thr 340	gag Glu	tcg Ser	gga Gly	gct Ala	caa Gln 345	aaa Lys	gcc Ala	1060
gaa Glu	gag Glu	acc Thr 350	aaa Lys	gat Asp	tct Ser	cct Pro	gcc Ala 355	gtg Val	agg Arg	gga Gly	aat Asn	gaa Glu 360	gcg Ala	aaa Lys	GJA aaa	1108
Thr	11e 365	Phe	Gly	Ala	Leu	Gly 370	Asn	Val	Thr	gaa Glu	Ala 375	Ile	Lys	Ser	Lys	1156
ctg Leu 380	aca Thr	atg Met	cca Pro	tca Ser	gac Asp 385	att. Ile	gtg Val	gag Glu	gaa Glu	aca Thr 390	cgc Arg	gcg Ala	gca Ala	cgt Arg	gag Glu 395	1204
cat His	gga Gly	Gly	acg Thr	ggt Gly 400	agg Arg	act Thr	gtg .Val	gtt Val	gaa Glu 405	gtc Val	aag Lys	gtc Val	gag Glu	gat Asp 410	tca Ser	1252
aag Lys	ccg Pro	ggt Gly	aag Lys 415	gtg Val	gcg Ala	act Thr	tca Ser	ctg Leu 420	aag Lys	gcg Ala	tcg Ser	gat Asp	caa Gln 425	Met	acc Thr	1300
ggt Gly	caa Gln	aca Thr 430	ttc Phe	Asn	gac Asp	Val	Gly	Arg	atg Met	gat Asp	Asp	gat Asp 440	gct Ala	cgg Arg	aaa Lys	1348
	aag Lys 445				tga	gaat	acta	iga	•							1376
)> 82 > 44				•											
SZ1	> 44															

<211> 448 <212> PRT <213> Arabidopsis thaliana Met Ala Ser Asp Lys Gln Lys Ala Glu Arg Ala Glu Val Ala Ala Arg

1 5 10 15

- Leu Ala Ala Glu Asp Leu His Asp Ile Asn Lys Ser Gly Gly Ala Asp 20 25 30
- Val Thr Met Tyr Lys Val Thr Glu Arg Thr Thr Glu His Pro Pro Glu 35 40 45
- Gln Asp Arg Pro Gly Val Ile Gly Ser Val Phe Arg Ala Val Gln Gly 50 55 60
- Thr Tyr Glu His Ala Arg Asp Ala Val Val Gly Lys Thr His Glu Ala 65 70 75 80
- Ala Glu Ser Thr Lys Glu Gly Ala Gln Ile Ala Ser Glu Lys Ala Val 85 90 95
- Gly Ala Lys Asp Ala Thr Val Glu Lys Ala Lys Glu Thr Ala Asp Tyr
 100 105 110
- Thr Ala Glu Lys Val Gly Glu Tyr Lys Asp Tyr Thr Val Asp Lys Ala 115 120 125
- Lys Glu Ala Lys Asp Thr Thr Ala Glu Lys Ala Lys Glu Thr Ala Asn 130 135 140
- Tyr Thr Ala Asp Lys Ala Val Glu Ala Lys Asp Lys Thr Ala Glu Lys 145 150 155 160
- Ile Gly Glu Tyr Lys Asp Tyr Ala Val Asp Lys Ala Val Glu Ala Lys 165 170 175
- Asp Lys Thr Ala Glu Lys Ala Lys Glu Thr Ser Asn Tyr Thr Ala Asp 180 185 190
- Lys Ala Lys Glu Ala Lys Asp Lys Thr Ala Glu Lys Val Gly Glu Tyr 195 200 205
- Lys Asp Tyr Thr Val Asp Lys Ala Val Glu Ala Arg Asp Tyr Thr Ala 210 215 220
- Glu Lys Ala Ile Glu Ala Lys Asp Lys Thr Ala Glu Lys Thr Gly Glu 225 230 235 240
- Tyr Lys Asp Tyr Thr Val Glu Lys Ala Thr Glu Gly Lys Asp Val Thr 245 250 255
- Val Ser Lys Leu Gly Glu Leu Lys Asp Ser Ala Val Glu Thr Ala Lys 260 265 270
- Arg Ala Met Gly Phe Leu Ser Gly Lys Thr Glu Glu Ala Lys Gly Lys 275 280 285
- Ala Val Glu Thr Lys Asp Thr Ala Lys Glu Asn Met Glu Lys Ala Gly
 290 295 300

Glu 305	Val	Thr	Arg	Gln	Lys 310	Met	Glu	Glu	Met	Arg 315	Leu	Glu	Gly	Lys	Glu 320	
Leu	Lys	Glu	Glu	Ala 325	Gly	Ala	Lys	Ala	Gln 330	Glu	Ala	Ser	Gln	Lys 335	Thr	
Arg	Glu	Ser	Thr 340	Glu	Ser	Gly	Ala	Gln 345	Lys	Ala	Glu	Glu	Thr 350	Lys	Asp .	
Ser	Pro	Ala 355	Val	Arg	Gly	Asn	Glu 360	Ala	Lys	Gly	Thr	Ile 365	Phe	Gly	Ala	
Leu	Gly 370	Asn	Val	Thr	Glu	Ala 375	Ile	Lys	Ser	Lys	Leu 380	Thr	Met	Pro	Ser	
Asp 385	Ile	Val	Glu	Glu	Thr 390	Arg	Ala	Ala	Arg	Glu 395	His	Gly	Gly	Thr	Gly 400	
Arg	Thr	Val	Val	Glu 405	Val	Lys	Val	Glu	Asp 410	Ser	Lys	Pro	Gly	Lys 415	Val	
Ala	Thr	Ser	Leu 420	Lys	Ala	Ser	Asp	Gln 425	Met	Thr.	Gly	Gln	Thr 430	Phe.	Asn	
Asp	Val	Gly 435	Arg	Met	Asp	Asp	Asp 440	Ala	Arg	Lys	Asp	Lys 445	Gly	Lys	Leu	
	0> 83 l> 56									*						
<212	2> DI	IA.				*					٠.				• .	
<21:	3> Ar	abio	iopsi	is th	nalia	na										٠
<22(•		٠
	l> CI ?> (1		. (548	3)								,		٠		
				•												
)> 83 cacac		ataca	aa a	itg a	at c	raa a	ita t	.ca t	tc t	tt c	at t	at a	at t	tc	50
				N	iet A	sn G	lu M	let S	er F	he F	he G	lут	yr S	er P	he	
	•								5 .					10	•	
atc Ile	gta Val	gta Val	gca Ala 15	tta Leu	ttc Phe	ttc Phe	gat Asp	tta Leu 20	act Thr	caa Gln	gcc Ala	tat Tyr	cgt Arg 25	cac His	act Thr	98
ccc Pro	gct Ala	caa Gln 30	ccg Pro	cca Pro	aaa Lys	gca Ala	aac Asn 35	gca Ala	aac Asn	ggt Gly	gat Asp	gtc Val 40	aaa Lys	ccg Pro	caa Gln	146
gaa Glu	acg Thr 45	ctc Leu	gtg Val	gtt Val	cac His	aac Asn 50	aag Lys	gcc Ala	cga Arg	gcc Ala	atg Met 55	gtc Val	gga Gly	gtc Val	gga Gly	194
cca Pro	atg Met	gtg Val	tgg Trp	aac Asn	gaa Glu	act Thr	ctt Leu	gcg Ala	acc Thr	tat Tyr	gca Ala	cag Gln	agc Ser	tac Tyr	gca Ala	242

60					65					70					75	•
cat	gaa Glu	cga Arg	gcc Ala	aga Arg 80	gac Asp	tgt Cys	gcc Ala	atg Met	aag Lys 85	cat His	tcc Ser	ttg Leu	gga Gly	cca Pro 90	ttc Phe	290
ggc Gly	gag Glu	aat Asn	cta Leu 95	gcc Ala	gcg Ala	ggt Gly	tgg Trp	gga Gly 100	acg Thr	atg Met	agc Ser	ggt Gly	ccg Pro 105	gta Val	gca Ala	338
act Thr	gag Glu	tat Tyr 110	Trp	atg Met	acg Thr	gag Glu	aag Lys 115	gaa Glu	aat Asn	tac Tyr	gat Asp	tat Tyr 120	gat Asp	agt Ser	aac Asn	386
acg Thr	tgt Cys 125	ggt Gly	ggt Gly	gat Asp	ggt Gly	gtg Val 130	tgt Cys	gga Gly	cac His	tac Tyr	act Thr 135	cag Gln	atc Ile	gtg Val	tgg Trp	434
cgt Arg 140	gac Asp	tcg Ser	gtt Val	cga Arg	ctt Leu 145	ggt Gly	tgt Cys	gcc Ala	tcc Ser	gtg Val 150	aga Arg	tgt Cys	aag Lys	aat Asn.	gat Asp 155	482
gag Glu	tat Tyr	att Ile	tgg Trp	gtg Val 160	att Ile	tgt Cys	agc Ser	tat Tyr	gat Asp 165	cct Pro	ccg Pro	ggg Gly	aat Asn	tac Tyr 170	atc Ile	530
_	_		cca Pro 175		tag	tgat	tgga	att t	ta							561
<211 <212	0> 84 L> 17 2> PI	76 RT	Jone i	ia +1	nalia							:				
			lops.	is ti	10110	ula .										
)> 84 Asn										·					
		Glu	Met	Ser 5	Phe	Phe	Gly	Tyr	Ser 10	Phe	Ile	Val	Val	Ala 15	Leu	
Phe				5	Phe				10					15	•	
	Phe	Asp	Leu 20	5 Thr		Ala	Tyr	Arg 25	10 His	Thr	Pro	Ala	Gln 30	15 ⁻ Pro	Pro	
Lys	Phe Ala	Asp Asn 35	Leu 20 Ala	5 Thr Asn	Gln Gly Ala	Ala Asp	Tyr Val 40 Val	Arg 25 Lys	10 His	Thr Gln	Pro Glu	Ala Thr 45	Gln 30 Leu	15 Pro Val	Pro Val	
Lys His	Phe Ala Asn 50	Asp Asn 35 Lys	Leu 20 Ala Ala	5 Thr Asn Arg	Gln Gly Ala	Ala Asp Met	Tyr Val 40 Val	Arg 25 Lys Gly	10 His Pro Val	Thr Gln Gly	Pro Glu Pro 60	Ala Thr 45 Met	Gln 30 Leu Val	Pro Val	Pro Val Asn	
Lys His Glu 65	Phe Ala Asn 50	Asp Asn 35 Lys Leu	Leu 20 Ala Ala Ala	5 Thr Asn Arg	Gln Gly Ala Tyr	Ala Asp Met 55 Ala	Tyr Val 40 Val Gln	Arg 25 Lys Gly Ser	10 His Pro Val Tyr	Thr Gln Gly Ala 75	Pro Glu Pro 60	Thr 45 Met	Gln 30 Leu Val	15 Pro Val Trp Ala	Pro Val Asn Arg	

Thr Glu Lys Glu Asn Tyr Asp Tyr Asp Ser Asn Thr Cys Gly Gly Asp

120 Gly Val Cys Gly His Tyr Thr Gln Ile Val Trp Arg Asp Ser Val Arg 130 135 Leu Gly Cys Ala Ser Val Arg Cys Lys Asn Asp Glu Tyr Ile Trp Val 150 Ile Cys Ser Tyr Asp Pro Pro Gly Asn Tyr Ile Gly Gln Arg Pro Tyr <210> 85 <211> 988 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (12)..(977) <400> 85 tttttaagaa a atg gca gct tct aag cga cta gtt gtc tct tgc ttg ttc 50 Met Ala Ala Ser Lys Arg Leu Val Val Ser Cys Leu Phe tta gtt ttg ttt gct caa gcc aat tcg caa ggt ttg aaa gta ggt Leu Val Leu Leu Phe Ala Gln Ala Asn Ser Gln Gly Leu Lys Val Gly 20 ttc tac agc aaa aca tgc cca caa ctc gag ggt ata gtt aaa aag gtc Phe Tyr Ser Lys Thr Cys Pro Gln Leu Glu Gly Ile Val Lys Lys Val 40 gtg ttc gat gcg atg aac aaa gca cca aca ctt ggt gct cct ttg ctt Val Phe Asp Ala Met Asn Lys Ala Pro Thr Leu Gly Ala Pro Leu Leu 50 55 aga atg ttc ttc cac gac tgc ttc gtt cgg gga tgt gac gga tca gtt. Arg Met Phe Phe His Asp Cys Phe Val Arg Gly Cys Asp Gly Ser Val 65 ttg tta gat aaa cca aac aat caa ggt gag aag agt gca gtt cct aac Leu Leu Asp Lys Pro Asn Asn Gln Gly Glu Lys Ser Ala Val Pro Asn 80 85 cta agt ctt cga ggg ttt ggc atc ata gac gat tcc aag gcg gct cta Leu Ser Leu Arg Gly Phe Gly Ile Ile Asp Asp Ser Lys Ala Ala Leu 95 100 gaa aaa gtg tgt ccg gga att gtt tct tgc tct gat atc ttg gca ctt Glu Lys Val Cys Pro Gly Ile Val Ser Cys Ser Asp Ile Leu Ala Leu

	gtc Val	gct Ala	aga Arg	gac Asp.	gca Ala 130	atg Met	gtt Val	gca Ala	ctt Leu	gaa Glu 135	gga Gly	cca Pro	tca Ser	tgg Trp	gaa Glu 140	gtt Val	434
	gaa Glu	acg Thr	gga Gly	aga Arg 145	aga Arg	gac Asp	ggt Gly	agg Arg	gtt Val 150	Ser	aac Asn	atc Ile	aac .Asn	gaa Glu 155	gtc Val	aac Asn	482
	ttg Leu	cca Pro	tca Ser 160	cct Pro	ttt Phe	gat Asp	aac Asn	atc Ile 165	acc Thr	aag Lys	ctt Leu	atc Ile	agc Ser 170	gat Asp	ttt Phe	cgc Arg	530
	tca Ser	aag Lys 175	ggc Gly	ctc Leu	aac Asn	gag Glu	aag Lys 180	gat Asp	cta Leu	gtc Val	att Ile	ctc Leu 185	Ser	ggt Gly	ggt Gly	cac His	578
	aca Thr 190	att Ile	gga Gly	atg Met	gga Gly	cat His 195	tgt Cys	cct Pro	tta Leu	Leu	aca Thr 200	aac Asn	cgg Arg	ctt Leu	tac Tyr	aac Asn 205	626
	ttc Phe	acc Thr	gga Gly	aaa Lys	gga Gly 210	gac Asp	agc Ser	gac Asp	cca Pro	agt Ser 215	ttg Leu	gac Asp	tcg Ser	gag. Glu	tac Tyr 220	gcc Ala	674
	gct Ala	aag Lys	ctc Leu	agg Arg 225	Lys	aaa Lys	tgc Cys	aag Lys	ccc Pro 230	acc	gat Asp	acg Thr	acg Thr	acg Thr 235	gct Ala	cta Leu	722
. (gag Glu	atg Met	gat Asp 240	ccg Pro	ggg Gly	agt Ser	ttc Phe	aaa Lys 245	aca Thr	ttt Phe	gac Asp	ttg Leu	agc Ser 250	tac Tyr	ttc Phe	acg Thr	770
:	Leu	gtg Val 255	gct Ala	aag Lys	aga Arg	aga Arg	gga Gly 260	ctt Leu	ttc Phe	cag Gln	tcg Ser	gat Asp 265	gct Ala	gct Ala	cta Leu	ctc Leu	818
4	gac Asp 270	aac Asn	tcc Ser	aag Lys	act Thr	agg Arg 275	gct Ala	tat Tyr	gtc Val	ttg Leu	caa Gln 280	cag Glņ	ata Ile	aga Arg	Thr	cat His 285	866
•	Gly aga	tca Ser	atg Met	ttc Phe	ttt Phe 290	aac Asn	gac Asp	ttt Phe	ggt Gly	gtc Val 295	tct Ser	atg Met	gtg Val	aaa Lys	atg Met 300	ggt Gly	914
1	cgg Arg	act Thr	gga Gly	gtt Val 305	ctt Leu	acg Thr	ggt Gly	aag Lys	gcc Ala 310	Gly ggg	gag Glu	atc Ile	cgt Arg	aag Lys 315	acg Thr	tgt Cys	962
		tct Ser		Asn	taa	g ag a	tata	ıga a	ıa								989

<210> 86 <211> 321 <212> PRT

<213> Arabidopsis thaliana

<400> 86 Met Ala Ala Ser Lys Arg Leu Val Val Ser Cys Leu Phe Leu Val Leu Leu Phe Ala Gln Ala Asn Ser Gln Gly Leu Lys Val Gly Phe Tyr Ser Lys Thr Cys Pro Gln Leu Glu Gly Ile Val Lys Lys Val Val Phe Asp Ala Met Asn Lys Ala Pro Thr Leu Gly Ala Pro Leu Leu Arg Met Phe - 55 Phe His Asp Cys Phe Val Arg Gly Cys Asp Gly Ser Val Leu Leu Asp · 70 Lys Pro Asn Asn Gln Gly Glu Lys Ser Ala Val Pro Asn Leu Ser Leu Arg Gly Phe Gly Ile Ile Asp Asp Ser Lys Ala Ala Leu Glu Lys Val 105 Cys Pro Gly Ile Val Ser Cys Ser Asp Ile Leu Ala Leu Val Ala Arg 115 120 . Asp Ala Met Val Ala Leu Glu Gly Pro Ser Trp Glu Val Glu Thr Gly 140 . Arg Arg Asp Gly Arg Val Ser Asn Ile Asn Glu Val Asn Leu Pro Ser 150 Pro Phe Asp Asn Ile Thr Lys Leu Ile Ser Asp Phe Arg Ser Lys Gly 170 Leu Asn Glu Lys Asp Leu Val Ile Leu Ser Gly Gly His Thr Ile Gly Met Gly His Cys Pro Leu Leu Thr Asn Arg Leu Tyr Asn Phe Thr Gly 195 200 -Lys Gly Asp Ser Asp Pro Ser Leu Asp Ser Glu Tyr Ala Ala Lys Leu Arg Lys Lys Cys Lys Pro Thr Asp Thr Thr Thr Ala Leu Glu Met Asp Pro Gly Ser Phe Lys Thr Phe Asp Leu Ser Tyr Phe Thr Leu Val Ala 245 250 Lys Arg Arg Gly Leu Phe Gln Ser Asp Ala Ala Leu Leu Asp Asn Ser 265 Lys Thr Arg Ala Tyr Val Leu Gln Gln Ile Arg Thr His Gly Ser Met Phe Phe Asn Asp Phe Gly Val Ser Met Val Lys Met Gly Arg Thr Gly

290

300 Val Leu Thr Gly Lys Ala Gly Glu Ile Arg Lys Thr Cys Arg Ser Ala 305 310 315 Asn <210> 87 <211> 650 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (8) .. (634) <400> 87 agegaca atg geg teg att acg aac ete gee tet tet ete tet tea ete Met Ala Ser Ile Thr Asn Leu Ala Ser Ser Leu Ser Ser Leu 10 tog the tee tee caa git tet caa aga eet aac ace att tee tie eec Ser Phe Ser Ser Gln Val Ser Gln Arg Pro Asn Thr Ile Ser Phe Pro cgc gcg aat tca gta ttc gca tta ccg gcg aaa tcc gca cgc cgc gct Arg Ala Asn Ser Val Phe Ala Leu Pro Ala Lys Ser Ala Arg Arg Ala . 35 40 tet eta tet ate ace gee aeg gta tet get eea eeg gag gag gag gag 193 Ser Leu Ser Ile Thr Ala Thr Val Ser Ala Pro Pro Glu Glu Glu Glu 50 55 ata gtt gaa ctg aag aaa tac gtc aaa tcg agg ctt ccc gga gga ttt 241 Ile Val Glu Leu Lys Lys Tyr Val Lys Ser Arg Leu Pro Gly Gly Phe . 65 70 gct gct cag aag att att ggc act gga cga cgt aag tgc gca atc gct 289 Ala Ala Gln Lys Ile Ile Gly Thr Gly Arg Arg Lys Cys Ala Ile Ala 80 85 aga gtt gtt ctt cag gaa ggt act ggg aag gtt atc atc aac tat cgt Arg Val Val Leu Gln Glu Gly Thr Gly Lys Val Ile Ile Asn Tyr Arg 95 100 110 gat gcc aag gag tac ctt cag gga aat cca ttg tgg ctt cag tat gtt 385 Asp Ala Lys Glu Tyr Leu Gln Gly Asn Pro Leu Trp Leu Gln Tyr Val 120 125 aaa gta cca ttg gtg act tta gga tat gag aat agc tac gac ata ttt 433 Lys Val Pro Leu Val Thr Leu Gly Tyr Glu Asn Ser Tyr Asp Ile Phe 130 135 140 gtg aaa gcc cat gga ggc ggt ctc tca ggt caa gct caa gca att acc Val Lys Ala His Gly Gly Gly Leu Ser Gly Gln Ala Gln Ala Ile Thr

295

145 150 155 ttg gga gtc gca cgt gca ctc ctg aag gta agt gca gac cac aga tcg 529 Leu Gly Val Ala Arg Ala Leu Leu Lys Val Ser Ala Asp His Arg Ser 165 170 cct ttg aag aag gaa ggt ttg ctc act aga gat gcg aga gtg gtt gaa Pro Leu Lys Lys Glu Gly Leu Leu Thr Arg Asp Ala Arg Val Val Glu 180 185 aga aag aag gcc ggg ctc aag aag gcg cgt aaa gcc cca caa ttc tcc Arg Lys Lys Ala Gly Leu Lys Lys Ala Arg Lys Ala Pro Gln Phe Ser 195 200 aag cgt taa gagttttata tatcat 650 Lys Arg <210> 88 <211> 208 <212> PRT <213> Arabidopsis thaliana Met Ala Ser Ile Thr Asn Leu Ala Ser Ser Leu Ser Ser Leu Ser Phe 10 Ser Ser Gln Val Ser Gln Arg Pro Asn Thr Ile Ser Phe Pro Arg Ala 25 Asn Ser Val Phe Ala Leu Pro Ala Lys Ser Ala Arg Arg Ala Ser Leu 40 Ser Ile Thr Ala Thr Val Ser Ala Pro Pro Glu Glu Glu Glu Ile Val Glu Leu Lys Lys Tyr Val Lys Ser Arg Leu Pro Gly Gly Phe Ala Ala 65 70 Gln Lys Ile Ile Gly Thr Gly Arg Arg Lys Cys Ala Ile Ala Arg Val Val Leu Gln Glu Gly Thr Gly Lys Val Ile Ile Asn Tyr Arg Asp Ala 105 Lys Glu Tyr Leu Gln Gly Asn Pro Leu Trp Leu Gln Tyr Val Lys Val Pro Leu Val Thr Leu Gly Tyr Glu Asn Ser Tyr Asp Ile Phe Val Lys Ala His Gly Gly Gly Leu Ser Gly Gln Ala Gln Ala Ile Thr Leu Gly 150· 155 Val Ala Arg Ala Leu Leu Lys Val Ser Ala Asp His Arg Ser Pro Leu 170

Lys Lys Glu Gly Leu Leu Thr Arg Asp Ala Arg Val Val Glu Arg Lys

185

180

Lys Ala Gly Leu Lys Lys Ala Arg Lys Ala Pro Gln Phe Ser Lys Arg 200 <210> 89 <211> 1223 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (16)..(1215) <400> 89 aacaagtgaa gcaca atg ggg atc atc gaa agg att aaa gaa atc gag gcc Met Gly Ile Ile Glu Arg Ile Lys Glu Ile Glu Ala gag atg gct cgg act cag aag aat aaa gct aca gag tat cat ctt ggt Glu Met Ala Arg Thr Gln Lys Asn Lys Ala Thr Glu Tyr His Leu Gly 15 20 cag ctc aag gca aag att gca aaa ctc agg aca caa ctg ttg gag cct Gln Leu Lys Ala Lys Ile Ala Lys Leu Arg Thr Gln Leu Leu Glu Pro 35 cca aaa ggt gct agt gga ggc ggg gaa ggt ttt gaa gtt acc aag tat Pro Lys Gly Ala Ser Gly Gly Gly Glu Gly Phe Glu Val Thr Lys Tyr 50 55 ggt cat gga cgt gtt gca ctt ata gga ttt cct agt gtc gga aag tcc Gly His Gly Arg Val Ala Leu Ile Gly Phe Pro Ser Val Gly Lys Ser 70

acg ctt ttg act atg tta act gga aca cat tct gaa gca gcc tca tat 291 Thr Leu Leu Thr Met Leu Thr Gly Thr His Ser Glu Ala Ala Ser Tyr 85 gaa ttt aca aca ctt aca tgc atc cct ggt gta att cac tac aac gac 339 Glu Phe Thr Thr Leu Thr Cys Ile Pro Gly Val Ile His Tyr Asn Asp 100 aca aag att cag ett ete gat ett eet ggg att att gaa ggt get teg 387 Thr Lys Ile Gln Leu Leu Asp Leu Pro Gly Ile Ile Glu Gly Ala Ser 110 115 gaa gga aag ggg cga gga agg cag gtt att gct gtt gca aag tct tcc 435 Glu Gly Lys Gly Arg Gly Arg Gln Val Ile Ala Val Ala Lys Ser Ser 130 135 gac ctt gta ttg atg gtt ctt gat gcc tca aaa agc gaa ggc cac agg 483 Asp Leu Val Leu Met Val Leu Asp Ala Ser Lys Ser Glu Gly His Arg 150

caa Gln	ata Ile	ttg Leu	act Thr 160	aag Lys	gaa Glu	ctt Leu	gag Glu	gca Ala 165	gtg Val	ggc Gly	ttg Leu	cga Arg	cta Leu 170	aac Asn	aaa Lys	531
act Thr	cct Pro	ccg Pro 175	cag Gln	ata Ile	tac Tyr	ttt Phe	aaa Lys 180	aag Lys	aaa Lys	aag Lys	act Thr	ggt Gly 185	gga Gly	atc Ile	tct Ser	579
ttc Phe	aac Asn 190	act _. Thr	aca Thr	gca Ala	ccc Pro	ttg Leu 195	act Thr	cac His	att Ile	gat Asp	gag Glu 200	aag Lys	ctc Leu	tgt Cys	tat Tyr	627
caa Gln 205	atc Ile	ctg Leu	cat His	gaa Glu	tac Tyr 210	aag Lys	att Ile	cac His	aat Asn	gct Ala 215	gag Glu	gtg Val	cta Leu	ttt Phe	cgt Arg 220	675
Glu	Asn	Ala	Thr	Val 225	Asp	Asp	Phe	Ile	Asp 230	Val	Ile	Glu	ggc Gly	Asn 235	Arg	723
Lys	Tyr	Ile	Lys 240	Суз	Val	Tyr	Val	Tyr 245	Ile	Lys	Ile	Asp	gtt Val 250	Val	Gly	. 771
Ile	Asp	Asp 255	Val	Asp	Arg	Leu	Ser 260	Arg	Gln	Pro	Asn	Ser 265	att Ile	Val	Ile	819
Ser	Cys 270	Asn	Leu	Lys	Leu	Asn 275	Leu	Asp	Arg	Leu	Leu 280	Ala	agg Arg	Met	Trp	867
Asp 285	Glu	Met	Gly	Leu	Val 290	Arg	Val	Tyr	Ser	Lys 295	Pro	Gln	Gly	Gln	Gln 300	915
Pro	Asp	Phe	Asp	Glu 305	Pro	Phe	Val [.]	Leu	Ser 310	Ser	Asp	Arg	ggt Gly	Gly 315	Cys	963
aca Thr	gtg Val	gaa Glu	gac Asp 320	Phe	tgt Cys	aac Asn	cac His	gtc Val 325	cac His	agg Arg	act Thr	ctg Leu	gtg Val 330	aag Lys	gat . Asp	1011
atg Met									~~~				aat	cca	~~~	1059
		Tyr 335	Ala	Leu	Val	Trp	Gly 340	Thr	Ser	Thr	Arg	His 345	Asn	Pro	Gln	
aat Asn	tgt Cys 350	Tyr 335 ggt Gly	Ala ctt Leu	tct Ser	Val caa Gln	Trp cat His 355	Gly 340 ctt Leu	Thr gaa Glu	Ser gac Asp	Thr gaa Glu	gat Asp 360	His 345 gtt Val	Asn gtt Val	Pro cag Gln	Gln atc Ile	1107

cac tca aac gcc cct gct aga att gca gac aga gag aaa aaa gct cct 120. His Ser Asn Ala Pro Ala Arg Ile Ala Asp Arg Glu Lys Lys Ala Pro 385 390 395

ctt aag caa taa gcttttag Leu Lys Gln

400

1223

<210> 90

<211> 399

<212> PRT

<213> Arabidopsis thaliana

<400> 90

Met Gly Ile Ile Glu Arg Ile Lys Glu Ile Glu Ala Glu Met Ala Arg

1 5 10 15

Thr Gln Lys Asn Lys Ala Thr Glu Tyr His Leu Gly Gln Leu Lys Ala 20 25 30

Lys Ile Ala Lys Leu Arg Thr Gln Leu Leu Glu Pro Pro Lys Gly Ala 35 40 45

Ser Gly Gly Glu Gly Phe Glu Val Thr Lys Tyr Gly His Gly Arg 50 55 60

Val Ala Leu Ile Gly Phe Pro Ser Val Gly Lys Ser Thr Leu Leu Thr 65 70 75 80

Met Leu Thr Gly Thr His Ser Glu Ala Ala Ser Tyr Glu Phe Thr Thr 85 90 95

Leu Thr Cys Ile Pro Gly Val Ile His Tyr Asn Asp Thr Lys Ile Gln
100 105 110

Leu Leu Asp Leu Pro Gly Ile Ile Glu Gly Ala Ser Glu Gly Lys Gly 115 120 125

Arg Gly Arg Gln Val Ile Ala Val Ala Lys Ser Ser Asp Leu Val Leu 130 135 140

Met Val Leu Asp Ala Ser Lys Ser Glu Gly His Arg Gln Ile Leu Thr 145 150 155 160

Lys Glu Leu Glu Ala Val Gly Leu Arg Leu Asn Lys Thr Pro Pro Gln
165 170 175

Ile Tyr Phe Lys Lys Lys Lys Thr Gly Gly Ile Ser Phe Asn Thr Thr
180 185 190

Ala Pro Leu Thr His Ile Asp Glu Lys Leu Cys Tyr Gln Ile Leu His 195 200 205

Glu Tyr Lys Ile His Asn Ala Glu Val Leu Phe Arg Glu Asn Ala Thr 210 215 220

Val Asp Asp Phe Ile Asp Val Ile Glu Gly Asn Arg Lys Tyr Ile Lys 225 230 235 Cys Val Tyr Val Tyr Ile Lys Ile Asp Val Val Gly Ile Asp Asp Val 250 Asp Arg Leu Ser Arg Gln Pro Asn Ser Ile Val Ile Ser Cys Asn Leu 265 270 Lys Leu Asn Leu Asp Arg Leu Leu Ala Arg Met Trp Asp Glu Met Gly 280 Leu Val Arg Val Tyr Ser Lys Pro Gln Gly Gln Gln Pro Asp Phe Asp 290 300 Glu Pro Phe Val Leu Ser Ser Asp Arg Gly Gly Cys Thr Val Glu Asp 310 315 Phe Cys Asn His Val His Arg Thr Leu Val Lys Asp Met Lys Tyr Ala Leu Val Trp Gly Thr Ser Thr Arg His Asn Pro Gln Asn Cys Gly Leu 340 345 Ser Gln His Leu Glu Asp Glu Asp Val Val Gln Ile Val Lys Lys 365 Glu Arg Asp Glu Gly Gly Arg Gly Arg Phe Lys Ser His Ser Asn Ala 375 Pro Ala Arg Ile Ala Asp Arg Glu Lys Lys Ala Pro Leu Lys Gln 390 395 <210> 91 <211> 536 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (12)..(524) <400> 91 aaataaaaac a atg aca agc tcc gat caa tct cca tcg cac gac gtc ttc Met Thr Ser Ser Asp Gln Ser Pro Ser His Asp Val Phe gtc tac ggc agt ttc caa gaa cca gcc gtt gtt aat tta att ctc gaa 98 Val Tyr Gly Ser Phe Gln Glu Pro Ala Val Val Asn Leu Ile Leu Glu tgt get eeg gte atg gtt tee get caa ete eac gge tat eac ttg tat Cys Ala Pro Val Met Val Ser Ala Gln Leu His Gly Tyr His Leu Tyr 30

aga Arg	Leu	aaa Lys	ggt	Arg 50	Leu Leu	cat His	cca Pro	tgt Cys	Ile 55	tct Ser	cct Pro	tcc Ser	gac Asp	Asn 60	gga Gly	194
tta Leu	atc Ile	aat Asn	ggc Gly 65	Lys	ata Ile	cta Leu	act Thr	gga Gly 70	tta Leu	aca Thr	gat Asp	tct Ser	cag Gln 75	tta Leu	gag Glu	242
agt Ser	tta Leu	gat Asp 80	atg Met	att Ile	gaa Glu	gga Gly	act Thr 85	gaa Glu	tat Tyr	gtg Val	agg Arg	aag Lys 90	act Thr	gtt Val	gaa Glu	290
gtt Val	gtt Val 95	ttg Leu	act Thr	gat Asp	act Thr	ttg Leu 100	gag Glu	aag Lys	aag Lys	caa Gln	gtt Val 105	gaa Glu	aca Thr	att Ile	gta Val	338
tgg Trp 110	gca Ala	aac Asn	aag Lys	gat Asp	gat Asp 115	cct Pro	aat Asn	atg Met	tat Tyr	gga Gly 120	gaa Glu	tgg Trp	gat Asp	ttc Phe	gag Glu 125	386
gaa Glu	tgg Trp	aag Lys	agg Arg	ctt Leu 130	cat His	atg Met	gag Glu	aaa Lys	ttt Phe 135	ata Ile	gag Glu	gcg Ala	gcg Ala	acg Thr 140	aaa Lys	434
ttc Phe	atg Met	gag Glu	tgg Trp 145	Lys	aag Lys	aat Asn	ccg Pro	aat Asn 150	Gly ggg	aga Arg	agt Ser	agg Arg	gaa Glu 155	gag Glu	ttt Phe	482
gag Glu	aag Lys	ttt Phe 160	gta Val	caá Gln	gat Asp	gat Asp	tct Ser 165	tct Ser	ccg Pro	gct Ala	tcg Ser	gct Ala 170	tga			524
agaa	gttg	ytt t	a					· .	•							536
<211 <212	0> 92 l> 17 2> PF B> Ar	70 RT	lopsi	is th	nalia	ına									.*	
)> 92							•								
			Ser	Asp 5	Gln	Ser	Pro	Ser	His 10	Asp	Val	Phe	Val	Tyr 15	Gly	
Ser	Phe	Gln	Glu 20	Pro	Ala	Val	Val	Asn 25	Leu	Ile	Leu	Glu	Cys 30	Ala	Pro	
Val	Met	Va1 35	Ser	Ala	Gln	Leu	His 40	Gly	Tyr	His	Leu	Tyr 45	Arg	Leu	Lys	
Gly	Arg 50	Leu	His	Pro	Cys	11e 55	Ser	Pro	Ser	Asp	Asn 60	Gly	Leu	Ile	Asn	
Gly 65	Lys	Ile	Leu	Thr	Gly 70	Leu	Thr	Asp	Ser	Gln 75	Leu	Glu	Ser	Leu	Asp 80	
Met	Ile	Glu	Gly	Thr	Glu	Tyr	Val	Arg	Lys	Thr	Val	Glu	Val	Val	Leu	

263

293

40

•				85					. 90					95		
Thr	Asp	Thr	Leu 100	Glu	Lys	Lys	Gln	Val 105	Glu	Thr	Ile	Val	Trp 110	Ala	Asn	
Lys	Asp	Asp 115	Pro	Àsn	Met	Tyr	Gly 120	Glu	Trp	Asp	Phe	Glu 125	Glu	Trp	Lys	•
Arg	Leu 130	His	Met	Glu	Lys	Phe 135	Ile	Glu	Ala	Ala	Thr 140	Lys	Phe	Met	Glu	
Trp 145	Lys	Lys	Asn	Pro	Asn 150	Gly	Arg	Ser	Arg	Glu 155	Glu	Phe	Glu	Lys	Phe 160	. •
Val	Gln	Asp	Asp	Ser 165	Ser	Pro	Ala	Ser	Ala 170					:		
									• '			•				
-				•											*	
)> 93	•														
	L> 29														٠.	
	?> DN		lanai		1						٠.					
\Z1.	3> Ar	abic	iopsi	s tr	lalla	ına										
<220)>															
<221	L> CI	s							•						. :	,
<222	?> (1	6)	(71)												٠.	
<220	١~				•											
	,> CI	20														
	> (1		. (27	8)												
)> 93												•		•	
agaç	jaagu	.aa g	ragaa	Met 1	: Ala	ggt Gly	Ser	aac Asn 5	Cys	gga Gly	tgt Cys	ggc	Ser 10	Ser	tgc Cys	51
aaa Lys	tgt Cys	ggt Gly	gat Asp	tcg Ser	tgc. Cys	ag g Se	taaa	ccct	a ga	ttct	ctct	tca	ttaa	ctţ		101
		15	-		-								٠			
atca	tgca	ta t	atat	ccta	a ta	taca	tgtg	gtt	acat	att.	cctt	aaga	ta a	attt	tgaaa	161
tctt	atac	tt c	tgtt	gttt	t tt	tggt	atga	caa						tac Tyr		215
										20				- 2 -	25	

aag gag tgt gat aac tgt agc tgt gga tca aac tgc agc tgc ggg tca Lys Glu Cys Asp Asn Cys Ser Cys Gly Ser Asn Cys Ser Cys Gly Ser

30

agc tgt aac tgt tga agaaattatc agcat

45

<210> 94

Ser Cys Asn Cys

<211> 45

<212> PRT <213> Arabidopsis thaliana <400> 94 Met Ala Gly Ser Asn Cys Gly Cys Gly Ser Ser Cys Lys Cys Gly Asp Ser Cys Ser Cys Glu Lys Asn Tyr Asn Lys Glu Cys Asp Asn Cys Ser 25 Cys Gly Ser Asn Cys Ser Cys Gly Ser Ser Cys Asn Cys 40 45 <210> 95 <211> 880 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (14)..(868) <400> 95 cacaccaaca cca atg tot got tot tot tta ttt aat ctc cca ttg att 49 Met Ser Ala Ser Ser Leu Phe Asn Leu Pro Leu Ile ego etc aga tet etc get ett teg tet tet tet tet tet etc ega ttt Arg Leu Arg Ser Leu Ala Leu Ser Ser Ser Phe Ser Ser Phe Arg Phe 20 gee cat egt eet etg tea teg att tea eeg aga aag tta eeg aat ttt Ala His Arg Pro Leu Ser Ser Ile Ser Pro Arg Lys Leu Pro Asn Phe 35 egt get tte tet ggt ace get atg aca gat act aaa gat get ggt atg 193 Arg Ala Phe Ser Gly Thr Ala Met Thr Asp Thr Lys Asp Ala Gly Met 50 gat gct gtt cag aga cgt ctc atg ttt gag gat gaa tgc att ctt gtt 241 Asp Ala Val Gln Arg Arg Leu Met Phe Glu Asp Glu Cys Ile Leu Val 65 70 gat gaa act gat cgt gtt gtg ggg cat gac agc aag tat aat tgt cat 289 Asp Glu Thr Asp Arg Val Val Gly His Asp Ser Lys Tyr Asn Cys His 80 85 ctg atg gaa aat att gaa gcc aag aat ttg ctg cac agg gct ttt agt 337 Leu Met Glu Asn Ile Glu Ala Lys Asn Leu Leu His Arg Ala Phe Ser 95 100 gta ttt tta ttc aac tcg aag tat gag ttg ctt ctc cag caa agg tca Val Phe Leu Phe Asn Ser Lys Tyr Glu Leu Leu Leu Gln Gln Arg Ser 115

aac Asn 125	aca Thr	aag Lys	gtt Val	acg Thr	Phe 130	cct Pro	cta Leu	gtg Val	tgg Trp	act Thr 135	aac Asn	act Thr	tgt Cys	tgc Cys	agc Ser 140	433
cat His	cct Pro	ctt Leu	tac Tyr	cgt Arg 145	gaa Glu	tca Ser	gag Glu	ctt Leu	atc Ile 150	cag Gln	gac Asp	aat Asn	gca Ala	cta Leu 155	Gly	481
gtg Val	agg Arg	aat Asn	gct Ala 160	gca Ala	caa Gln	aga Arg	aag Lys	ctt Leu 165	ctc Leu	gat Asp	gag Glu	ctt Leu	ggt Gly 170	att Ile	gta Val	529
gct Ala	gaa Glu	gat Asp 175	gta Val	cca Pro	gtc Val	gat Asp	gag Glu 180	ttc Phe	act Thr	ccc Pro	ttg Leu	gga Gly 185	cgt Arg	atg Met	ctg Leu	577
tac Tyr	aag Lys 190	gct Ala	cct Pro	tct Ser	gat Asp	ggc Gly 195	aaa Lys	tgg Trp	gga Gly	gag Glu	cat His 200	gaa Glu	ctt Leu	gat Asp	tac Tyr	625
ttg Leu 205	ctc Leu	ttc Phe	atc Ile	gtg Val	cga Arg 210	gac Asp	gtg Val	aag Lys	gtt Val	caa Gln 215	cca Pro	aac Asn	cca Pro	Asp	gaa Glu 220	673
gta Val	gct Ala	gag Glu	atc Ile	aag Lys 225	tat Tyr	gtg Val	agc Ser	cgg Arg	gaa Glu 230	gag Glu	ctg Leu	aag Lys	gag Glu	ctg Leu 235	gtg Val	721
aag Lys	aaa Lys	gca Ala	gat Asp 240	gca Ala	ggt Gly	gag Glu	gaa Glu	ggt Gly 245	ttg Leu	aaa Lys	ctg Leu	tca Ser	cca Pro 250	tgg Trp	ttc Phe	769
aga Arg	ttg Leu	gtg Val 255	gtg Val	gac Asp	aat Asn	ttc Phe	ttg Leu 260	atg Met	aag Lys	tgg Trp	tgg Trp	gat Asp 265	cat His	gta Val	gag Glu	817
aaa Lys	gga Gly 270	act Thr	ttg Leu	gtt Val	gaa Glu	gct Ala 275	ata Ile	gac Asp	atg Met	aaa L <u>y</u> s	acc Thr 280	atc Ile	cac His	aạa Lys	ctc Leu	865
tga 285	acat	ctt	tt t	:t						. •			-			880
<211 <212)> 96 !> 28 !> PF !> Ar	14 RT	lopsi	is tì	nalia	ina										
)> 96 Ser		Ser	Ser 5	Leu	Phe	Asn	Leu	Pro 10	Leu	Ile	Arg	Leu	Arg 15	Ser	
Leu	Ala	Leu	Ser 20	Ser	Ser	Phe	Ser	Ser 25	Phe	Arg	Phe	Ala	His 30	Arg	Pro	

Leu Ser Ser Ile Ser Pro Arg Lys Leu Pro Asn Phe Arg Ala Phe Ser 35 40 45

Gly Thr Ala Met Thr Asp Thr Lys Asp Ala Gly Met Asp Ala Val Gln 50 60

Arg Arg Leu Met Phe Glu Asp Glu Cys Ile Leu Val Asp Glu Thr Asp 65 70 75 80

Arg Val Val Gly His Asp Ser Lys Tyr Asn Cys His Leu Met Glu Asn 85 90 95

Ile Glu Ala Lys Asn Leu Leu His Arg Ala Phe Ser Val Phe Leu Phe 100 105 110

Asn Ser Lys Tyr Glu Leu Leu Gln Gln Arg Ser Asn Thr Lys Val 115 120 125

Thr Phe Pro Leu Val Trp Thr Asn Thr Cys Cys Ser His Pro Leu Tyr 130 135 140

Arg Glu Ser Glu Leu Ile Gln Asp Asn Ala Leu Gly Val Arg Asn Ala 145 150 155 160

Ala Gln Arg Lys Leu Leu Asp Glu Leu Gly Ile Val Ala Glu Asp Val 165 170 175

Pro Val Asp Glu Phe Thr Pro Leu Gly Arg Met Leu Tyr Lys Ala Pro 180 185 190

Ser Asp Gly Lys Trp Gly Glu His Glu Leu Asp Tyr Leu Leu Phe Ile 195 200 205

Val Arg Asp Val Lys Val Gln Pro Asn Pro Asp Glu Val Ala Glu Ile 210 215 220

Lys Tyr Val Ser Arg Glu Glu Leu Lys Glu Leu Val Lys Lys Ala Asp 225 230 235 240

Ala Gly Glu Glu Gly Leu Lys Leu Ser Pro Trp Phe Arg Leu Val Val 245 250 255

Asp Asn Phe Leu Met Lys Trp Trp Asp His Val Glu Lys Gly Thr Leu 260 265 270

Val Glu Ala Ile Asp Met Lys Thr Ile His Lys Leu 275 280

<210> 97

<211> 831

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS <222> (18)..(821) <400> 97 tgcactactc aacctca atg gcc gcc tca aca atg gct ctc tcc tcc cct Met Ala Ala Ser Thr Met Ala Leu Ser Ser Pro ged ttd ged ggt aag ged gtd aag ett ted eed geg gea tea gaa gtd Ala Phe Ala Gly Lys Ala Val Lys Leu Ser Pro Ala Ala Ser Glu Val 20 ctt gga agc ggc cgt gtg aca atg agg aag act gtt gcc aag cca aag Leu Gly Ser Gly Arg Val Thr Met Arg Lys Thr Val Ala Lys Pro Lys 35 gge eca tea gge age eca tgg tae gga tet gae egt gte aag tae ttg 194 Gly Pro Ser Gly Ser Pro Trp Tyr Gly Ser Asp Arg Val Lys Tyr Leu 45 50 ggt cca ttc tct ggc gaa tca ccg agc tac ctt acc gga gag ttc ccc Gly Pro Phe Ser Gly Glu Ser Pro Ser Tyr Leu Thr Gly Glu Phe Pro 60 gga gac tac gga tgg gac acc gcc gga ctt tca gct gac ccc gag aca Gly Asp Tyr Gly Trp Asp Thr Ala Gly Leu Ser Ala Asp Pro Glu Thr 80 ttc gca agg aac cgt gaa cta gaa gtt atc cac agc agg tgg gct atg 338 Phe Ala Arg Asn Arg Glu Leu Glu Val Ile His Ser Arg Trp Ala Met 95 100 ctc gga gcc cta ggc tgc gtc ttc cct gag ctt ttg gct aga aac gga Leu Gly Ala Leu Gly Cys Val Phe Pro Glu Leu Leu Ala Arg Asn Gly gtc aag ttc gga gag gcg gtt tgg ttc aag gcc ggt tca cag atc ttc Val Lys Phe Gly Glu Ala Val Trp Phe Lys Ala Gly Ser Gln Ile Phe 130 age gat gga ggg ete gat tae ttg gga aac eet age ttg gtt eac get 482 Ser Asp Gly Gly Leu Asp Tyr Leu Gly Asn Pro Ser Leu Val His Ala 145 cag age att ttg gee att tgg gee aca caa gtt att ttg atg gga gee Gln Ser Ile Leu Ala Ile Trp Ala Thr Gln Val Ile Leu Met Gly Ala 160 165 gtt gaa ggc tac aga gtc gca gga aat ggg cca ttg gga gag gcc gag 578 Val Glu Gly Tyr Arg Val Ala Gly Asn Gly Pro Leu Gly Glu Ala Glu 180 gac ttg ctt tac ccc ggt ggc agc ttc gac cca ttg ggt ttg gct acc 626 Asp Leu Leu Tyr Pro Gly Gly Ser Phe Asp Pro Leu Gly Leu Ala Thr 200 gac cca gag gca ttc gct gag ttg aag gtg aag gag ctc aag aac gga

Asp Pro Glu Ala Phe Ala Glu Leu Lys Val Lys Glu Leu Lys Asn Gly 210 215 · aga ttg gct atg ttc tct atg ttt gga ttc ttc gtt caa gcc atc gtc Arg Leu Ala Met Phe Ser Met Phe Gly Phe Phe Val Gln Ala Ile Val 220 225 act ggt aag gga ccg ata gag aac ctt gct gac cat ttg gcc gat cca 770 Thr Gly Lys Gly Pro Ile Glu Asn Leu Ala Asp His Leu Ala Asp Pro 240 gtt aac aac aca gca tgg gcc ttc gcc acc aac ttt gtt ccc gga aag 818 Val Asn Asn Asn Ala Trp Ala Phe Ala Thr Asn Phe Val Pro Gly Lys 260 tga gccaagtttt 831 <210> 98 <211> 267 <212> PRT <213> Arabidopsis thaliana <400> 98 Met Ala Ala Ser Thr Met Ala Leu Ser Ser Pro Ala Phe Ala Gly Lys Ala Val Lys Leu Ser Pro Ala Ala Ser Glu Val Leu Gly Ser Gly Arg 20 25 Val Thr Met Arg Lys Thr Val Ala Lys Pro Lys Gly Pro Ser Gly Ser Pro Trp Tyr Gly Ser Asp Arg Val Lys Tyr Leu Gly Pro Phe Ser Gly 50 -55 Glu Ser Pro Ser Tyr Leu Thr Gly Glu Phe Pro Gly Asp Tyr Gly Trp Asp Thr Ala Gly Leu Ser Ala Asp Pro Glu Thr Phe Ala Arg Asn Arg 85 90 Glu Leu Glu Val Ile His Ser Arg Trp Ala Met Leu Gly Ala Leu Gly 100 105 Cys Val Phe Pro Glu Leu Leu Ala Arg Asn Gly Val Lys Phe Gly Glu Ala Val Trp Phe Lys Ala Gly Ser Gln Ile Phe Ser Asp Gly Gly Leu 135 Asp Tyr Leu Gly Asn Pro Ser Leu Val His Ala Gln Ser Ile Leu Ala 150 Ile Trp Ala Thr Gln Val Ile Leu Met Gly Ala Val Glu Gly Tyr Arg 170

Val Ala Gly Asn Gly Pro Leu Gly Glu Ala Glu Asp Leu Leu Tyr Pro 185 Gly Gly Ser Phe Asp Pro Leu Gly Leu Ala Thr Asp Pro Glu Ala Phe 200 205 Ala Glu Leu Lys Val Lys Glu Leu Lys Asn Gly Arg Leu Ala Met Phe 215 Ser Met Phe Gly Phe Phe Val Gln Ala Ile Val Thr Gly Lys Gly Pro 230 235 Ile Glu Asn Leu Ala Asp His Leu Ala Asp Pro Val Asn Asn Asn Ala 245 250 Trp Ala Phe Ala Thr Asn Phe Val Pro Gly Lys 260 <210> 99 <211> 855 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (15)..(164) <220> <221> CDS <222> (257)..(305) <220> <221> CDS <222> (416)..(843) <400> 99 cacagtatta acaa atg gca gga atc aaa gtt ttc ggt cac cca gct tcc Met Ala Gly Ile Lys Val Phe Gly His Pro Ala Ser aca gcc act aga aga gtt ctc atc gct ctt cac gag aag aat gtc gac Thr Ala Thr Arg Arg Val Leu Ile Ala Leu His Glu Lys Asn Val Asp 15 20 ttt gaa ttc gtt cat gtc gag ctc aaa gat ggt gaa cac aag aaa gag Phe Glu Phe Val His Val Glu Leu Lys Asp Gly Glu His Lys Lys Glu 30 35 cct ttc atc ctt cgc aac gtgagtacat ataacatctg tcaagccaaa 194 Pro Phe Ile Leu Arg Asn atattgtatt tcatctagat actgaatctt ggtcttaaca atcttgaata atgtttttgc 254

ag	ccc Pro	Phe.	ggt Gly	aaa Lys	gtt Val 55	cca Pro	gcc Ala	ttt Phe	gaa Glu	gat Asp 60	gga Gly	gac Asp	ttc Phe	aag Lys	att Tle 65	301
ttc Phe	g ç	rtaaa	ıtaca	a at	atat	atca	tta	tagt	cat	gttt	acaa	at t	tttg	gttt	t	355
atg	atca	ttg	caat	aata	ga a	agca	gaaa	c ac	tcaa	aaat	gtt	tttt	ttt	tggt	gggcag	415
aa lu	tca Ser	aga Arg	gca Ala	att Ile 70	act Thr	caa Gln	tac Tyr	ata Ile	gct Ala 75	cat His	gaa Glu	ttc Phe	tca Ser	gac Asp 80	Lys	462
gga Gly	aac Asn	aac Asn	ctt Leu 85	Leu	tca Ser	act Thr	ggc Glý	aag Lys 90	Asp	atg Met	gcg Ala	ato Ile	ata Ile 95	Ala	atg Met	510
Gly	att	gaa Glu 100	Ile	gag Glu	tcg Ser	cat His	gag Glu 105	Phe	gac	cca Pro	gtt Val	ggt Gly 110	Ser	aag Lys	ctt Leu	558
gtt Val	tgg Trp 115	Glu	caa Gln	gtc Val	tta Leu	aag Lys 120	Pro	ttg Leu	tat Tyr	ggt	atg Met 125	acc Thr	aca Thr	gac Asp	aaa Lys	606
act Thr 130	gtt Val	gtt Val	gaa Glu	gaa Glu	gaa Glu 135	gag Glu	gct Ala	aag Lys	cta Leu	gcc Ala 140	Lys	gtc Val	ctc	gat Asp	gtt Val 145	654
tac Tyr	gaa Glu	cac His	agg Arg	ctt Leu 150	ggt Gly	gag Glu	tcc Ser	aag Lys	tat Tyr 155	Leu	gct Ala	tct Ser	gac Asp	cac His 160	Phe	702
act Thr	ttg Leu	gtc Val	gat Asp 165	ctt Leu	cac His	act Thr	atc Ile	Pro 170	gtg Val	att Ile	caa Gln	tac Tyr	tta Leu 175	Leu	gga Gly	750
act Thr	cca Pro	act Thr 180	aag Lys	aaa Lys	ctc Leu	ttc Phe	gac Asp 185	Glu	cgt Arg	cca Pro	cat His	gtg Val 190	Ser	gct Ala	tgg Trp	798
gtt Val	gct Ala 195	Asp	atc Ile	act Thr	tca Ser	agg Arg 200	cct Pro	tct Ser	gct Ala	cag Gln	aag Lys 205	gtt Val	ctt Leu	taa		843
gtga	aatc	tca	aa													855
<21:	0> 1 l> 2 2> P 3> A	08 RT	dops:	is tl	nalia	ana										
	D> 1 Ala		Ile	Lys 5	Val	Phe	Gly	His	Pro 10	Ala	Ser	Thr	Ala	Thr 15	Arg	

```
Arg Val Leu Ile Ala Leu His Glu Lys Asn Val Asp Phe Glu Phe Val
                              25
His Val Glu Leu Lys Asp Gly Glu His Lys Lys Glu Pro Phe Ile Leu
Arg Asn Pro Phe Gly Lys Val Pro Ala Phe Glu Asp Gly Asp Phe Lys
                                             60
Ile Phe Glu Ser Arg Ala Ile Thr Gln Tyr Ile Ala His Glu Phe Ser
                     70
Asp Lys Gly Asn Asn Leu Leu Ser Thr Gly Lys Asp Met Ala Ile Ile
                85
                                     90
Ala Met Gly Ile Glu Ile Glu Ser His Glu Phe Asp Pro Val Gly Ser
                               105
Lys Leu Val Trp Glu Gln Val Leu Lys Pro Leu Tyr Gly Met Thr Thr
                                              125
Asp Lys Thr Val Val Glu Glu Glu Ala Lys Leu Ala Lys Val Leu
Asp Val Tyr Glu His Arg Leu Gly Glu Ser Lys Tyr Leu Ala Ser Asp
                   150
                                        155
His Phe Thr Leu Val Asp Leu His Thr Ile Pro Val Ile Gln Tyr Leu
               165
Leu Gly Thr Pro Thr Lys Lys Leu Phe Asp Glu Arg Pro His Val Ser
           180
                                185
Ala Trp Val Ala Asp Ile Thr Ser Arg Pro Ser Ala Gln Lys Val Leu
                           . 200
                                                205
<210> 101
<211> 512
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (12)..(67)
<220>
<221> CDS
<222> (241)..(309)
```

<220> <221> CDS

<400> 101

<222> (417)..(492)

tatctgaaaa a atg tca gag acc aac aag aat gcc ttc caa gcc ggt cag 50

				t Sei 1	r Gl	ı Th	r Ası	n Ly: 5	s As	n Ala	a Pho	e Gl		a Gl	y Gln	
			aaa Lys			ggta	ctac	tc t	ttet	ctct:	t tga	acag	aact			97
ctt	aaacı	tgg (aaaa	attg	tt ga	aagc	tata	a ct	cttt	gaaa	aca	gttg	aaa	cttg	atcatt	157
acta	agaa	att	tcag	ttac	tt gi	tta	attt	a gt	ttgt	cgta	atta	atgt	aat	tgat	gatttt	217
atg	gtta	caa	tggt	tgtc	at gi									gac Asp	aag Lys	268
gcc Ala	aag Lys 30	Asp	gct Ala	gca Ala	gct Ala	ggt Gly 35	gct Ala	gga Gly	gct Ala	gga Gly	gca Ala 40	caa Gln	ca Gl	ggta	aacaat	319
ccat	cacac	cag a	acaca	ataa	ca ta	ataa	tatgi	aac	cgaa	ataa	acgt	ctt	tgt	aagc	ttacat	379
gtad	egca	gat 1	ttct	gata	tg gt	tate	gtata	a tgi	ttata					agt (Ser 1		432
tcg Ser	gat Asp	gcg Ala 50	Ala	gcg Ala	gga Gly	ggt Gly	gtt Val 55	aac Asn	ttc Phe	gtg Val	aag Lys	gac Asp 60	aag Lys	acc	Gly	480
	aac Asn		tag	agai	ttcgg	ggt d	caaat	ttg	19							512
	65	-,-							•							
-21 <i>i</i>)> 1(0.2			•		· .	• .								
<213	l> 66 2> Pi	6														
			dops	is t)	nalia	ana										
	> 10				_										· ·	•
met 1	ser	GIU	Thr	Asn 5	Lys	Asn	Ala	Phe	Gln 10	Ala	Gly	Gln	Thr	Ala 15	Gly	
Lys	Ala	Glu	Glu 20	Lys	Ser	Asn	Val	Leu 25	Leu	Asp	Lys	Ala	Lys 30	Asp	Ala	
Ala	Ala	Gly 35	Ala	Gly	Ala	Gly	Ala 40	Gln	Gln	Ala	Gly	Lys 45	Ser	Val	Ser	٠
Asp	Ala 50	Ala	Ala	Gly	Gly	Val 55	Asn	Phe	Val	Lys	Asp 60	Lys	Thr	Gly	Leu	
Asn 65	Lys															

```
<210> 103
<211> 1138
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (11)..(1123)
<400> 103
aaaacaaaaa atg gcg act ttg gtt gat cct cct aat ggg ata agg aat
          Met Ala Thr Leu Val Asp Pro Pro Asn Gly Ile Arg Asn
gaa ggg aag cat tac ttc tca atg tgg caa act ctg ttc gag atc gac
Glu Gly Lys His Tyr Phe Ser Met Trp Gln Thr Leu Phe Glu Ile Asp
                       20
act aag tac atg cot atc aag cot att ggt ogt gga got tac ggt gtt
                                                                   145
Thr Lys Tyr Met Pro Ile Lys Pro Ile Gly Arg Gly Ala Tyr Gly Val
30
gto tgc too tot gtt aac agt gac acc aac gag aaa gtt gct atc aag
                                                                   193
Val Cys Ser Ser Val Asn Ser Asp Thr Asn Glu Lys Val Ala Ile Lys
                                     55
                                                         60
aag att cac aat gtt tat gag aat agg atc gat gcg ttg agg act ctt
Lys Ile His Asn Val Tyr Glu Asn Arg Ile Asp Ala Leu Arg Thr Leu
                                 70
cgg gag ctc aag ctt cta cgc cat ctt cga cat gag aat gtc att gct
Arg Glu Leu Lys Leu Leu Arg His Leu Arg His Glu Asn Val Ile Ala
                             85
ttg aaa gat gtc atg atg cca att cat aag atg agc ttc aag gat gtt
Leu Lys Asp Val Met Met Pro Ile His Lys Met Ser Phe Lys Asp Val
                        100
tat ctt gtt tat gag ctc atg gac act gat ctc cac cag att atc aag
Tyr Leu Val Tyr Glu Leu Met Asp Thr Asp Leu His Gln Ile Ile Lys
                                        120
tot tot cag ogt ott agt aac gat cat tgo caa tac tto ttg tto cag
Ser Ser Gln Arg Leu Ser Asn Asp His Cys Gln Tyr Phe Leu Phe Gln
                                    135
ttg ctt cga ggg ctc aag tat att cat tca gcc aat atc ctg cac cga
                                                                   481
Leu Leu Arg Gly Leu Lys Tyr Ile His Ser Ala Asn Ile Leu His Arg
           145
                                150
gat ttg aaa cct ggt aac ctt ctt gtc aac gca aac tgc gat tta aag
Asp Leu Lys Pro Gly Asn Leu Leu Val Asn Ala Asn Cys Asp Leu Lys
       160
                            165
ata tgc gat ttt gga cta gcg cgt gcg agc aac acc aag ggt cag ttc
Ile Cys Asp Phe Gly Leu Ala Arg Ala Ser Asn Thr Lys Gly Gln Phe
    175
                     180
```

```
atg act gaa tat gtt gtg act cgt tgg tac cga gcc cca gag ctt ctc
                                                                 625
Met Thr Glu Tyr Val Val Thr Arg Trp Tyr Arg Ala Pro Glu Leu Leu
190
                                       200
ctc tgt tgt gac aac tat gga aca tcc att gat gtt tgg tct gtt ggt
Leu Cys Cys Asp Asn Tyr Gly Thr Ser Ile Asp Val Trp Ser Val Gly
                210
                                   215
tgc att ttc gcc gag ctt ctt ggt agg aaa ccg ata ttc caa gga acg
Cys Ile Phe Ala Glu Leu Leu Gly Arg Lys Pro Ile Phe Gln Gly Thr
            225
                               230
                                                   235
gaa tgt ctt aac cag ctt aag ctc att gtc aac att atc gga agc caa
                                                                 769
Glu Cys Leu Asn Gln Leu Lys Leu Ile Val Asn Ile Ile Gly Ser Gln
                            245
aga gaa gaa gat ctt gag ttc ata gtt aac ccg aaa gct aaa aga tac
                                                                 817
Arg Glu Glu Asp Leu Glu Phe Ile Val Asn Pro Lys Ala Lys Arg Tyr
                        260
                                           265
att aga tea ett eeg tae tea eet ggg atg tet tta tee aga ett tae
                                                                 865
Ile Arg Ser Leu Pro Tyr Ser Pro Gly Met Ser Leu Ser Arg Leu Tyr
                    275
                                       280 -
ccg tgc gct cat gta ttg gcc atc gac ctt ctg cag aaa atg ctt gtt
                                                                 913
Pro Cys Ala His Val Leu Ala Ile Asp Leu Leu Gln Lys Met Leu Val
                290
                                   295
ttt gat ccg tca aag agg att agt gcc tct gaa gca ctc cag cat cca
                                                                 961
Phe Asp Pro Ser Lys Arg Ile Ser Ala Ser Glu Ala Leu Gln His Pro
            305
                              310
tac atg gcg cca cta tat gac ccg aat gca aac cct cct gct caa gtt
                                                                1009
Tyr Met Ala Pro Leu Tyr Asp Pro Asn Ala Asn Pro Pro Ala Gln Val
        320
                                               330
1057
Pro Ile Asp Leu Asp Val Asp Glu Asp Leu Arg Glu Glu Met Ile Arg
    335
                       340
                                          345
gaa atg ata tgg aat gag atg ctt cac tac cat cca caa gct tca acc
Glu Met Ile Trp Asn Glu Met Leu His Tyr His Pro Gln Ala Ser Thr
                   355
                                       360
tta aac act gag ctc tga gctcaagtct tgttt
                                                                1138
Leu Asn Thr Glu Leu
                370
```

```
<210> 104
```

<211> 370

<212> PRT

<213> Arabidopsis thaliana

<400> 104

Met Ala Thr Leu Val Asp Pro Pro Asn Gly Ile Arg Asn Glu Gly Lys

1				5					10					15	
His	Tyr	Phe	Ser 20	Met	Trp	Gln	Thr	Leu 25	Phe	Glu	Ile	Asp	Thr 30	Lys	Tyr
Met	Pro	Ile 35	Lys	Pro	lle	Gly	Arg 40	Gly	Ala	Tyr	Gly	Val 45	Val	Cys	Ser
Ser	Val 50	Asn	Ser	Asp	Thr	Asn 55	Glu	Lys	Val	Ala	Ile 60	Lys	Lys	Ile	His
Asn 65	Val	Tyr	Glu	Asn	Arg 70	Ile	Asp	Ala	Leu	Arg 75	Thr	Leu	Arg	Glu	Leu 80
Lys	Leu	Leu	Arg	His 85	Leu	Arg	His	Glu	Asn ·90	Val	Ile	Ala	Leu	Lys 95	Asp
Val	Met	Met	Pro 100	Ile	His	Lys	Met	Ser 105	Phe	Lys	Asp	Val	Tyr 110	Leu	Val
Tyr	Glu	Leu 115	Met	Asp	Thr	Asp	Leu 120	His	Gln	Ile	Ile	Lys 125	Ser	Ser	Gln
Arg	Leu 130	Ser	Asn	Asp	His	Cys 135	Gln	Tyr	Phe	Leu	Phe 140	Gln	Leu	Leu	Arg
Gly 145	Leu	Lys	Tyr	Ile	His 150	Ser	Ala	Asn	Ile	Leu 155	His	Arg	Asp	Leu	Lys 160
Pro	Gly	Asn	Leu	Leu 165	Val	Asn	Ala	Asn	Cys 170	Asp	Leu	Lys	Ile	Cys 175	Asp
Phe	Gly	Leu	Ala 180	Arg	Ala	Ser	Asn	Thr 185	Lys	Gly	Gln	Phe	Met 190	Thr	Glu
Tyr	Val	Val 195	Thr	Arg	Trp	Tyr	Arg 200	Ala	Pro	Glu	Leu	Leu 205	Leu	Суѕ	Cys
Asp	Asn 210	Tyr	Gly	Thr	Ser	Ile 215	Asp	Val	Trp	Ser	Val 220	Gly	Cys	Ile	Phe
Ala 225	Glu	Leu	Leu	Gly	Arg 230	Lys	Pro	Ile	Phe	Gln 235	Gly	Thr	Glu	Cys	Leu 240
Asn	Gln	Leu	Lys	Leu 245	Ile	Val	Asn	Ile	11e 250	Gly	Ser	Gln	Arg	Glu 255	Glu
Asp	Leu	Glu	Phe 260	Ile	Val	Asn	Pro	Lys 265	Ala	Lys	Arg	Tyr	Ile 270	Arg	Ser
Leu	Pro	Tyr 275	Ser	Pro	Gly	Met	Ser 280	Leu	Ser	Arg	Leu	Tyr 285	Pro	Cys	Ala
His	Val 290	Leu	Ala	Ile	Asp	Leu 295	Leu	Gln	Lys	Met	Leu 300	Val	Phe	Asp	Pro
Ser	Lys	Arg	Ile	Ser	Ala	Ser	Glu	Ala	Leu	Gln	His	Pro	Tyr	Met	Ala

305	•				310			٠		315					320	
Pro	Leu	Tyr	Asp	Pro 325	Asn	Ala	Asn	Pro	Pro 330	Ala	Gln	Val	Pro	Ile 335	Asp .	
Leu	Asp	Val	Asp 340	Glu	Asp	Leu	Arg	Glu 345	Glu	Met	Ile	Arg	Glu 350	Met	Ile .	٠.
Trp	Asn	Glu 355	Met	Leu	His	Tyr	His 360	Pro	Gln	Ala	Ser	Thr 365	Leu	Asn	Thr	
Glu	Leu 370											٠				
•								*			•					
<213	0> 10 l> 44 2> DI	45.														
<213	3> A:	rabio	lops	is th	nalia	ana	•			•						
	L> CI		. (43)	0)												
)> 10							 		· .					•	
aaca	aca	acc (Lua	Jaya(Met	: Ala	a Gly	Lys	Gly	gga Gly	a aaa / Lys	a gga s;Gly	Lei	ya. 1 Va.	a gct l Ala)	52
gcg Ala	aag Lys	acg Thr	atg Met 15	gct Ala	gct Ala	aac Asn	aag Lys	gac Asp 20	aaa Lys	gac Asp	aag Lys	gac Asp	aag Lys 25	aag Lys	aaa Lys	100
ccc Pro	atc Ile	tct Ser 30	cgc Arg	tct Ser	gct Ala	cgt Arg	gct Ala 35	ggt Gly	att Ile	cag Gln	ttt Phe	cca Pro 40	gtt Val	gga Gly	cga Arg	148
att Ile	cac His 45	agg Arg	caa Gln	ctg Leu	aag Lys	acc Thr 50	cga Arg	gtc Val	tcg Ser	gca Ala	cat His 55	ggc Gly	aga Arg	gtt Val	ggt Gly	196
gcc Ala 60	Thr	gca Ala	Ala	Va1	Tyr	Thr	gct Ala	Ser	Ile	Leu	Glu	Tyr	ctg Leu	aca Thr	gca Ala 75	244
gag Glu	gtt Val	ctt Leu	gag Glu	ttg Leu 80	gct Ala	Gly ggg	aat Asn	gcg Ala	agc Ser 85	aag Lys	gat Asp	ctc Leu	aaa Lys	gtg Val 90	aag Lys	292
agg Arg	ata Ile	acg Thr	cca Pro 95	agg Arg	cat His	ctg Leu	cag Gln	ttg Leu 100	gcg Ala	att Ile	aga Arg	gga Gly	gat Asp 105	gag Glu	gag Glu	340
ctg Leu	gac Asp	aca Thr 110	ctc Leu	atc Ile	aag Lys	gga Gly	acg Thr 115	att Ile	gct Ala	gga Gly	ggt Gly	ggt Gly 120	gtg Val	atc Ile	cct Pro	388

cac atc cac aag tot otc atc aac aaa acc acc aag gag tga 430 His Ile His Lys Ser Leu Ile Asn Lys Thr Thr Lys Glu 125 130 tgtgtagctt tttat <210> 106 <211> 136 <212> PRT <213> Arabidopsis thaliana <400> 106 Met Ala Gly Lys Gly Lys Gly Leu Val Ala Ala Lys Thr Met Ala Ala Asn Lys Asp Lys Asp Lys Asp Lys Lys Pro Ile Ser Arg Ser 25 Ala Arg Ala Gly Ile Gln Phe Pro Val Gly Arg Ile His Arg Gln Leu Lys Thr Arg Val Ser Ala His Gly Arg Val Gly Ala Thr Ala Ala Val 50 55 Tyr Thr Ala Ser Ile Leu Glu Tyr Leu Thr Ala Glu Val Leu Glu Leu Ala Gly Asn Ala Ser Lys Asp Leu Lys Val Lys Arg Ile Thr Pro Arg 90 His Leu Gln Leu Ala Ile Arg Gly Asp Glu Glu Leu Asp Thr Leu Ile 100 105 110 Lys Gly Thr Ile Ala Gly Gly Gly Val Ile Pro His Ile His Lys Ser 120 Leu Ile Asn Lys Thr Thr Lys Glu 130 <210> 107 <211> 930 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (14).:(916) <400> 107 gcctccttgg ctt atg tac tta cca aaa cgt ggc aat ttg ttc gaa ctc Met Tyr Leu Pro Lys Arg Gly Asn Leu Phe Glu Leu 10

tat Tyr	gat Asp	cca Pro 15	ttg Leu	cat His	cag Gln	aag Lys	atg Met 20	tac Tyr	aca Thr	ttg Leu	aat Asn	cta Leu 25	cct Pro	gag Glu	ctt Leu	97	
gcc Ala	aaa Lys 30	tct Ser	acg Thr	gtt Val	tgt Cys	tac Tyr 35	tca Ser	aga Arg	gat Asp	gga Gly	tgg Trp ·40	tta Leu	cta Leu	atg Met	cgt Arg	145	
aaa Lys 45	acc Thr	att Ile	tca Ser	aga Arg	gaa Glu 50	atg Met	ttc Phe	ttc Phe	ttc Phe	aac Asn 55	ccg Pro	ttt Phe	act Thr	cgt Arg	gag Glu 60	193	
ctc Leu	ata Ile	aac Asn	gta Val	cca Pro 65	aaa Lys	tgt Cys	act Thr	tta Leu	tca Ser 70	tat Tyr	gat Asp	gcg Ala	atc Ile	gct Ala 75	ttc Phe	241	
tct Ser	tgt Cys	gca Ala	cct Pro 80	aca Thr	tca Ser	ggt Gly	act Thr	tgc Cys 85	gtg Val	ttg Leu	ctà Leu	gca Ala	ttt Phe 90	aag Lys	cat His	289	
gtt Val	tcg Ser	tat Tyr 95	cgt Arg	atc Ile	acc Thr	act Thr	acg Thr 100	agc Ser	act Thr	tgc Cys	cat His	ccc Pro 105	aaa Lys	gca Ala	acc Thr	337	
gag Glu	tgg Trp 110	gtt Val	act Thr	gag Glu	gat Asp	cta Leu 115	caa Gln	ttc Phe	cat His	cgt Arg	cgc Arg 120	ttc Phe	cġc Arg	agt Ser	gaa Glu	385	
aca Thr 125	ctt Leu	aac Asn	cac His	agc Ser	aat Asn 130	gtt Val	gtc Val	tat Tyr	gcc Ala	aaa Lys 135	cgt Arg	cgc Arg	ttc Phe	tat Tyr	tgc Cys 140	433	
ctt Leu	gac Asp	ggt Gly	caa Gln	gga Gly 145	agc Ser	tta Leu	tat Tyr	tac Tyr	ttt Phe 150	gat Asp	ccg Pro	tct Ser	tct Ser	cga Arg 155	aga Arg	481	
tgg Trp	gat Asp	ttt Phe	agt Ser 160	tac Tyr	acc Thr	tat Tyr	tta Leu	ctg Leu 165	cca Pro	tgt Cys	cct Pro	tat Tyr	atc Ile 170	tcg Ser	gat Asp	529	
aga Arg	ttt Phe	agt Ser 175	tac Tyr	cag Gln	tat Tyr	gag Glu	cgg Arg 180	aag Lys	aag Lys	aag Lys	aga Arg	att Ile 185	ttc Phe	ttg Leu	gct Ala	577	
gtg Val	cgg Arg 190	aaa Lys	gga Gly	gtg Val	ttc Phe	ttt Phe 195	aag Lys	ata Ile	ttt Phe	aca Thr	tgt Cys 200	gat Asp	ggt Gly	gag Glu	aag Lys	625	
ccg Pro 205	ata Ile	gtg Val	cat His	aag Lys	tta Leu 210	Glu	gat Asp	atc Ile	aat Asn	tgg Trp 215	gag Glu	gag Glu	atc Ile	aat Asn	agt Ser 220	673	
act Thr	acg Thr	att Ile	gat Asp	gga Gly 225	ttg Leu	aca Thr	atc Ile	ttt Phe	acg Thr 230	ggt Gly	ctt Leu	tat Tyr	tcc Ser	tct Ser 235	gag Glu	721	
gtg	aga	ctt	aat	cta	cca	tgg	atg	agg	aat	agt	gtt	tac	ttt	cct	aga	769	

Val	Arg	Leu	Asn 240	Leu	Pro	Trp	Met	Arg 245	Asn	Ser	Val	Tyr	Phe 250		Arg	
ctt Leu	cgt Arg	ttt Phe 255	aat Asn	gtc Val	aag Lys	cgt Arg	tgt Cys 260	gta Val	tca Ser	tat Tyr	tcg Ser	ctt Leu 265	gat Asp	gaa Glu	gag Glu	817
agg Arg	tat Tyr 270	tat Tyr	ccg Pro	cgg Arg	aag Lys	cag Gln 275	tgg Trp	caa Gln	gaa Glu	cag Gln	gag Glu 280	gat Aṣp	tta Leu	tgt Cys	cct Pro	865
att Ile 285	gag Glu	aat Asn	ctt Leu	tgg Trp	att Ile 290	agg Arg	cca Pro	ccg Pro	aag Lys	aaa Lys 295	gct Ala	gta Val	gat Asp	ttc Phe	atg Met 300	913
tga	agat	caaaa	igt a	atg			•							•	•	930
													•			
)> 10 L> 30									•					•	
	?> PI 3> Ai	RT cabic	lopsi	is th	nalia	ana					•					
<400)> 10	08				•					•					
			Pro	Lys 5	Arg	Gly	Asn	Leu	Phe 10	Glu	Leu	Tyr	Asp	Pro 15	Leu	
His	Gln	Lys	Met 20		Thr	Leu	Asn	Leu 25	Pro	Glu	Leu	Ala	Lys 30	Ser	Thr	
Val	Cys	Tyr 35	Ser	Arg	Asp	Gly	Trp 40	Leu	Leu	Met	Arg	Lys 45	Thr	Ile	Ser	
Arg	Glu 50		Phe	Phe	Phe	Asn 55	Pro	Phe	Thr	Arg	Glu 60	Leu	Ile	Asn	Val	•
Pro 65	Lys	Cys	Thr	Leu	Ser 70	Tyr	Asp	Ala	Ile	Ala 75	Phe	Ser	Cys	Ala	Pro 80	٠
Thr	Ser	Gly	Thr	Cys 85	Val	Leu	Leu	Ala	Phe 90	Lys	His	Val	Ser	Tyr 95	Arg	
Ile	Thr	Thr	Thr 100	Ser	Thr	Cys	His	Pro 105	Lys	Ala	Thr	Glu	Trp 110	Val	Thr	
Glu	Asp	Leu 115	Gln	Phe	His	Arg	Arg 120	Phe	Arg	Ser	Glu	Thr 125	Leu	Asn	His	
Ser	Asn 130	Val	Val	Tyr	Ala	Lys 135	Arg	Arg	Phe	Tyr	Cys 140	Leu	Asp	Gly	Gln	
Gly 145	Ser	Leu	Tyr	Tyr	Phe 150	Asp	Pro	Ser	Ser	Arg 155	Arg	Trp	Asp	Phe	Ser 160	
Tyr	Thr	Tyr	Leu	Leu 165	Pro	Cys	Pro	Tyr	Ile 170	Ser	Asp	Arg	Phe	Ser 175	Tyr	

```
Gln Tyr Glu Arg Lys Lys Lys Arg Ile Phe Leu Ala Val Arg Lys Gly
                                185
Val Phe Phe Lys Ile Phe Thr Cys Asp Gly Glu Lys Pro Ile Val His
                            200 - .
Lys Leu Glu Asp Ile Asn Trp Glu Glu Ile Asn Ser Thr Thr Ile Asp
                        215
Gly Leu Thr Ile Phe Thr Gly Leu Tyr Ser Ser Glu Val Arg Leu Asn
                    230
                                        235
Leu Pro Trp Met Arg Asn Ser Val Tyr Phe Pro Arg Leu Arg Phe Asn
                245
                                    250
Val Lys Arg Cys Val Ser Tyr Ser Leu Asp Glu Glu Arg Tyr Tyr Pro
                                265
Arg Lys Gln Trp Gln Glu Gln Glu Asp Leu Cys Pro Ile Glu Asn Leu
                            280
Trp Ile Arg Pro Pro Lys Lys Ala Val Asp Phe Met
                        295
<210> 109
<211> 2640
<212> DNA
<213> Arabidopsis thaliana
<220>
<221> CDS
<222> (145)..(981)
<220>
<221> CDS
<222> (1439)..(1727)
<220>
<221> CDS
<222> (1817)..(2126)
<220>
<221> CDS
<222> (2204)..(2330)
<220>
<221> CDS
<222> (2405)..(2518)
<400> 109
tccacggcta caaaagaaca ttctcgacat acacaaaaaa attcgaaatt tcgagaactc 60
tettgtgeet tettetteat etteetetgt ttttaaaaat geaatcaage agatteteae 120
```

gat	acct	aaa (ccaa	atcc:	aa t	ca '	atg Met 1	gcg (Ala (gaa Glu	gaa (Glu /	gca Ala 5	aaa Lys	tcc (aaa Lys	gga Gly	171
aac Asn 10	gca Ala	gct Ala	ttc Phe	tct Ser	tcc Ser 15	ggc Gly	gat Asp	tac Tyr	gcc Ala	acc Thr 20	gca Ala	ata Ile	acc Thr	cat His	ttc Phe 25	219
										cac His						267
aga Arg	tcc Ser	gct Ala	Ser 45	tac Tyr	gct Ala	tct Ser	ctc Leu	cac His 50	cgt Arg	tac Tyr	gaa Glu	gaa Glu	gct Ala 55	tta Leu	tca Ser	315
gac Asp	gcg Ala	aag Lys 60	aag Lys	act Thr	ata Ile	gag Glu	ctt Leu 65	aaa Lys	Pro	gat Asp	tgg Trp	tct Ser 70	aaa Lys	gga Gly	tat Tyr	363
agc Ser	cga Arg 75	tta Leu	ggt Gly	gct Ala	gcg Ala	ttt Phe 80	Ile	gga Gly	ttg Leu	tcc Ser	aag Lys 85	ttt Phe	gat Asp	gaa Glu	gcg Ala	411
gtt Val 90	gat Asp	tcg Ser	tat Tyr	aag Lys	aaa Lys 95	gga Gly	tta Leu	gag Glu	att Ile	gat Asp 100	ccg Pro	agt Ser	aat Asn	gag Glu	atg Met 105	459
ctt Leu	aaa Lys	tcg Ser	gga Gly	tta Leu 110	gct Ala	gat Asp	gct Ala	tcg Ser	aga Arg 115	tct Ser	agg Arg	gtt Val	tcg Ser	tca Ser 120	aag Lys	507
tcg Ser	aat Asn	cct Pro	Phe 125	gtt Val	gat Asp	gcg Ala	ttt Phe	caa Gln 130	Gly	aag Lys	gag Glu	atg Met	tgg Trp 135	gag Glu	aag Lys	555
ttg Leu	acg Thr	gcg Ala 140	gat Asp	ccg Pro	ggg	act Thr	agg Arg 145	gtt Val	tat Tyr	ttg Leu	gag Glu	cag Gln 150	gat Asp	gat Asp	ttt Phe	603
gtt Val	aag Lys 155	acg Thr	atg Met	aag Lys	gag Glu	att Ile 160	cag Gln	agg Arg	aac Asn	cct Pro	aat Asn 165	aat Asn	ctt Leu	aat Asn	ttg Leu	651
tat Tyr 170	atg Met	aag Lys	gat Asp	aag Lys	aga Arg 175	gtt Val	atg Met	aag Lys	gct Ala	tta Leu 180	ggg Gly	gtt Val	ttg Leu	ttg Leu	aat Asn 185	699
gtg Val	aag Lys	ttt Phe	ggt Gly	gga Gly 190	tct Ser	agt Ser	ggt Gly	gaa Glu	gat Asp 195	act Thr	gag Glu	atg Met	aag Lys	gag Glu 200	gct Ala	747
gat Asp	gag Glu	agg Arg	aaa Lys 205	gag Glu	cct Pro	gaa Glu	ccg Pro	gag Glu 210	atg Met	gaa Glu	cct Pro	atg Met	gag Glu 215	ttg Leu	acg Thr	795
gag	gag	gag	agg	cag	aag	aag	gag	aga	aag	gag	aag	gct	ttg	aag	gag	843

220 225 230	
aaa ggg gaa gga aat gtt gct tat aag aag aag gat ttt ggg aga gct 89 Lys Gly Glu Gly Asn Val Ala Tyr Lys Lys Asp Phe Gly Arg Ala 235 240 245	1
gtt gaa cat tat act aag gcc atg gag ctc gat gat gag gat att tcg 939 Val Glu His Tyr Thr Lys Ala Met Glu Leu Asp Asp Glu Asp Ile Ser 250 265	9
tat ttg acg aat cgt gct gct tat ctt gag atg ggg aag 98: Tyr Leu Thr Asn Arg Ala Ala Val Tyr Leu Glu Met Gly Lys 270 275	1
gtattaagtc ttatacttgg cttaaaagtt aaacctttag gtactttaag attaaggagg 104	41
agatettggg ttettgaagt agettatetg tttagtatag ettgteacta gttagtacat 110	01
ttgtgatgac cttgatgggt tttgataact ttcatctgct tcttgttgga gatttaagag 116	61
ttttgaactt aagttttcac ttgtgctgaa agtagttagc tttagatgag gtagaaattt 122	21
agggtttatg gcttcatgat ggagtttatt cacttgttct gtagaagtgg ttatctttat 128	B 1
tattactgga atcaattaat cttcaagtat cctgagtggt tcaattccat tggtctatgt 134	41.
gttcttgcat tagtcttgtt taattaacag ttggttcatc tggatcttac tgtatcttgt 140)1
STARTSTATE CONTRACTOR ASSOCIATION AND ASSOCIATION ASSOCIATION AND ASSOCIATION ASSOCIAT	
gtgatgtttt acttcatttc tcaaatgaaa ttatcag tac gag gag tgc att gaa 145 Tyr Glu Glu Cys Ile Glu 280 285	56
Tyr Glu Glu Cys Ile Glu	
gac tgt gac aag gct gtt gaa aga ggc aga gaa ctt cgt tct gac ttc 150 Asp Cys Asp Lys Ala Val Glu Arg Gly Arg Glu Leu Arg Ser Asp Phe	04
gac tgt gac aag gct gtt gaa aga ggc aga gaa ctt cgt tct gac ttc Asp Cys Asp Lys Ala Val Glu Arg Gly Arg Glu Leu Arg Ser Asp Phe 290 295 300 aag atg ata gca aga gct ctg act aga aaa gga tct gct cta gtg aaa 155 Lys Met Ile Ala Arg Ala Leu Thr Arg Lys Gly Ser Ala Leu Val Lys	04 52
gac tgt gac aag gct gtt gaa aga ggc aga gaa ctt cgt tct gac ttc Asp Cys Asp Lys Ala Val Glu Arg Gly Arg Glu Leu Arg Ser Asp Phe 290 295 300 aag atg ata gca aga gct ctg act aga aaa gga tct gct cta gtg aaa 155 Lys Met Ile Ala Arg Ala Leu Thr Arg Lys Gly Ser Ala Leu Val Lys 305 310 315 atg gcg aga tgc tcg aaa gac ttt gag cct gcg att gag act ttc cag 160 Met Ala Arg Cys Ser Lys Asp Phe Glu Pro Ala Ile Glu Thr Phe Gln	04 52
gac tgt gac aag gct gtt gaa aga ggc aga gaa ctt cgt tct gac ttc Asp Cys Asp Lys Ala Val Glu Arg Gly Arg Glu Leu Arg Ser Asp Phe 290 295 300 aag atg ata gca aga gct ctg act aga aaa gga tct gct cta gtg aaa 155 Lys Met Ile Ala Arg Ala Leu Thr Arg Lys Gly Ser Ala Leu Val Lys 305 310 315 atg gcg aga tgc tcg aaa gac ttt gag cct gcg att gag act ttc cag 160 Met Ala Arg Cys Ser Lys Asp Phe Glu Pro Ala Ile Glu Thr Phe Gln 320 325 330 aaa gct ctt aca gag cat cgt aat cca gat aca ttg aag aaa ctg aac 164 Lys Ala Leu Thr Glu His Arg Asn Pro Asp Thr Leu Lys Lys Leu Asn	52 52

	*									
ttacacttac tatcttgaaa cgtgatttga ttttaggatt aagcatttga cacttcttca										
ttgatgcag gt aat gga ttc ttt aaa gaa caa aag tat cca gag gca gtg ly Asn Gly Phe Phe Lys Glu Gln Lys Tyr Pro Glu Ala Val 380 385	1857									
aag cat tat tca gaa gca atc aaa aga aac ccg aac gac gtg agg gca Lys His Tyr Ser Glu Ala Ile Lys Arg Asn Pro Asn Asp Val Arg Ala 390 395 400 405	1905									
tat agc aac aga gct gct tgt tac aca aag tta gga gca tta cca gag Tyr Ser Asn Arg Ala Ala Cys Tyr Thr Lys Leu Gly Ala Leu Pro Glu 410 415 420	1953									
gga ttg aaa gat gct gaa aaa tgc att gag ctg gac cca agt ttc acg Gly Leu Lys Asp Ala Glu Lys Cys Ile Glu Leu Asp Pro Ser Phe Thr 425 430 435	2001									
aaa gga tac agt aga aaa gga gct att caa ttt ttc atg aag gaa tac Lys Gly Tyr Ser Arg Lys Gly Ala Ile Gln Phe Phe Met Lys Glu Tyr 440 455	2049									
gat aaa gct atg gaa acg tat caa gaa ggg cta aaa cat gat cct aag Asp Lys Ala Met Glu Thr Tyr Gln Glu Gly Leu Lys His Asp Pro Lys 455 460 465	2097									
aac cag gag ttc ctt gat ggt gtt aga ag gtttgcaaat tttggcattc Asn Gln Glu Phe Leu Asp Gly Val Arg Ar 470 475	2146									
tctctttgtt gtttaacctt gcaaagatcg gtctagtgaa agtgttgttg ttttcag a	2204									
tgt gtg gaa cag ata aac aaa gcg agc cgt ggt gat ctg act cca gaa Cys Val Glu Gln Ile Asn Lys Ala Ser Arg Gly Asp Leu Thr Pro Glu 480 485 490 495	2252									
gaa ttg aag gag aga caa gca aag gca atg caa gat cct gaa gtt cag Glu Leu Lys Glu Arg Gln Ala Lys Ala Met Gln Asp Pro Glu Val Gln 500 505 510	2300									
aac ata tta tcg gat cca gtg atg aga cag gtaaaagcag tggcaagcat Asn Ile Leu Ser Asp Pro Val Met Arg Gln 515 520	2350									
tgtgttctaa ctcgtaagct gtctgtgaga cttgtgtgat gatgtctatt gtag gta Val	2407									
cta gtg gac ttt caa gag aat ccg aaa gct gca caa gag cat atg aag Leu Val Asp Phe Gln Glu Asn Pro Lys Ala Ala Gln Glu His Met Lys 525 530 535	2455									
aac cca atg gta atg aac aag att cag aag ctg gtt agt gcc gga att Asn Pro Met Val Met Asn Lys Ile Gln Lys Leu Val Ser Ala Gly Ile 540 545 550	2503									
gtt cag gtc cgg taa attggttatg ctaaaccgga gtggtatatt gaatcaaacc	2558									

Val Gln Val Arg 555

gaagatgttt ccaaattttc actgcgttct tttgggcttt tgttaaactg atgaaactct 2618

gatttggttt gggtcatgtt tg

2640

<210> 110

<211> 558

<212> PRT

<213> Arabidopsis thaliana

<400> 110

Met Ala Glu Glu Ala Lys Ser Lys Gly Asn Ala Ala Phe Ser Ser Gly

1 5 10 15

Asp Tyr Ala Thr Ala Ile Thr His Phe Thr Glu Ala Ile Asn Leu Ser 20 25 30

Pro Thr Asn His Ile Leu Tyr Ser Asn Arg Ser Ala Ser Tyr Ala Ser 35 40 45

Leu His Arg Tyr Glu Glu Ala Leu Ser Asp Ala Lys Lys Thr Ile Glu 50 55 60

Leu Lys Pro Asp Trp Ser Lys Gly Tyr Ser Arg Leu Gly Ala Ala Phe 65 70 75 80

Ile Gly Leu Ser Lys Phe Asp Glu Ala Val Asp Ser Tyr Lys Lys Gly
85 90 95

Leu Glu Ile Asp Pro Ser Asn Glu Met Leu Lys Ser Gly Leu Ala Asp 100 105 110

Ala Ser Arg Ser Arg Val Ser Ser Lys Ser Asn Pro Phe Val Asp Ala 115 120 125

Phe Gln Gly Lys Glu Met Trp Glu Lys Leu Thr Ala Asp Pro Gly Thr 130 135 140

Arg Val Tyr Leu Glu Gln Asp Asp Phe Val Lys Thr Met Lys Glu Ile 145 150 155 160

Gln Arg Asn Pro Asn Asn Leu Asn Leu Tyr Met Lys Asp Lys Arg Val 165 170 175

Met Lys Ala Leu Gly Val Leu Leu Asn Val Lys Phe Gly Gly Ser Ser 180 185 190

Gly Glu Asp Thr Glu Met Lys Glu Ala Asp Glu Arg Lys Glu Pro Glu 195 200 205

Pro Glu Met Glu Pro Met Glu Leu Thr Glu Glu Glu Arg Gln Lys Lys 210 220

Glu Arg Lys Glu Lys Ala Leu Lys Glu Lys Gly Glu Gly Asn Val Ala

225					230			٠	*.	235					240
Tyr	Lys	Lys	Lys	Asp 245	Phe	Gly	Arg	Ala	Val 250	Glu	His	Tyr	Thr	Lys 255	Ala
Met	Glu	Leu	Asp 260	Asp	Glu	Asp	Ile	Ser 265	Tyr	Leu	Thr	Asn	Arg 270		Ala
Val	Tyr	Leu 275	Glu	Met	Gly	Lys	Tyr 280	Glu	Glu	Cys	Ile	Glu 285	Asp	Сув	Asp
Lys	Ala 290	Val	Glu	Arg	Gly	Arg 295	Glu	Leu	Arg	Ser	Asp 300	Phe	Lys ·	Met	Ile
Ala 305	Arg	Ala	Leu	Thr	Arg 310	Lys	Gly	Ser	Ala	Leu 315	Val	Lys	Met	Ala	Arg 320
Cys	Ser	Lys	Asp	Phe 325	Glu	Pro	Ala	Ile	Glu 330	Thr	Phe	Gln	Lys	Ala 335	Leu
			340					345			•		Asp 350		
		355	·				360		•			365	Pro		. :
	370					375					380		Glu		
385					390		•			395			Arg		400
		•		405					410				Thr	415	•
			420				•	425		*			11e 430	•	
		435					440					445	Ile		
	450				•	455					460		Glu		
465					470					475			Arg		480
Val	Glu	Gln	Ile	Asn 485	Lys	Ala	Ser	Arg	Gly 490	Asp	Leu	Thr	Pro	Glu 495	Glu
Leu	Lys	Glu	Arg 500	Gln	Ala	Lys	Ala	Met 505	Gln	Asp	Pro	Glu	Val 510	Gln	Asn
Ile	Leu	Ser 515	Asp	Pro	Val	Met	Árg 520	Gln	Val	Leu	Val	Asp 525	Phe	Gln	Glu
Asn	Pro	Lys	Ala	Ala	Gln	Glu	His	Met	Lys	Asn	Pro	Met	Val	Met	Asn

535 530 Lys Ile Gln Lys Leu Val Ser Ala Gly Ile Val Gln Val Arg <210> 111 <211> 1560 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (130)..(265) <220> <221> CDS <222> (386)..(515) <220> <221> CDS <222> (622)..(1480) <400> 111 tatataaacc tcacacacgc attatcatac accatcctcc tcattctctt catcatcaac 60 ataagagaga gagaagaaaa aaagaattac aattaataag aacaagatca agaatcaaga 120° atcaagaaa atg gga aga gca ccg tgt tgt gat aag gcc aac gtg aag aaa 171 Met Gly Arg Ala Pro Cys Cys Asp Lys Ala Asn Val Lys Lys ggg cct tgg tct cct gag gaa gac gcc aaa ctc aaa gat tac atc gag 219 Gly Pro Trp Ser Pro Glu Glu Asp Ala Lys Leu Lys Asp Tyr Ile Glu 15 20 aat agt ggc aca gga ggc aac tgg att gct ttg cct cag aaa att g Asn Ser Gly Thr Gly Gly Asn Trp Ile Ala Leu Pro Gln Lys Ile G 35 gtatgtatta cttaaaactc acttttgatt taaaattggc actgagagtt tccaaatagt 325 actttgagac cgtggtcgtg ttaaatttgt gtgttgatga tatttattta catggtatag 385 gt tta agg aga tgt ggg aag agt tgc agg cta agg tgg ctc aac tat ly Leu Arg Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Leu Asn Tyr 50 55 ttg aga cca aac atc aaa cat ggt ggc ttc tcc gag gaa gaa gac aac Leu Arg Pro Asn Ile Lys His Gly Gly Phe Ser Glu Glu Glu Asp Asn 65 70 atc att tgt aac ctc tat gtt act att ggt agc ag gtactatata 525 Ile Ile Cys Asn Leu Tyr Val Thr Ile Gly Ser Ar

cttacatata tatcatcata tgcatggatg aatattatta attgacacac ttattcttga 585											
cttagagact cact	atgtat ctttgttta		tgg tct ata att g Prp Ser Ile Ile A 90								
caa ttg ccg gga Gln Leu Pro Gly	aga acc gac aac Arg Thr Asp Asr 100	gat atc aaa Asp Ile Lys 105	a aac tat tgg aac s Asn Tyr Trp Asn 110	Thr							
agg ctg aag aag Arg Leu Lys Lys 115	Lys Leu Leu Asr	aaa caa agg Lys Gln Arg 120	g aaa gag ttc caa g Lys Glu Phe Gln 125	gaa 736 Glu							
gcg cga atg aag Ala Arg Met Lys 130	caa gag atg gtg Gln Glu Met Val 135	Met Met Lys	a agg caa caa caa s Arg Gln Gln Gln 140	gga 784 Gly							
caa gga caa ggt Gln Gly Gln Gly 145	caa agt aat ggt Gln Ser Asn Gly 150	agt acg gat Ser Thr Asp	ctt tat ctt aac Leu Tyr Leu Asn 155	aac 832 Asn							
atg ttt gga tca Met Phe Gly Ser 160	tca cca tgg cca Ser Pro Trp Pro 165	tta cta cca Leu Leu Pro 170	a caa ctt cct cct o Gln Leu Pro Pro)	cca 880 Pro 175							
cat cat caa ata His His Gln Ile	cct ctt gga atg Pro Leu Gly Met 180	g atg gaa cca : Met Glu Pro 185	aca agc tgt aac Thr Ser Cys Asn 190	Tyr							
tac caa acg aca Tyr Gln Thr Thr 195	ecg tet tgt aac Pro Ser Cys Asn	cta gaa caa Leu Glu Gln 200	aag cca ttg atc Lys Pro Leu Ile 205	aca 976 Thr							
ctc aag aac atg Leu Lys Asn Met 210	gtc aag att gaa Val Lys Ile Glu 215	Glu Glu Gln	ggaa agg aca aac Glu Arg Thr Asn 220	cct 1024 Pro							
gat cat cat cat Asp His His His 225	caa gat tot gto Gln Asp Ser Val 230	aca aac cct Thr Asn Pro	ttt gat ttc tct Phe Asp Phe Ser 235	ttc 1072 Phe							
tct cag ctt ttg Ser Gln Leu Leu 240	tta gat ccc aat Leu Asp Pro Asn 245	tac tat ctg Tyr Tyr Leu 250	gga tca gga ggg Gly Ser Gly Gly	gga 1120 Gly 255							
gga gaa gga gat Gly Glu Gly Asp	ttt gct atc atg Phe Ala Ile Met 260	agc agc agc Ser Ser Ser 265	aca aac tca cca Thr Asn Ser Pro 270	tta 1168 Leu							
cca aac aca agt Pro Asn Thr Ser 275	agt gat caa cat Ser Asp Gln His	cca agt caa Pro Ser Gln 280	cag caa gag att Gln Gln Glu Ile 285	ctt 1216 Leu							
caa tgg ttt ggg Gln Trp Phe Gly 290	agc agt aac ttt Ser Ser Asn Phe 295	Gln Thr Glu	gca atc aac gat Ala Ile Asn Asp 300	atg 1264. Met							

Phe	ata Ile 305	aac Asn	aac Asn	aac Asn	aac Asn	aac Asn 310	ata Ile	gtg Val	'aat Asn	ctt Leu	gag Glu 315	acc Thr	atc Ile	gag Glu	aac Asn	1312
aca Thr 320	Lys	gtc Val	tat Tyr	gga Gly	gac Asp 325	gcc Ala	tca Ser	gta Val	gcc Ala	gga Gly 330	Ala	gct Ala	gtc Val	cga Arg	gca Ala 335	1360
gct Ala	ttg Leu	ggc Gly	gga Gly	ggg Gly 340	aca Thr	acg Thr	agt Ser	aca Thr	tcg Ser 345	gcg Ala	gat Asp	caa Gln	agt Ser	aca Thr 350	ata Ile	1408
agt Ser	tgg Trp	gag Glu	gat Asp 355	ata Ile	act Thr	tct Ser	cta Leu	gtt Val 360	aat Asn	tcc Ser	gaa Glu	gat Asp	gca Ala 365	agt Ser	tac Tyr	1456
ttc Phe	aat Asn	gcg Ala 370	cca Pro	aat Asn	cat His	gtg Val	taa 375	cat	tttg	ttt a	aaaa	ettt.	at ti	tgtad	ettaa	1510
atac	ataa	aag a	agggg	gttt	tc ta	tttt	gtat	:⊸aaa	atct	gtgt	ctt	tagg	gag			1560
<211 <212)> 11 l> 37 l> PF	74 RT					•									
			lopsi	is th	nalia	ina			-			•			•	
)> 11 Gly		Ala	Pro 5	Cys	Суѕ	Asp	Lys	Ala 10	Asn	Val	Lys	Lys	Gly 15	Pro	
			20	•				25	•				30		٠	
Gly	Thr	Gly 35	Gly	Asn	Trp	Ile	Ala 40	Leu	Pro	Gln	Lys	Ile 45	Gly	Leu	Arg .	
Arg	Cys 50	Gly	Lys	Ser	Cys	Arg 55	Leu	Arg	Trp	Leu	Asn 60	Tyr	Leu	Arg	Pro	
Asn 65	Ile	Lys	His	Gly	Gly 70	Phe	Ser	Glu	Glu	Glu 75	Asp	Asn	Ile	Ile	80	
Asn	Leu	Tyr	Val	Thr 85	Ile	Gly	Ser	Arg	Trp 90	Ser	Ile	Ile	Ala	Ala 95	Gln	٠
Leu	Pro	Gly	Arg 100	Thr	Asp	Asn	qaA	Ile 105	Lys	Asn	Tyr	Trp	Asn 110	Thr	Arg	
		115					120					125		Glu		
Arg	Met 130	Lys	Gln	Glu	Met	Val 135	Met	Met	Lys	Arg	Gln 140	Gln	Gln	Gly	Gln	

Gly Gln Gly Gln Ser Asn Gly Ser Thr Asp Leu Tyr Leu Asn Asn Met 150 155 160 Phe Gly Ser Ser Pro Trp Pro Leu Leu Pro Gln Leu Pro Pro Pro His 170 His Gln Ile Pro Leu Gly Met Met Glu Pro Thr Ser Cys Asn Tyr Tyr 185 Gln Thr Thr Pro Ser Cys Asn Leu Glu Gln Lys Pro Leu Ile Thr Leu 200 Lys Asn Met Val Lys Ile Glu Glu Glu Glu Glu Arg Thr Asn Pro Asp 215 220. His His His Gln Asp Ser Val Thr Asn Pro Phe Asp Phe Ser Phe Ser 230 235 Gln Leu Leu Asp Pro Asn Tyr Tyr Leu Gly Ser Gly Gly Gly 245 250 Glu Gly Asp Phe Ala Ile Met Ser Ser Ser Thr Asn Ser Pro Leu Pro 265 Asn Thr Ser Ser Asp Gln His Pro Ser Gln Gln Gln Glu Ile Leu Gln Trp Phe Gly Ser Ser Asn Phe Gln Thr Glu Ala Ile Asn Asp Met Phe 295 Ile Asn Asn Asn Asn Ile Val Asn Leu Glu Thr Ile Glu Asn Thr 315 Lys Val Tyr Gly Asp Ala Ser Val Ala Gly Ala Ala Val Arg Ala Ala 330 Leu Gly Gly Gly Thr Thr Ser Thr Ser Ala Asp Gln Ser Thr Ile Ser 345 Trp Glu Asp Ile Thr Ser Leu Val Asn Ser Glu Asp Ala Ser Tyr Phe

360

Asn Ala Pro Asn His Val

<210> 113 <211> 3790 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (38)..(1597)

<220>

```
<221> CDS
<222> (1717)..(1943)
<220>
<221> CDS
<222> (2052)..(2384)
<220>
<221> CDS
<222> (2468)..(2714)
<220>
<221> CDS
<222> (2800)..(2928)
<220>
<221> CDS
<222> (3020)..(3203)
<220>
<221> CDS
<222> (3532)..(3773)
<400> 113
ttgtatggtt cgttgttact gatagattac ttaagct atg gtt tgg ttt aga atc
                                         Met Val Trp Phe Arg Ile
ggt tet tet gtg gca aag ett gee ata aga agg aca etg tet eag tet
Gly Ser Ser Val Ala Lys Leu Ala Ile Arg Arg Thr Leu Ser Gln Ser
             10
                                 15
                                                      20
cgt tgt ggt tca tat gcc act aga aca agg gtt ttg cct tgt caa acc
                                                                   151
Arg Cys Gly Ser Tyr Ala Thr Arg Thr Arg Val Leu Pro Cys Gln Thr
         25
                                                 35
aga tgt ttt cac tct aca ata ctc aaa tca aag gca gag tct gct gca
                                                                   199
Arg Cys Phe His Ser Thr Ile Leu Lys Ser Lys Ala Glu Ser Ala Ala
                         45
cct gtt cca cgt cct gtc cca ctt tct aag cta act gat agc ttc tta
Pro Val Pro Arg Pro Val Pro Leu Ser Lys Leu Thr Asp Ser Phe Leu
                     60
                                         65
gat gga aca agc agt gtg tat cta gag gag tta caa aga gct tgg gag
                                                                   295
Asp Gly Thr Ser Ser Val Tyr Leu Glu Glu Leu Gln Arg Ala Trp Glu
                                     80
get gat eec aac agt gtt gat gag teg tgg gat aac ttt ttt agg aat
                                                                   343
Ala Asp Pro Asn Ser Val Asp Glu Ser Trp Asp Asn Phe Phe Arg Asn
                                 95
ttt gtg ggt cag gct tct aca tcg cct ggt atc tcg ggg caa acc att
Phe Val Gly Gln Ala Ser Thr Ser Pro Gly Ile Ser Gly Gln Thr Ile
                            110
caa gaa agc atg cgt ttg ttg ttg cta gtt aga gct tac cag gtt aat
```

Gln	Glu 120	Ser	Met	Arg	Leu	Leu 125	Leu	Leu	Val	Arg	Ala 130	Tyr	Gln	Val	Asn	
ggc Gly 135	cac His	atg Met	aag Lys	gcc Ala	aag Lys 140	ctt Leu	gat Asp	cct	tta Leu	ggt Gly 145	cta Leu	gag Glu	aag Lys	aga Arg	gag Glu 150	487
att Ile	cca Pro	gag Glu	gat Asp	ctc Leu 155	acg Thr	cca Pro	ggt Gly	ctt Leu	tat Tyr 160	Gly	ttt Phe	act Thr	gag Glu	gct Ala 165	qeA	535
ctt Leu	gat Asp	cgg Arg	gaa Glu 170	ttc Phe	ttt Phe	ctg Leu	ggt Gly	gta Val 175	tgg Trp	agg Arg	atg Met	tcg Ser	ggt Gly 180	ttt Phe	ctc Leu	. 583 _.
tct Ser	gag Glu	aac Asn 185	cgc Arg	ccg Pro	gtt Val	caa Gln	aca Thr 190	ctg Leu	agg Arg	tcg Ser	ata Ile	ctg Leu 195	tcg Ser	agg Arg	ctt Leu	631
gag Glu	caa Gln 200	gct Ala	tac Tyr	tgt Cys	ggg	act Thr 205	ata Ile	Gly	tat Tyr	gag Glu	tac Tyr 210	atg Met	cac His	att Ile	gct Ala	679
gat Asp 215	agg Arg	gat Asp	aaa Lys	tgt Cys	aac Asn 220	tgg Trp	ttg Leu	aga Arg	gac Asp	aag Lys 225	atc Ile	gag Glu	acc Thr	cca Pro	act Thr 230	727
cct Pro	cga Arg	cag Gln	tac Tyr	aat Asn 235	agt Ser	gag Glu	cgt Arg	cgg Arg	atg Met 240	gtt Val	att Ile	tat Tyr	gat Asp	agg Arg 245	ctt Leu	775
acc Thr	tgg Trp	agc Ser	aca Thr 250	cag Gln	ttt Phe	gag Glu	aat Asn	ttc Phe 255	ttg Leu	gct Ala	act Thr	aag Lys	tgg Trp 260	acc Thr	acg Thr	823
gct Ala	aaa Lys	agg Arg 265	ttt Phe	gga Gly	ctg Leu	gaa Glu	ggt Gly 270	gct Ala	gaa Glu	tct Ser	ttg Leu	att Ile 275	cct Pro	ggc Gly	atg Met	871
aag Lys	gag Glu 280	atg Met	ttc Phe	gat Asp	agg Arg	tct Ser 285	gca Ala	gat Asp	ctc Leu	Gly aaa	gta Val 290	gag Glu	aac Asn	ata Ile	gtt Val	919
atc Ile 295	ggt Gly	atg Met	ccc Pro	cat His	agg Arg 300	ggt Gly	cga Arg	ctt Leu	aat Asn	gtt Val 305	ttg Leu	ggt Gly	aat. Asn	gtt Val	gtt Val 310	967
aga Arg	aaa Lys	cct	cta Leu	cgc Arg 315	caa Gln	ata Ile	ttc Phe	agc Ser	gag Glu 320	ttt Phe	agc Ser	ggt Gly	ggt Gly	act Thr 325	agg Arg	1015
cca Pro	gta Val	gat Asp	gaa Glu 330	gtt Val	GJA Gaa	ctt Leu	tac Tyr	acc Thr 335	gga Gly	aca Thr	ggt Gly	gat Asp	gtg Val 340	aaa Lys	tac Tyr	1063
cac His	ttg Leu	ggt Gly	aca Thr	tct Ser	tat Tyr	gat Asp	cgt Arg	cca Pro	act Thr	aga Arg	gga Gly	ggc Gly	aaa Lys	cat His	ctc Leu	1111

345		350	355	
cac ttg tct tt His Leu Ser Le 360	g gta gca aat u Val Ala Asn 365	Pro Ser His	ttg gaa gca g Leu Glu Ala Va 370	ta gat cct 1159 al Asp Pro
gtt gtg ata gg Val Val Ile Gl 375	t aaa acc aga y Lys Thr Arg 380	gcg aaa caa Ala Lys Gln	tat tac acg as Tyr Tyr Thr Ly 385	aa gac gag 1207 ys Asp Glu 390
aac aga aca aa Asn Arg Thr Ly	g aac atg ggt 's Asn Met Gly 395	att ttg atc Ile Leu Ile 400	cat ggg gat gg His Gly Asp G	gt agc ttt 1255 ly Ser Phe 405
gcc gga caa gg Ala Gly Gln Gl 41	y Val Val Tyr	gaa act ctc Glu Thr Leu 415	cat ctt agt go His Leu Ser A 42	ca ctt cct 1303 la Leu Pro
aac tac tgt ac Asn Tyr Cys Th 425	c ggt gga aca r Gly Gly Thr	gtg cac att Val His Ile 430	gtg gtg aat aa Val Val Asn As 435	at caa gtg 1351 sn Gln Val
gct ttc aca ac Ala Phe Thr Th 440	c gat ccc agg r Asp Pro Arg 445	Glu Gly Arg	tct tca cag ta Ser Ser Gln Ty 450	at tgc act 1399 or Cys Thr
gat gtt gca aa Asp Val Ala Ly 455	g gct ttg agc s Ala Leu Ser 460	gcc cca att Ala Pro Ile	ttc cat gtc as Phe His Val As 465	at gca gat 1447 sn Ala Asp 470
gac att gaa go Asp Ile Glu Al	a gta gtg cat a Val Val His 475	gct tgt gag Ala Cys Glu 480	ctt gct gct ga Leu Ala Ala G	ng tgg cgc 1495 Lu Trp Arg 485
cag acg ttc ca Gln Thr Phe Hi 49	s Ser Asp Val	gtt gtt gat Val Val Asp 495	tta gta tgc ta Leu Val Cys Ty 50	r Arg Arg
ttt ggg cat aa Phe Gly His As 505	c gag ata gac n Glu Ile Asp	gaa ccg tca Glu Pro Ser 510	ttc aca caa co Phe Thr Gln Pr 515	ea aaa atg 1591 To Lys Met
tac aag gtctgg Tyr Lys 520	ctat tatatcat	cc atctctgtg	a aataatctaa ta	accaattc 1647
aagtttccat ttc	atacttt tcttg	tactt ttttt	tgtt taaaaacgga	tgttacttgt 1707
tggtgatag gtg Val	Ile Arg Ser H	at ccc tcg to is Pro Ser So 25	ca ctt caa atc er Leu Gln Ile 530	tac cag gag 1758 Tyr Gln Glu
aag ctc ttg ca Lys Leu Leu Gl 535	a tct gga cag n Ser Gly Gln 540	gta acc caa Val Thr Gln	gaa gat att ga Glu Asp Ile As 545	t aag att 1806 p Lys Ile 550
caa aag aaa gt	a agc tct atc	ctc aat gaa	gaa tat gag go	a agt aaa 1854

Gln	Lys	Lys	Val	Ser 555	Ser	Ilė	Leu	Asn	Glu 560	Glu	Tyr	Glu	Ala	Ser 565	Lys	
gat Asp	tat Tyr	att Ile	cca Pro 570	caa Gln	aaa Lys	cgt Arg	gac Asp	tgg Trp 575	ctg Leu	gca Ala	agt Ser	cac His	tgg Trp 580	act Thr	gga Gly	1902
ttc Phe	aag Lys	tct Ser 585	ccg	gag Glu	cag Gln	att Ile	tct Ser 590	agg Arg	att Ile	cga Arg	aac Asn	acc Thr 595	gg Gl	gtaaa	aaaca	1953
ttt	tati	tc a	attta	agtt	gto	aat	gcctt	ttç	gcci	ttt	ttct	ttt	ett '	tttca	atgta	2013
acat	tttg	get e	ggaaa	acta	it to	cctt	gtţ	e tti	tgca					gag Glu 600		2067
ttg Leu	aag Lys	aat Asn	gtg Val 605	gga Gly	aag Lys	gca. Ala	atc Ile	tca Ser 610	acc Thr	ttc Phe	cct Pro	gag Glu	aac Asn 615	ttt Phe	aag Lys	2115
cca Pro	cac His	aga Arg 620	gga Gly	gtt Val	aaa Lys	aga Arg	gtt Val 625	tat Tyr	gaa Glu	caa Gln	cgt Arg	gct Ala 630	caa Gln	atg Met	att Ile	2163
gaa Glu	tcg Ser 635	gga Gly	gaa Glu	ggc Gly	att Ile	gac Asp 640	tgg Trp	gga Gly	ctt Leu	gga Gly	gaa Glu 645	gca Ala	ctt Leu	gct Ala	ttt Phe	2211
gct Ala 650	aca Thr	ctg Leu	gtt Val	gtg Val	gaa Glu 655	ggg Gly	aac Asn	cat His	gtt Val	cgg Arg 660	cta Leu	agt Ser	ggt Gly	caa Gln	gat Asp 665	2259
gtt Val	gaa Glu	aga Arg	gga Gly	act Thr 670	ttc Phe	agt Ser	cat His	aga Arg	cac His 675	tca Ser	gtg Val	ctt Leu	cat His	gat Asp 680	caa Gln	2307
gaa Glu	acç Thr	ggg Gly	gag Glu 685	gaa Glu	tat Tyr	tgt Cys	ccc Pro	ctc Leu 690	gat Asp	cac His	cta Leu	atc Ile	aaa Lys 695	aac Asn	caa Gln	2355
gac Asp	cct Pro	gaa Glu 700	atg Met	ttc Phe	act Thr	gtc Val	agc Ser 705	aac Asn	ag g Se	gtatg	rcatt	t tt	ttt	aato		2404
tcta	ıgaga	itg a	taac	cact	c tt	caat	tgtt	ttt	acat	gat	cttt	acgt	tg t	ttgt	gtatg	2464
cag	c to	c ct Ser	t to Leu 71	Ser	a tt Glu	t gg Phe	t gt Gly	t ct Val 71	Leu	gt tt Gly	c ga Phe	a ct Glu	g gg Leu 72	Gly	t tcg Tyr Se	2513 :
atg r Me	gaa et Gl	aat .u As 72	n Pr	aat To As	tct n Se	ctg r Le	gtg u Va _ 73	ıl Il	tgg .e Tr	gaa Tp Gl	gct .u Al	cag a Gl 73	n Ph	gga ne Gl	gac y As _.	2561
ttt p Ph	gct ne Al	aat a As	ggc n Gl	gca y Al	caa .a Gl	gtt n Va	atg 1 Me	ttt t Ph	gat le As	cag	ttc n Ph	ata e Il	agc .e Se	agt er Se	ggg r Gl	2609

40 745 750

gaa gcc aaa tgg ctc cgt caa act ggt cta gta gtt tta ctt cct cat 2657 y Glu Ala Lys Trp Leu Arg Gln Thr Gly Leu Val Val Leu Leu Pro Hi 755 760 765 770

gga tat gat ggt cag ggt cct gaa cat tcc agt gga aga ttg gaa cgt 2705 s Gly Tyr Asp Gly Gln Gly Pro Glu His Ser Ser Gly Arg Leu Glu Ar 775 780 785

ttc ctt cag gtatattata tgaccgatac ttaccgttaa gattctctcc 2754 g Phe Leu Gln

actititgta titigiticce teteatitga aaattitaae tgeag atg agt gat gae 2811 Met Ser Asp As 790

aat cet tac gtt atc cet gag atg gac cea act ett ega aag eag att 2859
p Asn Pro Tyr Val Ile Pro Glu Met Asp Pro Thr Leu Arg Lys Gln Il
795 800 805

caa gaa tgt aat tgg caa gtt gtt aat gtt act aca cct gcc aac tat 2907 e Gln Glu Cys Asn Trp Gln Val Val Asn Val Thr Thr Pro Ala Asn Ty 810 815 820 825

ttc cat gtt ctg cgt cgg cag gtaaaatatc tatttatccc aagttcgtaa 2958 r Phe His Val Leu Arg Arg Gln 830

aatgttgtta cttaattttc gtattcttca cactcacatg cttgatatca tccatttgca 3018

g ata cac agg gac ttt cgc aag cct ctt ata gtg atg gcc ccc aaa aac 3067 Ile His Arg Asp Phe Arg Lys Pro Leu Ile Val Met Ala Pro Lys As 835 840 845

n Leu Leu Arg His Lys Gln Cys Val Ser Asn Leu Ser Glu Phe Asp As 850 855 860

gtt aaa gga cat cct gga ttt gac aag caa gga act cga ttt aaa cgg 3163 p Val Lys Gly His Pro Gly Phe Asp Lys Gln Gly Thr Arg Phe Lys Ar 865 870 875 880

ttg atc aaa gat caa agt ggc cac tct gat ctt gaa gaa g gtatcagacg 3213 g Leu Ile Lys Asp Gln Ser Gly His Ser Asp Leu Glu Glu A 885

tctagtcctc tgctctggga aggtataaaa aaaaagatcc actttttccg tcattaacta 3273

acaaagttcc cacattctga aatttaatac tttaaatgtc aatgaatcag gtctactatg 3333

agcttgacga agagcgaaag aagtctgaaa caaaggatgt agccatttgc agagtagagc 3393

agctttgccc atttccatat gatctcatcc aaagagaact aaagcgatat ccaagtaggc 3453

gtcgaaaact caagtttgtg ttcaatagtt ttggttgatt atggaattct ttgaaacttt 3513

tgttcttgtg tttaacag at gca gag atc gtg tgg tgt caa gaa gag ccg sp Ala Glu Ile Val Trp Cys Gln Glu Glu Pro 900 atg aac atg gga gga tac caa tac ata gcc cta agg ctt tgc acc gcg Met Asn Met Gly Gly Tyr Gln Tyr Ile Ala Leu Arg Leu Cys Thr Ala 910 atg aaa gca ctg caa aga gga aac ttc aac gac atc aaa tac gtt ggt Met Lys Ala Leu Gln Arg Gly Asn Phe Asn Asp Ile Lys Tyr Val Gly 920 930 cgt ctt ccc tca gct gct aca gcc aca gga ttt tac cag ctt cat gtt 3707 Arg Leu Pro Ser Ala Ala Thr Ala Thr Gly Phe Tyr Gln Leu His Val 945 aag gag cag act gat ctt gtg aag aaa gct ctt caa cct gac ccc atc Lys Glu Gln Thr Asp Leu Val Lys Lys Ala Leu Gln Pro Asp Pro Ile 955 960 acc ccc gtc atc cct taa aaaaacacag cttgaga 3790 Thr Pro Val Ile Pro 970. <210> 114 <211> 947 <212> PRT <213> Arabidopsis thaliana <400> 114 Met Val Trp Phe Arg Ile Gly Ser Ser Val Ala Lys Leu Ala Ile Arg 10 Arg Thr Leu Ser Gln Ser Arg Cys Gly Ser Tyr Ala Thr Arg Thr Arg 20 Val Leu Pro Cys Gln Thr Arg Cys Phe His Ser Thr Ile Leu Lys Ser 40 Lys Ala Glu Ser Ala Ala Pro Val Pro Arg Pro Val Pro Leu Ser Lys 55 Leu Thr Asp Ser Phe Leu Asp Gly Thr Ser Ser Val Tyr Leu Glu Glu Leu Gln Arg Ala Trp Glu Ala Asp Pro Asn Ser Val Asp Glu Ser Trp 90 Asp Asn Phe Phe Arg Asn Phe Val Gly Gln Ala Ser Thr Ser Pro Gly Ile Ser Gly Gln Thr Ile Gln Glu Ser Met Arg Leu Leu Leu Val Arg Ala Tyr Gln Val Asn Gly His Met Lys Ala Lys Leu Asp Pro Leu 135

Gly Leu Glu Lys Arg Glu Ile Pro Glu Asp Leu Thr Pro Gly Leu Tyr 155 Gly Phe Thr Glu Ala Asp Leu Asp Arg Glu Phe Phe Leu Gly Val Trp 170 Arg Met Ser Gly Phe Leu Ser Glu Asn Arg Pro Val Gln Thr Leu Arg Ser Ile Leu Ser Arg Leu Glu Gln Ala Tyr Cys Gly Thr Ile Gly Tyr 200 Glu Tyr Met His Ile Ala Asp Arg Asp Lys Cys Asn Trp Leu Arg Asp - 215 Lys Ile Glu Thr Pro Thr Pro Arg Gln Tyr Asn Ser Glu Arg Arg Met 230 Val Ile Tyr Asp Arg Leu Thr Trp Ser Thr Gln Phe Glu Asn Phe Leu 250 Ala Thr Lys Trp Thr Thr Ala Lys Arg Phe Gly Leu Glu Gly Ala Glu Ser Leu Ile Pro Gly Met Lys Glu Met Phe Asp Arg Ser Ala Asp Leu 285 Gly Val Glu Asn Ile Val Ile Gly Met Pro His Arg Gly Arg Leu Asn 295 300 Val Leu Gly Asn Val Val Arg Lys Pro Leu Arg Gln Ile Phe Ser Glu 310 Phe Ser Gly Gly Thr Arg Pro Val Asp Glu Val Gly Leu Tyr Thr Gly 325 Thr Gly Asp Val Lys Tyr His Leu Gly Thr Ser Tyr Asp Arg Pro Thr Arg Gly Gly Lys His Leu His Leu Ser Leu Val Ala Asn Pro Ser His Leu Glu Ala Val Asp Pro Val Val Ile Gly Lys Thr Arg Ala Lys Gln 375 Tyr Tyr Thr Lys Asp Glu Asn Arg Thr Lys Asn Met Gly Ile Leu Ile 385 His Gly Asp Gly Ser Phe Ala Gly Gln Gly Val Val Tyr Glu Thr Leu 410 His Leu Ser Ala Leu Pro Asn Tyr Cys Thr Gly Gly Thr Val His Ile 420 Val Val Asn Asn Gln Val Ala Phe Thr Thr Asp Pro Arg Glu Gly Arg 440

Ser	Ser 450	Gln	Tyr	Cys	Thr	Asp 455	Val	Ala	Lys	Ala	Leu 460		Ala	Pro	Ile
Phe 465	His	Val	Asn	Ala	Asp 470	Asp	Ile	Glu	Ala	Val 475		His	Ala	Cys	Glu 480
Leu	Ala	Ala	Glu	Trp 485	Arg	Gln	Thr	Phe	His 490	Ser	Asp	Val	Val	Val 495	Asp
Leu	Val	Суѕ	Tyr 500	Arg	Arg	Phe	Gly	His 505	Asn	Glu	Ile	Asp	Glu 510		Ser
Phe	Thr	Gln 515	Pro	Lys	Met	Tyr	Lys 520	Val	Ile	Arg	Ser	His 525		Ser	Ser
Leu	Gln 530	Ile	Tyr	Gln	Glu	Lys 535		Leu	Gln	Ser	Gly 540	Gln	Val	Thr	Gln
Glu 545	Asp	Ile	Asp	Lys	Ile 550	Gln	Lys	Lys	Val	Ser 555	Ser	Île	Leu	Asn	Glu 560
Glu	Tyr	Glu	Ala	Ser 565	Lys	Asp	Tyr	Ile	Pro 570	Gln	Lys	Arg	Asp	Trp 575	Leu
Ala	Ser	His	Trp 580	Thr	Gly	Phe	Lys	Ser 5 8 5	Pro	Glu	Gln	Ile	Ser 590	Arg	Ile
Arg	Asn	Thr 595	Gly	Val	Lys	Pro	Glu 600	Ile	Leu	Lys	Asn	Val 605	Gly	Lys	Ala
Ile	Ser 610	Thr	Phe	Pro	Glu	Asn 615	Phe	Lys	Pro	His	Arg 620	Gly	Val	Lys	Arg
Val 625	Tyr	Glu	Gln	Arg	Ala 630	Gln	Met	Ile	Glu	Ser 635	Gly	Glu	Gly	Ile	Asp 640
Trp	Gly	Leu	Gly	Glu 645	Ala	Leu	Ala	Phe	Ala 650	Thr	Leu	Val		Glu 655	Gly
Asn	His	Val	Arg 660	Leu	Ser	Glý	Gln	Asp 665	Val	Glü	Arg	Glý	Thr 670	Phe	Ser
His	Arg	His 675	Ser	Val	Leu	His	Asp. 680	Gln	Glu	Thr	Gly	Glu 685	Glu _.	Tyr	Cys
Pro	Leu 690	Asp	His	Leu	Ile	Lys 695	Asn	Gln	Asp	Pro	Glu 700	Met	Phe	Thr	Val
Ser 705	Asn	Ser	Ser	Leu	Ser 710	Glu	Phe	Gly	Val	Leu 715		Phe	Glu	Leu	720
Gly 725	Tyr	Ser	Met	Glu	Asn 730	Pro	Asn	Ser	Leu	Val 73	Ile	Trp	Glu	Ala	Gln
Phe	Gly	Ap F	he A	la A	sn G 740	ly A	la G	ln V	al M	let F 745	he A	sp	Sln F	he I	le 750

...

Ser Ser Gy Glu Ala Lys Trp Leu Arg Gln Thr Gly Leu Val Val Leu 755 760 765

Leu Pro Hs Gly Tyr Asp Gly Gln Gly Pro Glu His Ser Ser Gly Arg
770 775 780

Leu Glu Ag Phe Leu Gln Met Ser Asp Asp Asn Pro Tyr Val Ile Pro
785 790 795

Glu Met Asp Pro Thr Leu Arg Lys Gln Ile Gln Glu Cys Asn Trp Gln 800 805 810

Val Val Asn Val Thr Thr Pro Ala Asn Trp Phe His Val Leu Arg Arg 815 820 825

Gln Ile His Arg Asp Phe Arg Lys Pro Leu Ile Val Met Ala Pro Lys 830 835 840

Asn Leu Leu Arg His Lys Gln Cys Val Ser Asn Leu Ser Glu Phe Asp 845 850 855

Asp Val Lys Gly His Pro Gly Phe Asp Lys Gln Gly Thr Arg Phe Lys 860 865 870

Arg Leu Ile Lys Asp Gln Ser Gly His Ser Asp Leu Glu Glu 875 880 885

Asp Ala Glu Ile Val Trp Cys Gln Glu Glu Pro Met Asn Met Gly Gly 890 895 900

Tyr Gln Tyr Ile Ala Leu Arg Leu Cys Thr Ala Met Lys Ala Leu Gln 905 915

Arg Gly Asn Phe Asn Asp Ile Lys Tyr Val Gly Arg Leu Pro Ser Ala 920 925 930

Ala Thr Ala Thr Gly Phe Tyr Gln Leu His Val Lys Glu Gln Thr Asp 935

Leu Val Lys Lys Ala Leu Gln

Pro Asp Pro Ile Thr. Pro Val Ile Pro

<210> 115

<211> 1200

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (25)..(151)

<220>

<221> CDS

<22	2> (257)	(3	57)					•							
	1> C		(6	62)				• .			•					
<22				02										• .		
<22	2> (783)	(1	166)					•			•				
	0> 1 attt	-	ctct	cttg	ac g	cta	atg Met 1	ttc (att Ile	cgg Arg	gtt Val 5	tcc Ser	gct Ala	cga Arg	ccc Pro	51
gcg Ala 10	aca Thr	ttc Phe	gtc Val	gag Glu	gat Asp 15	ttc Phe	aaa Lys	gcc Ala	gcc Ala	tgg Trp 20	Ser	gaa Glu	tct Ser	cac	atc Ile 25	99
cgt Arg	caa Gln	atg Met	gaa Glu	gac Asp 30	gga Gly	aaa Lys	gct Ala	atc Ile	cag Gln 35	ctc Leu	gtc Val	ctt Leu	gat Asp	cag Gln 40	agc Ser	147
act Thr	g g	taca	ccaa	ge:	caca	gtta	tat	tttta	aaa (cgga	aaca	tt t	tgaa,	atta	a . :	201
tggi	gtt	ttt a	atgta	aata	ta c	tete	actg	t aca	atgti	tcat	att	tgtc	ttt	taaa	g ga ly	
tgt Cys	gga Gly 45	ttt Phe	gct Ala	tcc Ser	aaa Lys	aga Arg 50	aaa Lys	tat Tyr	cta Leu	ttc Phe	gga Gly 55	cga Arg	gtg Val	agc Ser	atg Met	306
aag Lys 60	atc Ile	aaa Lys	ctc Leu	att Ile	ccc Pro 65	ġga Gly	gac Asp	tct Ser	gcc Ala	ggt Gly 70	acg Thr	gtc Val	acc Thr	gct Ala	ttc Phe 75	354
tac Tyr	gtaa	agtci	tat d	catt	ttact	CC Ca	actag	gttt	c gaa	aatti	ttac	aca	ttca	cac		407
aata	aaaa	aat a	aacat	ttt	ct to	gaaa	cacta	a aco	ggtca	aaat	cat	tgati	atg (tcta	tag	464
atg Met	aac Asn	tcc Ser	gat Asp 80	acg Thr	gcc Ala	acg Thr	gtg Val	aga Arg 85	Asp	gag Glu	cta Leu	gat Asp	ttt Phe 90	Glu	ttc Phe	512
ttg Leu	gga Gly	aac Asn 95	aga Arg	agt Ser	ggt Gly	caa Gln	cct Pro 100	tac Tyr	tca Ser	gtg Val	caa Gln	aca Thr 105	aac Asn	ata Ile	ttt Phe	560
gct Ala	cat His 110	ggc Gly	aaa Lys	gga Gly	gat Asp	aga Arg 115	gaa Glu	caa Gln	aga Ar g	gtt Val	aat Asn 120	ctt Leu	tgg Trp	ttc Phe	gac Asp	608
cca Pro 125	tct Ser	atg Met	gat Asp	tac Tyr	cac His 130	act Thr	tac Tyr	act Thr	atc Ile	tta Leu 135	tgg Trp	tca Ser	cac His	aaa Lys	cac His	656

att	gtg Val	taa	gctt	ttc	tcta	attg	ta c	tttc	aact	a ga	atca	acat	tta	etgt	ttc	712
aaa	acaà	aaa a	atca	ccat	tt a	ctgt	ttaa	a aa	aacc	ttag	ttt	aacg	tgg	ggtt	gttttg	772
gtt	actca	agt :	ttt (Phe 1	lyr '	gta (Val 1 145	gac (Asp <i>i</i>	gat (gtg (Val	Pro	ata a Ile a 150	aga (Arg (gaa Glu	tac Tyr	Lys .	aac Asn 155	821
aac Asn	gaa Glu	gcc Ala	aag Lys	aac Asn 160	ata Ile	gct Ala	tac Tyr	cca Pro	aca Thr 165	tca Ser	caa Gln	cct Pro	atg Met	gga Gly 170	gta Val	869
tac Tyr	tca Ser	Thr	tta Leu 175	tġg Trp	gaa Glu	gca Ala	gat Asp	gac Asp 180	tgg Trp	gca Ala	aca Thr	cgt Arg	ggt Gly 185	gga Gly	tta Leu	917
gag Glu	aaa Lys	att Ile 190	gat Asp	tgg Trp	agc Ser	aaa Lys	gct Ala 195	cca Pro	ttt Phe	tat Tyr	gct Ala	tat Tyr 200	tac Tyr	aaa Lys	gat Asp	965
ttc Phe	gac Asp 205	atc Ile	gaa Glu	ggt Gly	tgt Cys	cct Pro 210	gtt Val	cct Pro	gga Gly	cca Pro	acc Thr 215	ttt Phe	tgt Cys	cca Pro	tcg Ser	1013
aac Asn 220	cct Pro	cat His	aat Asn	tgg Trp	tgg Trp 225	gaa Glu	ggt Gly	tat Tyr	gcc Ala	tat Tyr 230	cag Gln	tct Ser	ctt Leu	aac Asn	gcc Ala 235	1061
gtt Val	gaa Glu	gct Ala	cga Arg	cgt Arg 240	tac Tyr	cgg Arg	tgg Trp	gtt Val	aga Arg 245	gta Val	aac Asn	cat His	atg Met	gtt Val 250	tat Tyr	1109
gat Asp	tat Tyr	tgt Cys	act Thr 255	gac Asp	cgg Arg	tct Ser	agg Arg	ttt Phe 260	cct Pro	gtc Val	cca Pro	cca Pro	ccc Pro 265	gag Glu	tgt Cys	1157
cgt Arg	gct Ala	tga 270	aaat	aatt	tgc a	ataco	gtacg	yt to	gcaat	gato	ato	jt				1200
<213 <213)> 11 L> 26 ?> PF	59 RT	lopsi	s th	nalia	ana			• :							
)> 11															
	Phe		Arg	Val 5	Ser	Ala	Arg	Pro	Ala 10	Thr	Phe	Val	Glu	Asp 15	Phe	
Lys	Ala	Ala	Trp 20	Ser	Glu	Ser	His	Ile 25	Arg	Gln	Met	Glu	Asp 30	Gly	Lys	
Ala	Ile	Gln 35	Leu	Val	Leu	Asp	Gln 40	Ser	Thr	Gly	Cys	Gly 45	Phe	Ala	Ser	

Lys Arg Lys Tyr Leu Phe Gly Arg Val Ser Met Lys Ile Lys Leu Ile - 60 Pro Gly Asp Ser Ala Gly Thr Val Thr Ala Phe Tyr Met Asn Ser Asp 75 Thr Ala Thr Val Arg Asp Glu Leu Asp Phe Glu Phe Leu Gly Asn Arg Ser Gly Gln Pro Tyr Ser Val Gln Thr Asn Ile Phe Ala His Gly Lys 100 105 Gly Asp Arg Glu Gln Arg Val Asn Leu Trp Phe Asp Pro Ser Met Asp 120 Tyr His Thr Tyr Thr Ile Leu Trp Ser His Lys His Ile Val Phe Tyr 135 140 Val Asp Asp Val Pro Ile Arg Glu Tyr Lys Asn Asn Glu Ala Lys Asn 155 Ile Ala Tyr Pro Thr Ser Gln Pro Met Gly Val Tyr Ser Thr Leu Trp 165 170 Glu Ala Asp Asp Trp Ala Thr Arg Gly Gly Leu Glu Lys Ile Asp Trp 185 Ser Lys Ala Pro Phe Tyr Ala Tyr Tyr Lys Asp Phe Asp Ile Glu Gly Cys Pro Val Pro Gly Pro Thr Phe Cys Pro Ser Asn Pro His Asn Trp 210 220 Trp Glu Gly Tyr Ala Tyr Gln Ser Leu Asn Ala Val Glu Ala Arg Arg 235 Tyr Arg Trp Val Arg Val Asn His Met Val Tyr Asp Tyr Cys Thr Asp 245 250 Arg Ser Arg Phe Pro Val Pro Pro Pro Glu Cys Arg Ala

```
<210> 117
<211> 1399
<212> DNA
<213> Arabidopsis thaliana
```

<220> <221> CDS <222> (25)..(1386)

-	0> 1:															
aac	acaa	acc (gagg	ttt	ag a	aac	atg Met . 1	gcg Ala	tct Ser	aag Lys	gta Val 5	atc Ile	tct Ser	gcc Ala	aca Thr	51
atc Ile 10	cgc Arg	aga Arg	acc Thr	cta Leu	acc Thr 15	aaa Lys	cca Pro	cac His	ggc Gly	act Thr 20	Phe	tcc Ser	cgg Arg	tgt Cys	cgc Arg 25	99
tac Tyr	tta Leu	tca Ser	acc Thr	gcc Ala 30	gct Ala	gct Ala	gcg Ala	acg Thr	gag Glu 35	gtg Val	aat Asn	tac Tyr	gag Glu	gat Asp 40	Glu	147
tcg Ser	att Ile	atg Met	atg Met 45	aaa Lys	gga Gly	gtt Val	cga Arg	att Ile 50	tca Ser	ggt Gly	aga Arg	cct Pro	ctt Leu 55	tac Tyr	tta Leu	. 195
gat Asp	atg Met	caa Gln 60	gcg Ala	acg Thr	act Thr	ccg Pro	att Ile 65	gat Asp	cct Pro	aga Arg	gta Val	ttc Phe 70	· Asp	gcg Ala	atg Met	243
aat Asn	gct Ala 75	tca Ser	cag Gln	atc Ile	cat His	gag Glu 80	tat Tyr	Gly	aat Asn	cct Pro	cac His 85	tcg Ser	cga Arg	acg Thr	cat His	291
ctc Leu 90	tac Tyr	ggc Gly	tgg Trp	gaa Glu	gct Ala 95	gag Glu	aac Asn	gcc Ala	gtc Val	gag Glu 100	aac Asn	gca Ala	cga Arg	aac Asn	cag Gln 105	339
gtc Val	gcg Ala	aaa Lys	ctg Leu	atc Ile 110	gaa Glu	gct Ala	tca Ser	ccg Pro	aag Lys 115	gag Glu	atc Ile	gta Val	ttc Phe	gtg Val 120	tcc Ser	387
ggt Gly	gca Ala	acg Thr	gag Glu 125	gcg Ala	aac Asn	aat Asn	atg Met	gcg Ala 130	gtg Val	aaa Lys	gga Gly	gtg Val	atg Met 135	cac His	ttt Phe	435
tac Tyr	aag Lys	gac Asp 140	acg Thr	aag Lys	aaa Lys	cat His	gtg Val 145	Ile	act Thr	aca Thr	cag Gln	act Thr 150	gag Glu	cat His	aag Lys	483
tgt Cys	gtg Val 155	ctt Leu	gat Asp	tcg Ser	tgt Cys	agg Arg 160	cat His	ttg Leu	cag Gln	caa Gln	gaa Glu 165	gga Gly	ttt Phe	gag Glu	gta Val	531
act Thr 170	tat Tyr	tta Leu	cct Pro	gtg Val	aaa Lys 175	act Thr	gat Asp	gga Gly	ttg. Leu	gtt Val 180	gat Asp	tta Leu	gag Glu	atg Met	ttg Leu 185	579
aga Arg	gaa Glu	gct Ala	att Ile	agg Arg 190	cca Pro	gac Asp	aca Thr	ggg Gly	cta Leu 195	gtt Val	tct Ser	att Ile	atg Met	gct Ala 200	gtg Val	62,7
aac Asn	aat Asn	gag Glu	att Ile 205	ggt Gly	gtg Val	gtt Val	caa Gln	cct Pro 210	atg Met	gag Glu	gag Glu	att Ile	ggt Gly 215	atg Met	att Ile	675

																•
tgc Cys	aaa Lys	gag Glu 220	cat His	aat Asn	gtt Val	ccg Pro	ttt Phe 225	cat His	act Thr	gat Asp	gct Ala	gct Ala 230	caa Gln	gct Ala	att Ile	723
ggg	aag Lys 235	ata Ile	cct Pro	gtt Val	gat Asp	gtt Val 240	aag Lys	aag Lys	tgg Trp	aat Asn	gtt Val 245	gct Ala	ttg Leu	atg Met	tct Ser	771
atg Met 250	agt Ser	gct Ala	cac His	aag Lys	atc Ile 255	tat Tyr	gga Gly	ccg Pro	aaa Lys	ggt Gly 260	Val	ggt Gly	gct Ala	ttg Leu	tat Tyr 265	819
gtg Val	agg Arg	agg Arg	agg Arg	ccg Pro 270	aga Arg	atc Ile	agg Arg	ctt Leu	gag Glu 275	ccg Pro	ttg Leu	atg Met	aat Asn	ggt Gly 280	Gly	867
ggt Gly	cag Gln	gag Glu	agg Arg 285	gga Gly	ttg Leu	cgt Arg	agt Ser	ggt Gly 290	acg Thr	ggg Gly	gct Ala	acg Thr	cag Gln 295	cag Gln	att. Ile	915
gtt Val	Gly ggg	ttc Phe 300	Gly	gct Ala	gct Ala	tgt Cys	gag Glu 305	ttg Leu	gct Ala	atg Met	aag Lys	gag Glu 310	atg Met	gag Glu	tat Tyr	963
gat Asp	gag Glu 315	aag Lys	tgg Trp	att Ile	aag Lys	ggg Gly 320	tta Leu	cag Gln	gag Glu	agg Arg	ttg Leu 325	ctg Leu	aat Asn	Gly aga	gtt Val	1011
aga Arg 330	gag Glu	aag Lys	ctt Leu	gat Asp	ggt Gly 335	gtt Val	gtg Val	gtg Val	aat Asn	ggt Gly 340	tca Ser	atg Met	gat Asp	agt Ser	cga Arg 345	1059
tat Tyr	gta Val	ggg Gly	aat Asn	ttg Leu 350	aat Asn	ttg Leu	tcg Ser	ttt Phe	gct Ala 355	tat Tyr	gtt Val	gaa Glu	gga Gly	gag Glu 360	agt Ser	1107
ttg Leu	ttg Leu	atg Met	gga Gly 365	ttg Leu	aag Lys	gaa Glu	gtt Val	gca Ala 370	gtg Val	tct Ser	agt Ser	gga Gly	agt Ser 375	gct Ala	tgt Cys	1155
act Thr	agt Ser	gcg Ala 380	agt Ser	ttg Leu	gag Glu	cct Pro	tct Ser 385	tat Tyr	gtg Val	ttg Leu	aga Arg	gct Ala 390	ttg Leu	ggt Gly	gtg Val	1203
gat Asp	gaa Glu 395	gac Asp	atg Met	gct Ala	cac His	act Thr 400	tcg Ser	att Ile	agg Arg	ttt Phe	ggg Gly 405	att Ile	ggt Gly	agg Arg	ttt Phe	1251
acc Thr 410	acg Thr	aag Lys	gaa Glu	gag Glu	att Ile 415	gat Asp	aaa Lys	gcg Ala	gtc Val	gag Glu 420	ctt Leu	acg Thr	gtt Val	aaa Lys	caa Gln 425	1299
gtt Val	gag Glu	aag Lys	ttg Leu	agg Arg 430	gaa Glu	atg Met	agc Ser	ccg Pro	ctt Leu 435	tat Tyr	gaa Glu	atg Met	gtt Val	aaa Lys 440	gaa Glu	1347
ggt	atc	gat	atc	aag	aac	att	caa	tgg	tct	caa	cac	tga	ttca	acag	rtt	1396

Gly Ile Asp Ile Lys Asn Ile Gln Trp Ser Gln His 445 450

cca ·

1399

<210> 118

<211> 453

<212> PRT

<213> Arabidopsis thaliana

<400> 118

Met Ala Ser Lys Val Ile Ser Ala Thr Ile Arg Arg Thr Leu Thr Lys

1 10 15

Pro His Gly Thr Phe Ser Arg Cys Arg Tyr Leu Ser Thr Ala Ala Ala 20 25 30

Ala Thr Glu Val Asn Tyr Glu Asp Glu Ser Ile Met Met Lys Gly Val 35 40 45

Arg Ile Ser Gly Arg Pro Leu Tyr Leu Asp Met Gln Ala Thr Thr Pro 50 60

Ile Asp Pro Arg Val Phe Asp Ala Met Asn Ala Ser Gln Ile His Glu 65 70 75 80

Tyr Gly Asn Pro His Ser Arg Thr His Leu Tyr Gly Trp Glu Ala Glu 85 90 95

Asn Ala Val Glu Asn Ala Arg Asn Gln Val Ala Lys Leu Ile Glu Ala 100 105 110

Ser Pro Lys Glu Ile Val Phe Val Ser Gly Ala Thr Glu Ala Asn Asn 115 120 125

Met Ala Val Lys Gly Val Met His Phe Tyr Lys Asp Thr Lys Lys His 130 135 140

Val Ile Thr Thr Gln Thr Glu His Lys Cys Val Leu Asp Ser Cys Arg 145 150 155 160

His Leu Gln Gln Glu Gly Phe Glu Val Thr Tyr Leu Pro Val Lys Thr 165 170 175

Asp Gly Leu Val Asp Leu Glu Met Leu Arg Glu Ala Ile Arg Pro Asp 180 185 190

Thr Gly Leu Val Ser Ile Met Ala Val Asn Asn Glu Ile Gly Val Val 195 200 205

Gln Pro Met Glu Glu Ile Gly Met Ile Cys Lys Glu His Asn Val Pro 210 215 220

Phe His Thr Asp Ala Ala Gln Ala Ile Gly Lys Ile Pro Val Asp Val 225 230 240

Lys Lys Trp Asn Val Ala Leu Met Ser Met Ser Ala His Lys Ile Tyr 250 255

Gly Pro Lys Gly Val Gly Ala Leu Tyr Val Arg Arg Pro Arg Ile 260

Arg Leu Glu Pro Leu Met Asn Gly Gly Gly Gln Glu Arg Gly Leu Arg

Ser Gly Thr Gly Ala Thr Gln Gln Ile Val Gly Phe Gly Ala Ala Cys
290 295 300

275 280

Glu Leu Ala Met Lys Glu Met Glu Tyr Asp Glu Lys Trp Ile Lys Gly 305 310 315 320

Leu Gln Glu Arg Leu Leu Asn Gly Val Arg Glu Lys Leu Asp Gly Val 325 330 335

Val Val Asn Gly Ser Met Asp Ser Arg Tyr Val Gly Asn Leu Asn Leu 340 345 350

Ser Phe Ala Tyr Val Glu Gly Glu Ser Leu Leu Met Gly Leu Lys Glu 355 360 365

Val Ala Val Ser Ser Gly Ser Ala Cys Thr Ser Ala Ser Leu Glu Pro 370 375 380

Ser Tyr Val Leu Arg Ala Leu Gly Val Asp Glu Asp Met Ala His Thr 385 390 395 400

Ser Ile Arg Phe Gly Ile Gly Arg Phe Thr Thr Lys Glu Glu Ile Asp 405 410 415

Lys Ala Val Glu Leu Thr Val Lys Gln Val Glu Lys Leu Arg Glu Met 420 425 430

Ser Pro Leu Tyr Glu Met Val Lys Glu Gly Ile Asp Ile Lys Asn Ile 435 440 445

Gln Trp Ser Gln His 450

<210> 119

<211> 3180

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (8)..(1781)

<220>

<221> CDS

<222> (1833)..(2609)

	0> 1> C! 2> (:),.(3076)		٠									
	0> 1 cacg		çtc	acc	aat	act	aat	ctc	ttc	ttc	ttt	ctc	tct	tta	ctt	49
	•	Met 1	Leu	Thr	Asn	Thr 5	Asn	Leu	Phe	Phe	Phe 10	Leu	Ser	Leu	Leu	
ctt Leu 15	ctt Leu	tct Ser	tgt Cys	ttt Phe	ctc Leu 20	caa Gln	gtt Val	tct Ser	tcc Ser	aat Asn 25	gga Gly	gac Asp	gct Ala	gag Glu	ata Ile 30	97
Leu	Ser	Arg	Val	Lys 35	Lys	Thr	Arg	Leu	Phe 40	Asp	Pro	Asp	Gly	aat Asn 45	Leu	145
Gln	Asp	Trp	Val 50	Ile	Thr	Gly	Asp	Asn 55	Arg	Ser	Pro	Cys	Asn 60	Trp		193
Gly	Ile	Thr 65	Cys	His	Ile	Arg	Lys 70	Gly	Ser	Ser	Leu	Ala 75	Val	act Thr	Thr	241
Ile	Asp 80	Leu	Ser	Gly	Tyr	Asn 85	Ile	Ser	Gly	Gly	Phe 90	Pro	Tyr	gga Gly	Phe	289
tgt Cys 95	cgt Arg	atc Ile	cgt Arg	aca Thr	ctc Leu 100	atc Ile	aac Asn	atc Ile	act Thr	ctt Leu 105	tct Ser	caa Gln	aac Asn	aat Asn	ctc Leu 110	337
aat Asn	ggt Gly	acg Thr	att Ile	gat Asp 115	tct Ser	gct Ala	cct Pro	ctc Leu	tcc Ser 120	ctc Leu	tgt Cys	tct Ser	aaa Lys	ctt Leu 125	cag Gln	385
aat Asn	ttg Leu	att Ile	ctc Leu 130	aat Asn	caa Gln	aac Asn	Asn	ttc Phe 135	tcc Ser	ggt Gly	aaa Lys	tta Leu	ccg Pro 140	gaa Glu	ttc Phe	433
tca Ser	ccg Pro	gag Glu 145	ttt Phe	cgt Arg	aaa Lys	tta Leu	cga Arg 150	gtc Val	ctc Leu	gaa Glu	ttg Leu	gaa Glu 155	tca Ser	aac Asn	ctc Leu	481
ttc Phe	acc Thr 160	ggt Gly	gag Glu	att Ile	cct Pro	caa Gln 165	agt Ser	tac Tyr	Gly ggg	aga Arg	ctc Leu 170	act Thr	gct Ala	ctg Leu	caa Gln	529
gtt Val 175	ctg Leu	aat Asn	ctt. Leu	aat Asn	ggt Gly 180	aac Asn	ccg Pro	ctc Leu	agt Ser	gga Gly 185	atc Ile	gtt Val	ccg Pro	gcg Ala	ttt Phe 190	577
ttg Leu	ggt Gly	tat Tyr	ctg Leu	act Thr 195	gag Glu	tta Leu	act Thr	cgt Arg	ctt Leu 200	gat Asp	ctc Leu	gct Ala	tac Tyr	atc Ile 205	agt Ser	625

	ttt Phe	gat Asp	cct Pro	agt Ser 210	ccg Pro	att	cca Pro	tca Ser	acc Thr 215	Leu	ggg	aac Asn	ttg Leu	Ser 220	··Asn	ctg Leu	673
	act	gat Asp	ctt Leu 225	Arg	cta Leu	act Thr	cac His	tcg Ser 230	Asn	ctc Leu	gtc Val	gga Gly	gaa Glu 235	att	CCt Pro	gat Asp	721
	tcg Ser	atc Ile 240	atg Met	aat Asn	ctg Leu	gtg Val	ttg Leu 245	tta Leu	gag Glu	aat Asn	ctt Leu	gat Asp 250	Leu	gct	atg Met	aat Asn	769
	agt Ser 255	ctc Leu	acc Thr	gga Gly	gaa Glu	ata Ile 260	Pro	gag Gl _l u	agt Ser	atc	gga Gly 265	aga Arg	ctc Leu	gaa Glu	tcg Ser	gtt Val 270	817
-	tac Tyr	cag Gln	att Ile	gag Glu	ctc Leu 275	Tyr	gat Asp	aac Asn	cgg Arg	tta Leu 280	tct Ser	gga Gly	aaa Lys	tta Leu	ccg Pro 285	gag Glu	865
	agt Ser	atc Ile	gga Gly	aat Asn 290	tta Leu	acc Thr	gaa Glu	ttg Leu	agg Arg 295	aat Asn	ttt Phe	gat Asp	gtc Val	tcg Ser 300	cag Gln	aat Asn	913
	aat Asn	cta Leu	acc Thr 305	ggt Gly	gaa Glu	cta Leu	Pro	gaa Glu 310	aag Lys	atc Ile	gct Ala	gct Ala	ctg Leu 315	caa Gln	ctt Leu	atc Ile	961
	tct Ser	ttc Phe 320	aat Asn	ctc Leu	aat Asn	Asp	aat Asn 325	ttc Phe	ttc Phe	acc Thr	gga Gly	gga Gly 330	tta Leu	cca Pro	gat Asp	gtc Val	1009
	gta Val 335	gct Ala	ttg Leu	aat Asn	cct Pro	aat Asn 340	ctc Leu	gtt Val	gaa Glu	ttc Phe	aaa Lys 345	atc Ile	ttc Phe	aac Asn	aac Asn	agt Ser 350	1057
	ttc Phe	acg Thr	Gly ggg	acg Thr	tta Leu 355	cca Pro	agg Arg	aat Asn	ctc Leu	999 360	aaa Lys	ttc Phe	tca Ser	gaa Glu	atc Ile 365	tct Ser	1105
	gaa Glu	ttc Phe	gat Asp	gtc Val 370	tcg Ser	acg Thr	aac Asn	aga Arg	ttc Phe 375	tcc Ser	ggt Gly	gaa Glu	ttg Leu	ccg Pro 380	ccg Pro	tat Tyr	1153
	ttg Leu	tgc Cys	tac Tyr 385	aga Arg	aga Arg	aaa Lys	ctt Leu	cag Gln 390	aag Lys	att Ile	atc	acc Thr	ttc Phe 395	agc Ser	aat Asn	caa Gln	1201
	tta Leu	agc Ser 400	ggc	gaa Glu	att Ile	ccg Pro	gaa Glu 405	tct Ser	tac Tyr	ggc Gly	gat Asp	tgt Cys 410	cat His	tcg Ser	ctt Leu	aat Asn	1249
	tac Tyr 415	att Ile	cgt Arg	atg Met	gcg Ala	gat Asp 420	aac Asn	aaa Lys	ctc Leu	tcc Ser	ggc Gly 425	gaa Glu	gtt Val	ccg Pro	gct Ala	agg Arg 430	1297
	ttt	tgg	gaa	ctt	cct	ctt	act	cgt	ctt	gag	cta	gcc	aac	aac	aat	caa	1345

	-								•								
Phe	Trp	Glu	Leu	Pro 435		Thr	Arg	Leu	Glu 440	Leu	Ala	Asn	Asn	Asn 445	Gln.	-	
tta Leu	caa Gln	ggt Gly	tcg Ser 450	att	cct Pro	cct Pro	tcg Ser	att Ile 455	tcc Ser	aaa Lys	gct Ala	cgt Arg	cat His 460	cta Leu	Ser	1393	
cag Gln	ctt Leu	gaa Glu 465	atc	tcc Ser	gct Ala	aac Asn	aac Asn 470	ttc Phe	tcc Ser	ggt Gly	gtg Val	att Ile 475	ccc Pro	gtc Val	aaa Lys	1441	
Leu	tgt Cys 480	gat Asp	ctc Leu	cgt Arg	gat Asp	ctc Leu 485	aga Arg	gtc Val	atc Ile	gat Asp	ctt Leu 490	agc Ser	cgc Arg	aac Asn	agt Ser	1489	
Phe	tta Leu	gga Gly	tca Ser	att Ile	ccg Pro 500	tct Ser	tgc Cys	atc Ile	aac Asn	aaa Lys 505	ttg Leu	aag Lys	aat Asn	cta Leu	gag Glu 510	1537	
aga Arg	gta Val	gag Glu	atg Met	cag Gln 515	gag Glu	aac Asn	atg Met	ctc Leu	gac Asp 520	ggc Gly	gag Glu	att Ile	ccg Pro	agt Ser 525	tca Ser	1585	
gtg Val	agt Ser	tcg Ser	tgc Cys 530	acc Thr	gag Glu	tta Leu	acc Thr	gaa Glu 535	tta Leu	aat Asn	ctc Leu	tcc Ser	aac Asn 540	aac Asn	cgt Arg	1633	
tta Leu	cga Arg	ggc Gly 545	Gly	ata Ile	cca Pro	ccg Pro	gaa Glu 550	ctc Leu	ggt Gly	gat Asp	tta Leu	ccg Pro 555	gtt Val	tta Leu	aac Asn	1681	
tac Tyr	ctg Leu 560	gat Asp	ctc Leu	tct Ser	aac Asn	aac Asn 565	caa Gln	ctc Leu	acc Thr	ggt Gly	gag Glu 570	att	ccg Pro	gcg Ala	gag Glu	1729	.*
ctg Leu 575	ttg Leu	agg Arg	ctc Leu	aag Lys	ctt Leu 580	aat Asn	caa Gln	ttc Phe	aac Asn	gtc Val 585	tcc Ser	gat Asp	aac Asn	aaa Lys	ctc Leu 590	1777	
tat Tyr		aaga	attco	: tto	etgga	attt	cago	aaga	ata t	ttt	cgad	ec ca	gtti	ctta	ı g gt ly		
aac Asn	ccg Pro	aat Asn 595	ctc Leu	tgt Cys	Ala	cca Pro	Asn	Leu	gat Asp	ccg Pro	Ile	aga Arg 605	cct Pro	tgc Cys	cga Arg	1882	
tcc Ser	aaa Lys 610	cgg Arg	gaa Glu	acc Thr	cgg Arg	tac Tyr 615	att Ile	ctc Leu	cca Pro	atc Ile	tca Ser 620	atc Ile	ctc Leu	tgc Cys	atc Ile	1930	
gtt Val 625	gca Ala	cta Leu	acc Thr	gga Gly	gct Ala 630	ttg Leu	gtt Val	tgg Trp	cta Leu	ttc Phe 635	Ile	aaa Lys	acc Thr	aaa Lys	ccg Pro 640	1978	
tta Leu	ttc Phe	aag Lys	aga Arg	aaa Lys 645	ccg Pro	aaa Lys	cgg Arg	acc Thr	aac Asn 650	aaa Lys	ata Ile	acc Thr	atc Ile	ttc Phe 655	Gln	2026	

.cgg Arg	gtc Val	ggg	ttc Phe 660	acg Thr	gag Glu	gaa Glu	gac Asp	ata Ile 665	tac Tyr	ccg Pro	caa Gln	tta Leu	aca Thr 670	gaa Glu	gat Asp	2074
aac Asn	ata Ile	att Ile 675	GJA aaa	tcg Ser	ggc	Gly	tcg Ser 680	ggt Gly	ttg Leu	gtt Val	tat Tyr	aga Arg 685	gtg Val	aaa Lys	ctc Leu	2122
aaa Lys	tca Ser 690	ggt Gly	caa Gln	acg Thr	ctt Leu	gcg Ala 695	gtg Val	aag Lys	aaa Lys	ctc Leu	tgg Trp 700	gga Gly	gaa Glu	acg Thr	ggt Gly	2170
caa Gln 705	aaa Lys	acg Thr	gaa Glu	tct Ser	gaa Glu 710	Ser	gtt Val	ttt Phe	cga Arg	tcc Ser 715	gaa Glu	gta Val	gag Glu	acg Thr	ttg Leu 720	2218
ggt Gly	cgg Arg	gtc Val	aga Arg	cat His 725	gga Gly	aac Asn	atc Ile	gtg Val	aaa Lys 730	ctt Leu	ctt Leu	atg Met	tgc Cys	tgc Cys 735	Asn	2266
Gly	Glu	Glu	740	Arg	ttc Phe	Leu	Val	Tyr 745	Glu	Phe	Met	Glu	Asn 750	Gly	Ser	2314
Leu	Gly	755	Val	Leu	His	Ser	Glu 760	Lys	Glu	His	Arg	Ala 765	Val	Ser	•	2362
Leu	770	Trp	Thr	Thr	cga Arg	Phe 775	Ser	Ile	Ala	Val	Gly 780	Ala	Ala	Gln	Gly	2410
Leu 785	Ser	Tyr	Leu	His	cat His 790	Asp	Ser	Val	Pro	Pro 795	Ile	Val	His	Arg	Asp 800	2458
Val	Lys	Ser	Asn	Asn 805		Leu	Leu	Asp	His 810	Glu	Met	Lys	Pro	Arg 815	Val	2506
Ala	Asp	Phe	Gly 820	Leu	gct Ala	Lys	Pro	Leu 825	Lys	Arg	Glu	qaA	Asn 830	Asp	Gly	2554
gtc Val	tcc Ser	gat Asp 835	gtt Val	tca Ser	atg Met	tct Ser	tgt Cys 840	gtt Val	gct Ala	gga Gly	tcc Ser	tac Tyr 845	ggc Gly	tac Tyr	att Ile	2602
·Ala	Pro 850	G													gcaa	2659
gcgt	ttta	igt _. a	acat	tact	g tt	ctto	tgtg	gat	gcag	lu	tat Tyr	ggt Gly	tat Tyr	acg Thr 855	tca Ser	2713

Lys	gtg Val	aat Asn	gag Glu 860	aag Lys	agc Ser	gat Asp	gtc Val	tat Tyr 865	agc	ttc Phe	ggg Gly	gtg Val	gtt Val 870	tta Leu	ctc Leu	276
gaa Glu	ctg Leu	att Ile 875	acg Thr	gga Gly	aaa Lys	aga Arg	ccg Pro 880	aac Asn	gat Asp	tcg Ser	tct Ser	ttt Phe 885	Gly aaa	gag Glu	aat Asn	280
aag Lys	gac Asp 890	att Ile	gtt Val	aag Lys	ttt Phe	gca Ala 895	atg Met	gaa Glu	gca Ala	gct Ala	ttg Leu 900	tgt Cys	tac Tyr	cct Pro	tct Ser	285
cca Pro 905	tca Ser	gca Ala	gaa Glu	gac Asp	gga Gly 910	gcc Ala	atg Met	aat Asn	caa Gln	gat Asp 915	tca Ser	ctt Leu	gga Gly	aac Asn	tat Tyr 920	2905
cga Arg	gat Asp	ctt Leu	agc Ser	aag Lys 925	ctt Leu	gtt Val	gat Asp	cca Pro	aag Lys 930	atg Met	aaa Lys	ctt Leu	tcg Ser	acg Thr 935	aga Arg	2953
gag Glu	tat Tyr	gaa Glu	gag Glu 940	ata Ile	gag Glu	aaa Lys	gtt Val	ctt Leu 945	gac Asp	gtt Val	gca Ala	ttg Leu	ctc Leu 950	tgt Cys	acg Thr	3001
tcg Ser	tct Ser	ttt Phe 955	cct Pro	atc	aac Asn	agg Arg	ccg Pro 960	acc Thr	atg Met	agg Arg	aaa Lys	gta Val 965	gta Val	gag Glu	ttg Leu	3049
ctt Leu	aaa Lys	gag Glu	aag Lys	aaa Lys	tca Ser	cta Leu	gag Glu	tga	tatt	aato	ect a	aggct	ttt	aa		3096
	970	•		_		975		•								
	970					975		j act	agga	ittg	ttac	ctcat	ta t	tata	agccat	3156
ttat	970 tagg	jct t	ctat	aatç		975 :aaaa		j act	agga	ittg	ttac	ctcat	ita t	itate	agccat	3156
<pre>ctat aggt <210 <211 <212</pre>	970 tagg tgga 0> 12 1> 97 2> PF	get to	ctat	aatç	gt ac	975 :aaaa :tt		g act	agga	ittg	ttac	ctcat	cta t	itate	agccat	
<210 <211 <212 <213	970 tagga tgga > 12 > 97 > PF 3> Ar	get to	ctat	aatç	gt ac	975 :aaaa :tt		j act	.agga	ittg	ttac	ctcat	ta t	itata	agccat	
<pre></pre>	970 ttage ttgga 0> 12 1> 97 2> PF 8> Ar	get to	ctat tgct	caatç cttaa	gt ac	975 caaaa tt	ıtccç								agccat Leu	
<210 <211 <212 <213 <400 Met	970 tagga tgga 0> 12 1> 97 2> PF 8> Ar 0> 12 Leu	get to	cctat tgct dopsi	ttaa .s th Thr	yt ac aa gt nalia Asn	975 caaaa tt	Phe	Phe	Phe 10	Leu	Ser	Leu	Leu	Leu	Leu	
<pre>cttat aggt <210 <211 <212 <213 <400 Met 1 Ser</pre>	970 ttagg ttgga 0> 12 1> 97 2> PF 3> Ar 0> 12 Leu	get to the second secon	dopsi Asn Leu 20	ttaat ttaa s tl Thr 5 Gln	yt ac aa gt nalia Asn Val	975 caaaa tt ina Leu Ser	Phe	Phe Asn 25	Phe 10 Gly	Leu Asp	Ser	Leu Glu	Leu Ile 30	Leu 15	Leu Ser	
<pre>cttat aggt <210 <211 <212 <213 <400 Met 1 Ser Arg</pre>	970 ttagga 12> 97 2> PF 3> Ar 10> 12 Leu Cys	get to the second secon	dopsi Asn Leu 20	ttaa s th Thr 5 Gln	yt ac aa gt nalia Asn Val	975 caaaa tt na Leu Ser Leu	Phe Ser Phe 40	Phe Asn 25 Asp	Phe 10 Gly	Leu Asp Asp	Ser Ala Gly	Leu Glu Asn 45	Leu Ile 30 Leu	Leu 15 Leu	Leu Ser Asp	

Leu Ser Gly Tyr Asn Ile Ser Gly Gly Phe Pro Tyr Gly Phe Cys Arg 90 Ile Arg Thr Leu Ile Asn Ile Thr Leu Ser Gln Asn Asn Leu Asn Gly Thr Ile Asp Ser Ala Pro Leu Ser Leu Cys Ser Lys Leu Gln Asn Leu 120 Ile Leu Asn Gln Asn Asn Phe Ser Gly Lys Leu Pro Glu Phe Ser Pro . 135 Glu Phe Arg Lys Leu Arg Val Leu Glu Leu Glu Ser Asn Leu Phe Thr 150 155 Gly Glu Ile Pro Gln Ser Tyr Gly Arg Leu Thr Ala Leu Gln Val Leu 170 Asn Leu Asn Gly Asn Pro Leu Ser Gly Ile Val Pro Ala Phe Leu Gly 185 Tyr Leu Thr Glu Leu Thr Arg Leu Asp Leu Ala Tyr Ile Ser Phe Asp 200 Pro Ser Pro Ile Pro Ser Thr Leu Gly Asn Leu Ser Asn Leu Thr Asp . 215 Leu Arg Leu Thr His Ser Asn Leu Val Gly Glu Ile Pro Asp Ser Ile 230 Met Asn Leu Val Leu Leu Glu Asn Leu Asp Leu Ala Met Asn Ser Leu 245 Thr Gly Glu Ile Pro Glu Ser Ile Gly Arg Leu Glu Ser Val Tyr Gln Ile Glu Leu Tyr Asp Asn Arg Leu Ser Gly Lys Leu Pro Glu Ser Ile Gly Asn Leu Thr Glu Leu Arg Asn Phe Asp Val Ser Gln Asn Asn Leu 295 Thr Gly Glu Leu Pro Glu Lys Ile Ala Ala Leu Gln Leu Ile Ser Phe Asn Leu Asn Asp Asn Phe Phe Thr Gly Gly Leu Pro Asp Val Val Ala 325 Leu Asn Pro Asn Leu Val Glu Phe Lys Ile Phe Asn Asn Ser Phe Thr Gly Thr Leu Pro Arg Asn Leu Gly Lys Phe Ser Glu Ile Ser Glu Phe 355 Asp Val Ser Thr Asn Arg Phe Ser Gly Glu Leu Pro Pro Tyr Leu Cys 375

Tyr Arg Arg Lys Leu Gln Lys Ile Ile Thr Phe Ser Asn Gln Leu Ser-395 Gly Glu Ile Pro Glu Ser Tyr Gly Asp Cys His Ser Leu Asn Tyr Ile 405 Arg Met Ala Asp Asn Lys Leu Ser Gly Glu Val Pro Ala Arg Phe Trp 425 Glu Leu Pro Leu Thr Arg Leu Glu Leu Ala Asn Asn Asn Gln Leu Gln 440 445 Gly Ser Ile Pro Pro Ser Ile Ser Lys Ala Arg His Leu Ser Gln Leu 455 Glu Ile Ser Ala Asn Asn Phe Ser Gly Val Ile Pro Val Lys Leu Cys 470 Asp Leu Arg Asp Leu Arg Val Ile Asp Leu Ser Arg Asn Ser Phe Leu 485 490 Gly Ser Ile Pro Ser Cys Ile Asn Lys Leu Lys Asn Leu Glu Arg Val 505 Glu Met Gln Glu Asn Met Leu Asp Gly Glu Ile Pro Ser Ser Val Ser 520 Ser Cys Thr Glu Leu Thr Glu Leu Asn Leu Ser Asn Asn Arg Leu Arg 535 Gly Gly Ile Pro Pro Glu Leu Gly Asp Leu Pro Val Leu Asn Tyr Leu 550 555 Asp Leu Ser Asn Asn Gln Leu Thr Gly Glu Ile Pro Ala Glu Leu Leu 565 Arg Leu Lys Leu Asn Gln Phe Asn Val Ser Asp Asn Lys Leu Tyr Gly 580 Asn Pro Asn Leu Cys Ala Pro Asn Leu Asp Pro Ile Arg Pro Cys Arg 600 Ser Lys Arg Glu Thr Arg Tyr Ile Leu Pro Ile Ser Ile Leu Cys Ile Val Ala Leu Thr Gly Ala Leu Val Trp Leu Phe Ile Lys Thr Lys Pro Leu Phe Lys Arg Lys Pro Lys Arg Thr Asn Lys Ile Thr Ile Phe Gln 645 Arg Val Gly Phe Thr Glu Glu Asp Ile Tyr Pro Gln Leu Thr Glu Asp 665 Asn Ile Ile Gly Ser Gly Gly Ser Gly Leu Val Tyr Arg Val Lys Leu 680

Lys Ser Gly Gln Thr Leu Ala Val Lys Lys Leu Trp Gly Glu Thr Gly 695 Gln Lys Thr Glu Ser Glu Ser Val Phe Arg Ser Glu Val Glu Thr Leu 715 720 Gly Arg Val Arg His Gly Asn Ile Val Lys Leu Leu Met Cys Cys Asn 730 Gly Glu Glu Phe Arg Phe Leu Val Tyr Glu Phe Met Glu Asn Gly Ser 745 Leu Gly Asp Val Leu His Ser Glu Lys Glu His Arg Ala Val Ser Pro 760 Leu Asp Trp Thr Thr Arg Phe Ser Ile Ala Val Gly Ala Ala Gln Gly 7.75 Leu Ser Tyr Leu His His Asp Ser Val Pro Pro Ile Val His Arg Asp 790 795 Val Lys Ser Asn Asn Ile Leu Leu Asp His Glu Met Lys Pro Arg Val 805 810 Ala Asp Phe Gly Leu Ala Lys Pro Leu Lys Arg Glu Asp Asn Asp Gly . 825 Val Ser Asp Val Ser Met Ser Cys Val Ala Gly Ser Tyr Gly Tyr Ile 840 Ala Pro Glu Tyr Gly Tyr Thr Ser Lys Val Asn Glu Lys Ser Asp Val 855 Tyr Ser Phe Gly Val Val Leu Leu Glu Leu Ile Thr Gly Lys Arg Pro 870 875 Asn Asp Ser Ser Phe Gly Glu Asn Lys Asp Ile Val Lys Phe Ala Met 885 890 Glu Ala Ala Leu Cys Tyr Pro Ser Pro Ser Ala Glu Asp Gly Ala Met 905 Asn Gln Asp Ser Leu Gly Asn Tyr Arg Asp Leu Ser Lys Leu Val Asp 920 Pro Lys Met Lys Leu Ser Thr Arg Glu Tyr Glu Glu Ile Glu Lys Val 935 Leu Asp Val Ala Leu Leu Cys Thr Ser Ser Phe Pro Ile Asn Arg Pro 945 950 Thr Met Arg Lys Val Val Glu Leu Leu Lys Glu Lys Lys Ser Leu Glu 970

```
<210> 121
<211> 731
<212> DNA
<213> Arabidopsis thaliana
<400> 121
aagtcgagta tgattgtccg tacgtgctcg acggtgcgac cgtacgtacc ctggcagtcg 60
ccctgacgca acttcgaatc tgccctgcgc cctgctcctc ctatggcagt actgcgtact 120
tcgacgagca ggagctgaag ctgactataa cgtgcctggt cgaaaagcat gccagcccat 180
gaaaaaggag atcgagaacg gtatctcgga cttcggcgag gacggctccg ggaacgtcga 240
tttcgagaag tccgtgcaaa tcggtacggc gcggaacggc gagcgccacg cacgcgacga 300
ggtcataaac gaaacccgcc tgttcggcgc acgccaaacc gggacgataa cctgcaacag 360
cctaaaacgc ccggccgagg agctaggcca gggggcggac ccggaggaga tcccgggaac 420
tagaccggac gggcgaccca tccagcctga ccgcttggac ccgtacccgt tgcctgaaat 540
geetgaatte geetegeett ggatgeetge tetgaaatge tegeetgttg cetgaatteg 600
ctctgaaatc cgttcccccg cctccgcagc tcgtgaccgt ccgaaccgct cgaaccctgc 660
aaacgcctcg c
<210> 122
<211> 21
<212> DNA
<213> Artificial sequence
```

<400> 122 aaaaaacaca tacaggaatt c

<210> 123 <211> 21 <212> DNA <213> Artificial sequence <400> 123 agttagctag ctgagctcga g